2019


Ceiling Fans

from Westinghouse Lighting












2019 CEILING FANS













DIMMABLE LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Light Appearance (Kelvin)	Lumens	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost**
72250	*	16	60	3000 (Warm White)	840	80	25000	22.8	\$1.93
72211	*	16	60	3000 (Warm White)	770	80	25000	22.8	\$1.93
72253	*	16	60	3000 (Warm White)	880	80	25000	22.8	\$1.93
72251	*	16	60	3000 (Warm White)	748	80	25000	22.8	\$1.93
72235 [†]	2	6.5	60	2700 (Warm White)	800	80	15000	13.6	\$0.78
72242	*	16	60	3000 (Warm White)	910	80	25000	22.8	\$1.93

^{*} Integrated LED Light Source

*Based on 3hrs./day **Based on 3hrs./day 11¢/kWh

[†] Values are per lamp.



72246 Quince LED 24 in. Gun Metal Finish Reversible Blades (Black/Graphite) Opal Frosted Glass Includes 16 Watt Integrated LED Includes Pull Chains





72247 Quince LED 24 in. White Finish Reversible Blades (White/Beech) Opal Frosted Glass Includes 16 Watt Integrated LED Includes Pull Chains







DIMMABLE LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Light Appearance (Kelvin)	Lumens	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost**
72246	*	16	60	3000 (Warm White)	820	80	25000	22.8	\$1.93
72247	*	16	60	3000 (Warm White)	820	80	25000	22.8	\$1.93

★ Integrated LED Light Source

*Based on 3hrs./day **Based on 3hrs./day 11¢/kWh

2019 WESTINGHOUSE LIGHTING / 0919 /1028 / 0027819


CEILING FAN SPECIFICATIONS

													WITH DO	OWN ROD		HUG	GER / WITH	OUT DOW	N ROD		
Family Name	Size	# of Blades	Blade Material	Blade Pitch	Motor Type & Motor Size	Lead Wire Length	Capacito Type		Remote Control		Mount Type	Airflow (CFM)*	Airflow Efficiency (CFM)*	Energy Use (Watts)*	Est. Yearly Energy Cost*	Airflow (CFM)*	Airflow Efficiency (CFM)*	Energy Use (Watts)*	Est. Yearly Energy Cost*	RPM (High)	Amp (High)
Carla	46"	3	ABS	24°	Silicon Steel 153mm x 15mm	12"	Single	4	Included	Yes	Hugger	-	-	-	-	2352	63	37	\$10	167	0.49
Comet	52"	5	Plywood	12°	Silicon Steel 153mm x 17mm	54"	Triple	3	Adaptable	Yes	Combo	3210	82	39	\$11	2492	64	39	\$11	147	0.53
Oscar	48"	4	Plywood	12°	Silicon Steel 153mm x 17mm	54"	Dual	4	Included	Yes	Down Rod Only	2894	78	37	\$10	-	-	-	-	203	0.50
Pierre	52"	3	ABS	16.6°	DC Motor 155mm x 16mm	54"	N/A	5	Included	Yes	Down Rod Only	4239	244	17	\$5	-	-	-	-	180	0.38
Quince LED	24"	6	MDF	18°	Silicon Steel 153mm x 12mm	24"	Triple	3	Adaptable	Yes	Down Rod Only	965	45	21	\$6	-	-	-	-	309	0.26
Thurlow LED	54"	3	Plywood	12°	Silicon Steel 153mm x 17mm	54"	Dual	4	Included	Yes	Down Rod Only	3393	81	42	\$12	-	-	-	-	175	0.54
Widespan (72248)	100"	6	Aluminum	17°	DC Motor 165mm x 30mm	30"	N/A	6	Included	Yes	Down Rod Only	-	-	-	-	-	-	-	-	75	1.37
Widespan (72249)	100"	8	Aluminum	12°	DC Motor 165mm x 30mm	30"	N/A	6	Included	Yes	Down Rod Only	-	-	-	-	-	-	-	-	72	1.42
Willa	60"	6	Plywood	12°	Silicon Steel 188mm x 20mm	54"	Single	4	Included	Yes	Down Rod Only	3596	79	46	\$13	-	-	-	-	140	0.58



Visit www.westinghouselighting.com for FTC energy guide information.

 * Based on typical use, excluding lights.



Family Name	Size of Down Rod Included	A Ceiling to bottom of blade	B Ceiling to bottom of switch housing	C Ceiling to bottom of canopy	D Width of motor housing	E Width of canopy	F Ceiling to bottom of light kit
Carla	N/A	9.75"	N/A	N/A	7.75"	N/A	11.00"
Comet LED	3/4" X 4"	11.88"	14.25"	2.25"	11.50"	5.13"	14.25"
Oscar	3/4" X 6"	14.50"	N/A	2.50"	9.00"	5.00"	19.25"
Pierre	3/4" X 6"	13.50"	N/A	2.25"	7.75"	5.00"	16.25"
Quince LED	3/4" X 4"	9.00"	10.38"	2.50"	6.75"	5.13"	12.13"
Thurlow LED	3/4" X 6"	14.25"	16.25"	2.50"	8.75"	5.00"	23.00"
Widespan	3/4" X 24"	33.00"	N/A	3.00"	11.75"	7.50"	N/A
Willa	3/4" X 6"	11.50"	N/A	2.25"	8.25"	5.00"	20.00"

If a Combo Style Fan with a 4" Down Rod is Installed without the Down Rod, Subtract 3" from the Dimensions Listed (A, B, F). If a Combo Style Fan with a 6" Down Rod is Installed without the Down Rod, Subtract 5" from the Dimensions Listed (A, B, F).





ALL CEILING FANS IN THIS BROCHURE ARE UL OR ETL LISTED.

