

2014 REPLACEMENT LAMP GUIDE

See the multiple energy-efficient lighting options that Westinghouse offers!

Westinghouse offers you a variety of lamp choices. The charts below show which lamps are impacted by legislation and the effective date. Also shown are the many replacement options from Westinghouse that are available to you today.



General Service Incandescent Lamps No Longer Available as of 1/1/14



Items Affected as of 1/1/14	Incandescent Recommended Alternatives	Eco-Halogen Recommended Alternatives	CFL (Non-Dimming) Recommended Alternatives	LED Recommended Alternatives
A19				
40A/RNL/4	40A/RNL/VR 2PK			70MNI/LED/DIM/30
40A/F/130/4	40A/F/VR/130 2PK	29A19/H/SW/ECO 2PK	9MINITWIST/27/4	70MNI/LED/DIM/30
40A/130/4	40A/VR/130 2PK	29A19/H/ECO 2PK	9MINITWIST/27/4	70MNI/LED/DIM/30
40A/F/130	40A/F/VR/130	29A19/H/SW/ECO 2PK	9MINITWIST/27	70MNI/LED/DIM/30
40A/130	40A/VR/130	29A19/H/ECO 2PK	9MINITWIST/27	70MNI/LED/DIM/30
40A/SW/4	40A/SW/VR 2PK	29A19/H/SW/ECO 2PK	9MINITWIST/27/4	70MNI/LED/DIM/30
40A/SW/LL/4	40A/SW/VR 2PK	29A19/H/SW/ECO 2PK	9MINITWIST/27/4	70MNI/LED/DIM/30
40A/F/4	40A/F/VR 2PK	29A19/H/SW/ECO 2PK	9MINITWIST/27/4	70MNI/LED/DIM/30
40A/4	40A/VR 2PK	29A19/H/ECO 2PK	9MINITWIST/27/4	70MNI/LED/DIM/30
40A/2	40A/VR 2PK	29A19/H/ECO 2PK	9MINITWIST/27	70MNI/LED/DIM/30
60A/RNL/4	60A/RNL/VR 2PK			
60A/F/130	60A/F/VR/130	42A19/H/SW/ECO 2PK	13MINITWIST/27	100MNI/LED/DIM/30
60A/F/130/4	60A/F/VR/130 2PK	42A19/H/SW/ECO 2PK	13MINITWIST/27	100MNI/LED/DIM/30
60A/130/4	60A/VR/130 2PK	42A19/H/ECO 2PK	13MINITWIST/27/4	100MNI/LED/DIM/30
60A/130	60A/VR/130	42A19/H/ECO 2PK	13MINITWIST/27	100MNI/LED/DIM/30
60A/SW/4	60A/SW/VR 2PK	42A19/H/SW/ECO 2PK	13MINITWIST/27/4	100MNI/LED/DIM/30
60A/F/4	60A/F/VR 2PK	42A19/H/SW/ECO 2PK	13MINITWIST/27/4	100MNI/LED/DIM/30
60A/4	60A/VR 2PK	42A19/H/ECO 2PK	13MINITWIST/27/4	100MNI/LED/DIM/30
60A/2	60A/VR 2PK	42A19/H/ECO 2PK	13MINITWIST/27	100MNI/LED/DIM/30
60A/SW/LL/4	60A/SW/VR 2PK	42A19/H/SW/ECO 2PK	13MINITWIST/27/4	100MNI/LED/DIM/30
Halogen (BT15, F15, G25 and SL19)				
45G25/H/CG			15GLOBE/27	8G25/LED/DIM/30
60BT15/H/SW/CD		42A19/H/SW/ECO 2PK	14ASHAPE/27	100MNI/LED/DIM/30
60BT15/H/CD		42A19/H/ECO 2PK	14ASHAPE/27	100MNI/LED/DIM/30
60F15/H/CD		42A19/H/ECO 2PK	14ASHAPE/27	100MNI/LED/DIM/30
60SL19/H/CG/130		53A19/H/ECO 2PK	14ASHAPE/27	100MNI/LED/DIM/30
G19 1/2, G25 and G30				
40G191/2/W	40G191/2/W/VR			
60G191/2/W	60G191/2/W/VR			
60G25/W/130	60G25/W/VR/130		15GLOBE/27	8G25/LED/DIM/30 •
60G25/130	60G25/VR/130		15GLOBE/27	8G25/LED/DIM/30 •
60G25/W	60G25/W/VR		15GLOBE/27	8G25/LED/DIM/30 •
60G25	60G25/VR		15GLOBE/27	8G25/LED/DIM/30 •
60G30/W	60G30/W/VR		15GLOBE/27	8G25/LED/DIM/30 •
60G30	60G30/VR		15GLOBE/27	8G25/LED/DIM/30 •

• LED option is approximately 1/3 less light output than 60W Incandescent.

CFL and LED Lamps are available in several Kelvin (K) temperature options. Pack sizes for suggested alternatives may vary.



General Service Incandescent Lamps
No Longer Available as of 1/1/14

Items Affected as of 1/1/14	Incandescent Recommended Alternatives	Eco-Halogen Recommended Alternatives	CFL (Non-Dimming) Recommended Alternatives	LED Recommended Alternatives
B11 and CA10				
60B11/W	60B11/W/VR		9MINITWIST/27	
60B11/W 2CD	60B11/W/VR 2CD		9MINITWIST/27	
60B11/F	60B11/F/VR		9MINITWIST/27	
60B11/F 2CD	60B11/F/VR 2CD		9MINITWIST/27	
60B11/F/FAN 2CD	60B11/F/FAN/VR 2CD		9MINITWIST/27	
60B11/130	60B11/VR/130		9MINITWIST/27	
60B11	60B11/VR		9MINITWIST/27	
60B11/EZ 2CD	60B11/EZ/VR 2CD		9MINITWIST/27	
60B11 2CD	60B11/VR 2CD		9MINITWIST/27	
60B11/FAN 2CD	60B11/FAN/VR 2CD		9MINITWIST/27	
60CA10/F	60CA10/F/VR		9MINITWIST/27	
60CA10/F/130	60CA10/F/VR/130		9MINITWIST/27	
60CA10/F 2CD	60CA10/F/VR 2CD		9MINITWIST/27	
60CA10/130	60CA10/VR/130		9MINITWIST/27	
60CA10 2CD	60CA10/VR 2CD		9MINITWIST/27	
60CA10	60CA10/VR		9MINITWIST/27	
T10				
60T10/F	60T10/F/VR			
60T10/F/130	60T10/F/VR/130			
60T10/F/CD	60T10/F/VR			
60T10	60T10/VR			
60T10/F	60T10/F/VR			
60T10/130	60T10/VR/130			
60T10/CD	60T10/VR			
60T10	60T10/VR			

Pack sizes for suggested alternatives may vary.



General Service Incandescent Lamps
No Longer Available as of 1/1/13

Items Previously Affected as of 1/1/13	Incandescent Recommended Alternatives	Eco-Halogen Recommended Alternatives	CFL Recommended Alternatives	LED Recommended Alternatives
A15 and A19				
60A15/IN/FAN 2CD	40A15/IN/FAN 2CD			
60A15/IN/FAN/130	40A15/IN/FAN 2CD			
60A15/SW/IN/FAN 2CD	40A15/SW/IN/FAN 2CD			
75A/2		53A19/H/ECO 2PK	18MINITWIST/27	
75A/4		53A19/H/ECO 2PK	18MINITWIST/27/4	
75A/F/4	75A/F/RS	53A19/H/SW/ECO 2PK	18MINITWIST/27/4	
75A/RNL/4		53A19/H/SW/ECO 2PK	18MINITWIST/27/4	
75A/SW/4	75A/F/RS	53A19/H/SW/ECO 2PK	18MINITWIST/27/4	
75A/SW/LL/4	75A/F/RS	53A19/H/SW/ECO 2PK	18MINITWIST/27/4	
75A/130		53A19/H/ECO 2PK	18MINITWIST/27	
75A/F/130	75A/F/RS	53A19/H/SW/ECO 2PK	18MINITWIST/27	
75A/130/4		53A19/H/ECO 2PK	18MINITWIST/27/4	
75A/F/130/4	75A/F/RS	53A19/H/SW/ECO 2PK	18MINITWIST/27/4	
100A/2		72A19/H/ECO 2PK	23MINITWIST/27	
100A/4		72A19/H/ECO 2PK	23MINITWIST/27/4	
100A/F/4	100A/F/RS	72A19/H/SW/ECO 2PK	23MINITWIST/27/4	
100A/RNL/4		72A19/H/SW/ECO 2PK	23MINITWIST/27/4	
100A/SW/4	100A/F/RS	72A19/H/SW/ECO 2PK	23MINITWIST/27/4	
100A/SW/LL/4	100A/F/RS	72A19/H/SW/ECO 2PK	23MINITWIST/27/4	
100A/130		72A19/H/ECO 2PK	23MINITWIST/27	
100A/F/130	100A/F/RS	72A19/H/SW/ECO 2PK	23MINITWIST/27	
100A/130/4		72A19/H/ECO 2PK	23MINITWIST/27/4	
100A/F/130/4	100A/F/RS	72A19/H/SW/ECO 2PK	23MINITWIST/27/4	

Pack sizes for suggested alternatives may vary.

CFL and LED Lamps are available in several Kelvin (K) temperature options.

continued on next page



General Service Incandescent Lamps No Longer Available as of 1/1/13

Items Previously Affected as of 1/1/13	Incandescent Recommended Alternatives	Eco-Halogen Recommended Alternatives	CFL Recommended Alternatives	LED Recommended Alternatives
BT15				
75BT15/H/SW/CD	75A/F/RS	53A19/H/SW/ECO 2PK	18MINITWIST/27	
100BT15/H/SW/CD	100A/F/RS	72A19/H/SW/ECO 2PK	23MINITWIST/27	
R14				
60R14/FL/IN/FAN 2CD	40R14/FL/IN/FAN 2CD			
F20				
100F20		72A19/H/ECO 2PK	23MINITWIST/27	
G25 and G30				
100G25			15GLOBE/27*	
100G25/W			15GLOBE/27*	
100G30/W			15GLOBE/27*	

*CFL option is approximately 1/3 less light output than 100W Incandescent.
CFL and LED Lamps are available in several Kelvin (K) temperature options.

Halogen Reflector Lamps No Longer Available as of 7/14/12



Items Previously Affected as of 7/14/12	Eco- Halogen / Incandescent Recommended Alternatives		CFL Recommended Alternatives		LED Recommended Alternatives
R20					
50R20/H/FL	45R20/H/FL/ECO	45R20/FL	9CFLR20/F/27	9CFLR20/F/27/2	8R20/LED/DIM/27
BR					
75BR25/H/FL	55BR25/H/FL/ECO				
60BR30/H/FL	50BR30/H/FL/ECO	65BR30/H/FL/ECO	15CFLR30/F/27		11R30/LED/DIM/30
75BR30/H/FL	65BR30/H/FL/ECO	65BR30/FL/KR	15CFLR30/F/27		11R30/LED/DIM/30
75BR30/H/FL/130	65BR30/H/FL/ECO	65BR30/FL/130	15CFLR30/F/27		11R30/LED/DIM/30
75BR40/H/FL	65BR40/H/FL/ECO		23CFLR40/F/27		13R40/LED/DIM/30
80BR40/H/FL/ECO	65BR40/H/FL/ECO		23CFLR40/F/27		13R40/LED/DIM/30
100BR40/H/FL	65BR40/H/FL/ECO		23CFLR40/F/27		18R40/LED/DIM/30
PAR					
50PAR20/H/F/FL/130	38PAR20/H/FL/ECO	38PAR20/H/FL/ECO/PLUS			8PAR20/LED/DIM/30
50PAR20/H/F/FL	38PAR20/H/FL/ECO	38PAR20/H/FL/ECO/PLUS			8PAR20/LED/DIM/30
50PAR20/H/NFL	38PAR20/H/FL/ECO	38PAR20/H/FL/ECO/PLUS			8PAR20/LED/DIM/30
50PAR20/H/SP	38PAR20/H/FL/ECO	38PAR20/H/FL/ECO/PLUS			8PAR20/LED/DIM/30
50PAR20/H/NFL/2	38PAR20/H/FL/ECO 2PK	38PAR20/H/FL/ECO/PLUS 2PK			8PAR20/LED/DIM/30
50PAR20/H/FL/130	38PAR20/H/FL/ECO	38PAR20/H/FL/ECO/PLUS			8PAR20/LED/DIM/30
50PAR20/H/SP/130	38PAR20/H/FL/ECO	38PAR20/H/FL/ECO/PLUS			8PAR20/LED/DIM/30
50PAR30/H/LN/F/FL	38PAR30/H/FL/LN/ECO	38PAR30/H/FL/LN/ECO/PLUS	15CFLPAR30LN/27/GL	15CFLPAR30LN/30/AR	13PAR30/LED/DIM/30
50PAR30/H/FL	38PAR30/H/FL/ECO	38PAR30/H/FL/ECO/PLUS			
50PAR30/H/NFL	38PAR30/H/FL/ECO	38PAR30/H/FL/ECO/PLUS			
50PAR30/H/SP	38PAR30/H/FL/ECO	38PAR30/H/FL/ECO/PLUS			
50PAR30/H/FL/LN	38PAR30/H/FL/LN/ECO	38PAR30/H/FL/LN/ECO/PLUS	15CFLPAR30LN/27/GL	15CFLPAR30LN/30/AR	13PAR30/LED/DIM/30
50PAR30/H/SP/LN	38PAR30/H/FL/LN/ECO	38PAR30/H/FL/LN/ECO/PLUS	15CFLPAR30LN/27/GL	15CFLPAR30LN/30/AR	13PAR30/LED/DIM/30
50PAR30/H/FL/130	38PAR30/H/FL/ECO	38PAR30/H/FL/ECO/PLUS	15CFLPAR30LN/27/GL	15CFLPAR30LN/30/AR	13PAR30/LED/DIM/30
50PAR30/H/FL/LN/130	38PAR30/H/FL/LN/ECO	38PAR30/H/FL/LN/ECO/PLUS	15CFLPAR30LN/27/GL	15CFLPAR30LN/30/AR	13PAR30/LED/DIM/30
75PAR30/H/F/FL/130	60PAR30/H/FL/ECO	60PAR30/H/FL/ECO/PLUS			
75PAR30/H/F/FL/LN/130	60PAR30/H/FL/LN/ECO	60PAR30/H/FL/LN/ECO/PLUS	15CFLPAR30LN/27/GL	15CFLPAR30LN/30/AR	13PAR30/LED/DIM/30
75PAR30/H/LN/F/FL	60PAR30/H/FL/LN/ECO	60PAR30/H/FL/LN/ECO/PLUS	15CFLPAR30LN/27/GL	15CFLPAR30LN/30/AR	13PAR30/LED/DIM/30
75PAR30/H/FL/LN/2	60PAR30/H/FL/LN/ECO 2PK	60PAR30/H/FL/LN/ECO/PLUS 2PK	15CFLPAR30LN/27/GL	15CFLPAR30LN/30/AR	13PAR30/LED/DIM/30
75PAR30/H/FL/LN	60PAR30/H/FL/LN/ECO	60PAR30/H/FL/LN/ECO/PLUS	15CFLPAR30LN/27/GL	15CFLPAR30LN/30/AR	13PAR30/LED/DIM/30
75PAR30/H/SP/LN	60PAR30/H/FL/LN/ECO	60PAR30/H/FL/LN/ECO/PLUS	15CFLPAR30LN/27/GL	15CFLPAR30LN/30/AR	13PAR30/LED/DIM/30
75PAR30/H/FL	60PAR30/H/FL/ECO	60PAR30/H/FL/ECO/PLUS			
75PAR30/H/NFL	60PAR30/H/FL/ECO	60PAR30/H/FL/ECO/PLUS			
75PAR30/H/SP	60PAR30/H/FL/ECO	60PAR30/H/FL/ECO/PLUS			
75PAR30/H/FL/130	60PAR30/H/FL/ECO	60PAR30/H/FL/ECO/PLUS			
75PAR30/H/FL/LN/130	60PAR30/H/FL/LN/ECO	60PAR30/H/FL/LN/ECO/PLUS	15CFLPAR30LN/27/GL	15CFLPAR30LN/30/AR	13PAR30/LED/DIM/30
75PAR30/H/NFL/130	60PAR30/H/FL/ECO	60PAR30/H/FL/ECO/PLUS			

Pack sizes for suggested alternatives may vary. Eco-PAR and Eco-PAR PLUS Halogen Reflectors are available in 2-Packs.
CFL and LED Lamps are available in several Kelvin (K) temperature options.

continued on next page

Halogen Reflector Lamps

No Longer Available as of 7/14/12 (continued)



Items Previously Affected as of 7/14/12	Eco-Halogen / Incandescent Recommended Alternatives		CFL Recommended Alternatives		LED Recommended Alternatives
PAR					
45PAR38/H/F/FL	38PAR38/H/FL/ECO	38PAR38/H/FL/ECO/PLUS	23CFLPAR38/27/GL	23CFLPAR38/30/AR	16PAR38/LED/DIM/30
45PAR38/H/FL/2	38PAR38/H/FL/ECO 2PK	38PAR38/H/FL/ECO/PLUS 2PK	23CFLPAR38/27/GL	23CFLPAR38/30/AR	16PAR38/LED/DIM/30
45PAR38/H/FL	38PAR38/H/FL/ECO	38PAR38/H/FL/ECO/PLUS	23CFLPAR38/27/GL	23CFLPAR38/30/AR	16PAR38/LED/DIM/30
45PAR38/H/SP	38PAR38/H/FL/ECO	38PAR38/H/FL/ECO/PLUS	23CFLPAR38/27/GL	23CFLPAR38/30/AR	16PAR38/LED/DIM/30
45PAR38/H/FL/130	38PAR38/H/FL/ECO	38PAR38/H/FL/ECO/PLUS	23CFLPAR38/27/GL	23CFLPAR38/30/AR	16PAR38/LED/DIM/30
75PAR38/H/F/FL/130	60PAR38/H/FL/ECO	60PAR38/H/FL/ECO/PLUS	23CFLPAR38/27/GL	23CFLPAR38/30/AR	16PAR38/LED/DIM/30
75PAR38/H/F/FL	60PAR38/H/FL/ECO	60PAR38/H/FL/ECO/PLUS	23CFLPAR38/27/GL	23CFLPAR38/30/AR	16PAR38/LED/DIM/30
75PAR38/H/FL	60PAR38/H/FL/ECO	60PAR38/H/FL/ECO/PLUS	23CFLPAR38/27/GL	23CFLPAR38/30/AR	16PAR38/LED/DIM/30
75PAR38/H/FL/130	60PAR38/H/FL/ECO	60PAR38/H/FL/ECO/PLUS	23CFLPAR38/27/GL	23CFLPAR38/30/AR	16PAR38/LED/DIM/30
90PAR38/H/F/FL/130	70PAR38/H/FL/ECO	70PAR38/H/FL/ECO/PLUS	23CFLPAR38/27/GL	23CFLPAR38/30/AR	16PAR38/LED/DIM/30
90PAR38/H/F/FL	70PAR38/H/FL/ECO	70PAR38/H/FL/ECO/PLUS	23CFLPAR38/27/GL	23CFLPAR38/30/AR	16PAR38/LED/DIM/30
90PAR38/H/FL/2	70PAR38/H/FL/ECO 2PK	70PAR38/H/FL/ECO/PLUS 2PK	23CFLPAR38/27/GL	23CFLPAR38/30/AR	16PAR38/LED/DIM/30
90PAR38/H/FL	70PAR38/H/FL/ECO	70PAR38/H/FL/ECO/PLUS	23CFLPAR38/27/GL	23CFLPAR38/30/AR	16PAR38/LED/DIM/30
90PAR38/H/VWFL	70PAR38/H/FL/ECO	70PAR38/H/FL/ECO/PLUS	23CFLPAR38/27/GL	23CFLPAR38/30/AR	16PAR38/LED/DIM/30
90PAR38/H/SP	70PAR38/H/FL/ECO	70PAR38/H/FL/ECO/PLUS	23CFLPAR38/27/GL	23CFLPAR38/30/AR	16PAR38/LED/DIM/30
90PAR38/H/FL/130	70PAR38/H/FL/ECO	70PAR38/H/FL/ECO/PLUS	23CFLPAR38/27/GL	23CFLPAR38/30/AR	16PAR38/LED/DIM/30
90PAR38/H/SP/130	70PAR38/H/FL/ECO	70PAR38/H/FL/ECO/PLUS	23CFLPAR38/27/GL	23CFLPAR38/30/AR	16PAR38/LED/DIM/30

Pack sizes for suggested alternatives may vary. Eco-PAR PLUS Halogen Reflectors are available in 2-Packs. CFL and LED Lamps are available in several Kelvin (K) temperature options.



General Service Linear Fluorescent Lamps

No Longer Available as of 7/14/14

Items Affected as of 7/14/14	Linear Fluorescent Recommended Alternatives			
T8 LINEAR				
F32T8/730/ECOMAX	F32T8/830/ECOMAX		F28T8/830/ECO/LL	
F32T8/735/ECOMAX	F32T8/835/ECOMAX	F32T8/835/XL/ECOMAX	F28T8/835/ECO/LL	F25T8/835/ECO/LL
F32T8/741/ECOMAX	F32T8/841/ECOMAX	F32T8/841/XL/ECOMAX	F28T8/841/ECO/LL	F25T8/841/ECO/LL
F32T8/750/ECOMAX	F32T8/850/ECO		F28T8/850/ECO/LL	F25T8/850/ECO/LL
F32T8/CWE/ECOMAX/2	F32T8/841/ECOMAX/2			
F96T8/741/ECOMAX	F96T8/841/ECOMAX			
T8 U-BENT				
FB32T8/735/6/ECOMAX	FB32T8/835/6/ECOMAX			
FB32T8/741/6/ECOMAX	FB32T8/841/6/ECOMAX		FB28T8/841/6/ECO	

Items Previously Affected as of 7/14/12	Linear Fluorescent Recommended Alternatives			
T12 LINEAR				
F34T12/WW/ES	F40T12/WWX	F32T8/830/ECOMAX †		
F34T12/CW/ES/ECOMAX	F40T12/CWX	F32T8/841/ECOMAX †	F28T8/841/ECO/LL †	F25T8/841/ECO/LL †
F96T12/CW/ES/ECOMAX	F96T12/CWX	F96T8/841/ECOMAX †		
F96T12/CW/HO/ECOMAX				
T12 U-BENT				
FB34T12/CW/6/ES/ECOMAX	FB40T12/CWX/6	FB32T8/841/6/ECOMAX †	FB28T8/841/6/ECO †	

† Requires a ballast change

CFLs and Linear Fluorescent Lamps contain mercury. (Hg) For more on clean up and safe disposal, visit epa.gov/cfl.

Call 1-800-999-2226 or visit www.westinghouselighting.com.

®, WESTINGHOUSE, and INNOVATION YOU CAN BE SURE OF are registered trademarks of Westinghouse Electric Corporation. Used under license by Westinghouse Lighting. All Rights Reserved.