New!



Expanded LED Program



RECESSED LED DOWNLIGHTS

- Fit standard and shallow IC and Non-IC recessed housings.
- Include white trim with impact-resistant, polycarbonate frosted lens which diffuses the light evenly.
- Dimmable compatible with most dimmers.
- ENERGY STAR® rated.
- UL Listed for damp locations.

COLOR LEDS

- Up to 89% energy savings over incandescent equivalent.
- Long life last 22.8 years, 25,000 hours.
- Weatherproof, for indoor and outdoor use.
- · UL Listed for wet locations.
- Ideal for commercial and residential applications: holiday lighting, outdoor accent lighting for home and garden, parties, home décor, special events.

NEW LED ADDITIONS

OMNI A19 LAMP

- 83% energy savings over incandescent equivalent.
- Now available in GU24 base.

REFLECTOR LAMPS

- 80-87% energy savings over incandescent equivalent.
- Available in GU24 and medium bases.

PAR30 SHORT NECK LAMP

• 85% energy savings over incandescent equivalent.















LED Lamps





















	Item No.	Energy Used (Watts)	Lamp Base	Domestic Code	Package Type	Equiv. Incand. Wattage	Color Designation	Finish	Light Appearance (Kelvin)	CRI	Brightness (Lumens)	Avg. Rated Hours	Life in Years*	Est. Yearly Energy Cost**	MOL
N	IGHT LIGHT														
	05126	0.43	Cand.	0.43C7/LED/60 2CD	Card	4	Daylight	Cut Glass	6000	65	6.5	10000	9.1	\$0.05	2.13"
-	DECORATIVE														
	33045	3	Cand.	3B10/LED/DIM/CB/30	Hanging Box	25	Warm White	Clear	3000	80	225	25000	22.8	\$0.36	3.78′
	33046	3	Med.	3B10/LED/DIM/30	Hanging Box	25	Warm White	Clear	3000	80	225	25000	22.8	\$0.36	3.78'
_ (03141	5	Cand.	5B11/LED/DIM/CB/27	Hanging Box	40	Warm White	Clear	2700	80	300	25000	22.8	\$0.60	4.03′
(03144	5	Med.	5B11/LED/DIM/27	Hanging Box	40	Warm White	Clear	2700	80	300	25000	22.8	\$0.60	3.82"
(03145	5	Cand.	5CA11/LED/DIM/CB/27	Hanging Box	40	Warm White	Clear	2700	80	300	25000	22.8	\$0.60	3.98′
(03146	5	Med.	5CA11/LED/DIM/27	Hanging Box	40	Warm White	Clear	2700	80	300	25000	22.8	\$0.60	3.94
(03130	7	Cand.	7B13/LED/DIM/CB/27	Hanging Box	60	Warm White	Clear	2700	80	500	25000	22.8	\$0.84	4.29′
_ (03132	7	Med.	7B13/LED/DIM/27	Hanging Box	60	Warm White	Clear	2700	80	500	25000	22.8	\$0.84	4.25
(03138	7	Cand.	7CA13/LED/DIM/CB/27	Hanging Box	60	Warm White	Clear	2700	80	500	25000	22.8	\$0.84	4.49
	03139	7	Med.	7CA13/LED/DIM/27	Hanging Box	60	Warm White	Clear	2700	80	500	25000	22.8	\$0.84	4.45
G	LOBE														
C	03128	7	Cand.	7G16.5/LED/DIM/CB/27	Вох	60	Warm White	Clear	2700	80	500	25000	22.8	\$0.84	3.02"
0	03129	7	Med.	7G16.5/LED/DIM/27	Вох	60	Warm White	Clear	2700	80	500	25000	22.8	\$0.84	2.92"
3	33011	7	Med.	7G25/LED/DIM/30	Вох	60	Warm White	Frost	3000	80	500	25000	22.8	\$0.84	4.33"
0	INMC														
3	3098	6	Med.	60MNI/LED/DIM/30	Вох	40	Warm White	Frost	3000	80	470	25000	22.8	\$0.72	4.33"
0	3425	6.5	Med.	6.50MNI/LED/DIM/27	Вох	40	Warm White	Frost	2700	80	450	25000	22.8	\$0.78	4.21"
0	3464	6.5	Med.	6.50MNI/LED/27	Вох	40	Warm White	Frost	2700	80	450	25000	22.8	\$0.78	4.21"
0	3440	9	Med.	90MNI/LED/30	Card	60	Warm White	Frost	3000	80	800	40000	36.5	\$1.08	4.33"
0	3697	9	Med.	9OMNI/LED/27	Вох	60	Warm White	Frost	2700	80	790	40000	36.5	\$1.08	4.33"
0	3439	10	Med.	100MNI/LED/DIM/30	Card	60	Warm White	Frost	3000	80	800	40000	36.5	\$1.20	4.33'
0	3696	10	Med.	100MNI/LED/DIM/27	Вох	60	Warm White	Frost	2700	80	790	40000	36.5	\$1.20	4.33"
3	3094	10	Med.	100MNI/LED/DIM/30	Вох	60	Warm White	Frost	3000	80	830	25000	22.8	\$1.20	4.33"
3	3097	10	Med.	100MNI/LED/DIM/50	Вох	60	Daylight	Frost	5000	80	900	35000	31.9	\$1.20	4.33"
C	03158	10	GU24	100MNI/LED/DIM/GU24/27	Вох	60	Warm White	Frost	2700	80	800	25000	22.8	\$1.20	4.33"
3	3053	12	Med.	120MNIA21/LED/DIM/30	Box	75	Warm White	Frost	3000	80	1100	25000	22.8	\$1.45	4.88"
	03136	20	Med.	200MNIA21/LED/DIM/27	Box	100	Warm White	Frost	2700	80	1600	25000	22.8	\$2.41	5.30"
o	03140	4/ 9/ 20	Med.	4/9/200MNIA21/LED/3WAY/27	Вох	30/ 60/ 100	Warm White	Frost	2700	80	350/ 810/ 1600	25000	22.8	\$0.48/ \$1.08/ \$2.41	5.30"
s	PECIA	LTY - CO	LOR O	MNI A19											
0	3152♦	6	Med.	6A19/LED/G	Вох	40	-	Green		-	_	25000	22.8	\$0.72	4.72"
0	3153♦	5	Med.	5A19/LED/R	Вох	40	-	Red	-	_	-	25000	22.8	\$0.60	4.72"
0	3154♦	6	Med.	6A19/LED/B	Box	40	_	Blue	_	_	_	25000	22.8	\$0.72	4.72"

03154♦ 6 Med ◆ Wet Location Approved



*Based on 3hrs./day

 $^{**}\mbox{Based}$ on 3hrs./day 11¢/kWh - Cost depends on rates and use.

LED Linear Lamps

Item No. T8 (Desi	Energy Used (Watts) gnLights	Lamp Base Consortium®	Domestic Code qualified product)	Package Type	Lamp Type Replacement	Color Designation	Finish	Light Appearance (Kelvin)	CRI	Brightness (Lumens)	Avg. Rated Hours	MOL
03660 A	18	Med. BiPin	LED 18T8/48"/35 Ballast Bypass	Sleeve	T8 & T12	Cool White	Frost	3500	85	2000	50000	48"
03672 A	18	Med. BiPin	LED 18T8/48"/40 Ballast Bypass	Sleeve	T8 & T12	Cool White	Frost	4000	85	2000	50000	48"
03676 Δ	18	Med. BiPin	LED 18T8/48"/50 Ballast Bypass	Sleeve	T8 & T12	Daylight	Frost	5000	85	2000	50000	48"
03652 ∆ [†]	22	Med. BiPin	LED 22T8/48"/35 Direct Install	Sleeve	T8	Cool White	Frost	3500	85	2200	50000	48"
03653 Ơ	22	Med. BiPin	LED 22T8/48"/40 Direct Install	Sleeve	T8	Cool White	Frost	4000	85	2200	50000	48"
03655∆⁺	22	Med. BiPin	LED 22T8/48"/50 Direct Install	Sleeve	T8	Daylight	Frost	5000	85	2200	50000	48"

Δ Indoor Application Only
† Dimmable when used with Applicable Ballast



◆Wet Location Approved

15

11

15

Med

Med.

Med.

03149

03147♦

03151♦

*Based on 3hrs./day

Green

Red

Blue

**Based on 3hrs./day 11¢/kWh - Cost depends on rates and use

22.8

22.8

25000

25000

25000





15PAR38/LED/G

11PAR38/LED/R

15PAR38/LED/B



Box

Вох

Вох



100

100

100







\$1.81

\$1.32

\$1.81

5.32"

5.32"

5.32"

	•		_													
	ltem No.	Energy Used (Watts)	Lamp Base	Domestic Code	Package Type	Equiv. Incand. Wattage	Color Designation	Finish	Light Appearance (Kelvin)	CRI	Brightness (Lumens)	Avg. Rated Hours	Life in Years*	Est. Yearly Energy Cost**	MOL	MOD
	STEP B	AFFLE														
2	31047◊	11	Med.	11R/4"/LED/DIM/30	Retail Box	65	Warm White	Frost	3000	80	650	35000	31.9	\$1.32	3.43"	5.35"
2	31048◊	12	Med.	12R/5-6"/LED/DIM/30	Retail Box	65	Warm White	Frost	3000	80	750	35000	31.9	\$1.45	3.61"	7.48"
	SMOOT	H BAFFI	LE													
2	31043 ⁺	8	Med.	8R/4"/LED/DIM/27	Contractor Box	65	Warm White	Frost	2700	80	650	50000	45.6	\$0.96	3.50"	5.04"
2	31041+◊	8	Med.	8R/4"/LED/DIM/30	Contractor Box	65	Warm White	Frost	3000	80	650	50000	45.6	\$0.96	3.50"	5.04"
2	31040 ⁺	14	Med.	14R/5"/LED/DIM/27	Contractor Box	80	Warm White	Frost	2700	80	1000	50000	45.6	\$1.69	3.54"	6.30"
2	31044+◊	14	Med.	14R/5"/LED/DIM/30	Contractor Box	80	Warm White	Frost	3000	80	1000	50000	45.6	\$1.69	3.54"	6.30"
2	31045 ⁺	14	Med.	14R/6"/LED/DIM/27	Contractor Box	80	Warm White	Frost	2700	80	1000	50000	45.6	\$1.69	3.40"	7.24"
2	31046 ⁺	14	Med.	14R/6"/LED/DIM/30	Contractor Box	80	Warm White	Frost	3000	80	1000	50000	45.6	\$1.69	3.40"	7.24"

⁺ Optional Accessory GU24 Base Adapter Sold Separately (Item# 22000) ◊ UL Listed Only

*Based on 3hrs./day

**Based on 3hrs./day 11¢/kWh - Cost depends on rates and use.

AN LED FOR EVERY APPLICATION

Recessed LED Downlights

Easily replace standard recessed housings with more efficient LED Downlights. Convenient one-piece kits are the perfect replacements when remodeling residential or commercial applications.





Track & Recessed Lighting

Perfect for highlighting interesting architectural spaces or providing ambient and directional lighting utilizing a range of beam spreads for both residential and commercial applications.





Pendant Fixtures

Perfect for balancing function and design, as well as creating a unique personalized style in the home or workplace.





Ceiling Fans & Decorative Fixtures

Use in both residential and commercial applications where brightness or ambience is desired. Perfect for providing ample downward illumination for dining rooms, bedrooms, and home entertainment areas.





Office & Work Area Lighting

Perfect for both residential and commercial applications. Easily replace any 4 foot linear fluorescent lamp with energy saving LED alternatives. Dimmable options available.





Vanity Fixtures & Night Lights

Perfect in bathrooms and powder rooms where task lighting is important. Also essential for avoiding obstacles in the dark as well as providing a sense of security at night.





Table and Floor Lamps

Perfect for general purpose lighting needs and for areas where various levels of brightness are required for reading or relaxing.





Outdoor Lighting

Perfect for transforming outdoor areas into inviting spaces. Ideal for outdoor areas where safety is a necessity.





Specialty Color Lighting

Perfect for commercial or residential outdoor accent lighting. Ideal for holiday lighting, parties and special events. Weatherproof for indoor and outdoor use.





Call 1-800-999-2226 or visit www.westinghouselighting.com.

(W), WESTINGHOUSE, and INNOVATION YOU CAN BE SURE OF are trademarks of Westinghouse Electric Corporation. Used under license by Westinghouse Lighting. All Rights Reserved.