New


Ceiling Fans

from Westinghouse Lighting

























LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) †	Equiv. Incand. Wattage †	Color Temperature (Kelvin)	Lumens †	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost**
73057	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
73048	1	6.5	60	2700 (Warm White)	810	80	15000	13.6	\$0.78
73049	2	8	60	3000 (Warm White)	800	80	25000	22.8	\$0.96
73050	2	8	60	3000 (Warm White)	800	80	15000	13.6	\$0.96
73051	2	8	60	3000 (Warm White)	800	80	15000	13.6	\$0.96

[†] Values are per lamp.

^{*}Based on 3hrs./day **Based on 3hrs./day 11¢/kWh











LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) †	Equiv. Incand. Wattage †	Color Temperature (Kelvin)	Lumens †	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost**
73052	*	16	75	3000 (Warm White)	1160	90	25000	22.8	\$1.93
73053	*	16	75	3000 (Warm White)	1300	90	25000	22.8	\$1.93
73054	2	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
73055	2	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54

[★] Integrated LED Light Source

*Based on 3hrs./day **Based on 3hrs./day 11¢/kWh

[†] Values are per lamp.

CEILING FAN CONTROLS

Suitable for most AC remote control adaptable ceiling fans. All Westinghouse ceiling fan remote controls are for indoor use only.



77879

Backlit Display 4 Speed
Ceiling Fan and Light Remote Control
Black Finish

Backlit buttons make it easy to use in the dark
4 Speeds (Low, Med-Low, Med, High)
On/off switch for light, with dimmer function
2-AAA Batteries included
Wall bracket included

BACKLIT CONTROLS



77882
Backlit Display 4 Speed
Ceiling Fan and Light Remote Control
Silver Finish
Backlit buttons make it easy to use in the dark
4 Speeds (Low, Med-Low, Med, High)
On/off switch for light, with dimmer function
2-AAA Batteries included
Wall bracket included

BACKLIT CONTROLS

CEILING FAN SPECIFICATIONS


						Lood								WITH DO	OWN ROD)	HUGG	ER / WITH	OUT DO	WN ROD		
Family Name	Size	# of Blades	Blade Material	Blade Pitch	Motor Type & Motor Size	Lead Wire Length	Capacitor Type	# of Speeds	Remote Control	Reverse Airflow		Mount Type	Airflow (CFM)*	Airflow Efficiency (CFM)*	Energy Use (Watts)*	Est. Yearly Energy Cost*	Airflow (CFM)*	Airflow Efficiency (CFM)*	Energy Use (Watts)*	Est. Yearly Energy Cost*	RPM (High)	Amp (High)
Alloy	42"	3	MDF	13°	Silicon Steel Motor 153mm x 12mm	24"	Dual	3	Adaptable	Yes	13°	Down Rod Only	2176	51	42	\$12	-	-	-	-	214	0.44
Alta Vista	52"	3	Plywood	12°	Silicon Steel Motor 153mm x 17mm	54"	Dual	4	Included	Yes	N/A	Down Rod Only	3344	85	39	\$11	-	-	-	-	197	0.50
Brinley	52"	3	Plywood	12°	Silicon Steel Motor 153mm x 15mm	54"	Triple	3	Adaptable	Yes	16°	Down Rod Only	3413	94	36	\$10	-	-	-	-	174	0.46
Comet	52"	5	Plywood	11°	Silicon Steel Motor 153mm x 17mm	54"	Triple	3	Adaptable	Yes	15°	Combo	3210	82	39	\$11	2492	64	39	\$11	147	0.53
Contractor's Choice	52"	5	MDF	12°	Silicon Steel Motor 153mm x 15mm	78"	Triple	3	Adaptable	Yes	11°	Combo	2981	77	39	\$11	2893	75	39	\$11	175	0.54
Drake	48"	3	Plywood	13°	Silicon Steel Motor 153mm x 17mm	54"	Dual	4	Included	Yes	N/A	Down Rod Only	3597	92	39	\$11	-	-	-	-	225	0.50
Scholar	52"	5	MDF	12°	Silicon Steel Motor 153mm x 13mm	54"	Triple	3	Adaptable	Yes	16°	Combo	3212	91	36	\$10	3028	84	36	\$10	167	0.45
Stella Mira	52"	5	Plywood	11°	Silicon Steel Motor 153mm x 22mm	54"	Dual	4	Included	Yes	N/A	Down Rod Only	3113	83	38	\$11	-	-	-	-	165	0.48
Thurlow	54"	3	Plywood	12°	Silicon Steel Motor 153mm x 17mm	54"	Triple	3	Adaptable	Yes	18°	Down Rod Only	3609	94	38	\$11	-	-	-	-	166	0.50

CHERC

Visit www.westinghouselighting.com for FTC energy guide information.

* Based on typical use, excluding lights.

Family Name	Size of Down Rod Included	A Ceiling to bottom of blade	B Ceiling to bottom of switch housing	C Ceiling to bottom of canopy	D Width of motor housing	E Width of canopy	F Ceiling to bottom of light kit
Alloy	3/4 X 4"	6.38"	11.00"	2.50"	6.75"	5.13"	11.75"
Alta Vista	3/4 X 4"	10.83"	8.39"	2.44"	7.87"	5.12"	13.70"
Brinley	3/4 X 6"	10.90"	14.84"	2.13"	7.68"	5.90"	14.85"
Comet	3/4 X 4"	11.88"	14.25"	2.25"	11.50"	5.13"	14.25"
Contractor's Choice	3/4 X 4"	10.25"	11.25"	2.25"	9.00"	5.25"	N/A
Drake	3/4 X 4"	9.92"	12.25"	2.50"	7.88"	5.13"	16.06"
Scholar	3/4 X 6"	12.32"	13.86"	2.36"	10.99"	5.16"	19.90"
Stella Mira	3/4 X 10"	16.22"	N/A	2.56"	8.27"	5.12"	27.36"
Thurlow	3/4 X 6"	14.76"	16.93"	2.56"	8.66"	5.12"	13.27"







ALL CEILING FANS IN THIS BROCHURE ARE UL OR ETL LISTED.

