

*INDUSTRIAL & COMMERCIAL*

# LED Linear High Bay Lighting & Accessories




**COMMERCIAL SERVICE**

## 2 ft. 110 Watt LED Linear High Bay Fixture

Item No. 65634

**New!**

- White Finish with Clear Textured Acrylic Diffuser
- 5000K
- 14,300 Total Lumens
- 80 CRI
- 50,000 Hours
- Weight: 16.11 lbs.
- Optional Accessories Available




## 2 ft. 160 Watt LED Linear High Bay Fixture

Item No. 65635

**New!**


- White Finish with Clear Textured Acrylic Diffuser
- 5000K
- 20,800 Total Lumens
- 80 CRI
- 50,000 Hours
- Weight: 21.52 lbs.
- Optional Accessories Available



## 4 ft. 160 Watt LED Linear High Bay Fixture

Item No. 65636


- White Finish with Frosted Acrylic Diffuser
- 5000K
- 20,800 Total Lumens
- 80 CRI
- 50,000 Hours
- Weight: 15.33 lbs.
- Optional Accessories Available



## 4 ft. 225 Watt LED Linear High Bay Fixture

Item No. 65637

- White Finish with Frosted Acrylic Diffuser
- 5000K
- 29,250 Total Lumens
- 80 CRI
- 50,000 Hours
- Weight: 15.33 lbs.
- Optional Accessories Available



# Long-lasting, energy-efficient LED Linear High Bay Fixtures, designed to replace less efficient linear fluorescent fixtures.

- LED high bay fixtures are an energy-efficient replacement for linear fluorescent lighting and provide exceptional light coverage.
- Bright light floods spaces for greater visibility and improved safety, great for industrial and commercial spaces, warehouses and storage facilities.
- Diffuser minimizes glare.
- 80 CRI.
- Multi-voltage feature of 120-277V is ideal for replacement of fixtures that operate on 277V building mains.
- 1-10V dimming.
- Ambient operating temperature: -4°F to 104°F (-20°C to 40°C).
- Includes two 41" suspension chains, with additional accessories available.
- Approved for use in damp locations.
- 5 year fixture warranty.

## LED Linear High Bay Fixture Accessories

- Steel wire guards provide extra protection for fixtures.
- 5-Step dimming motion sensor
  - Dims at 10%, 20%, 30% or 50%.
  - Detects motion using microwave technology.
  - Features built-in adjustable daylight sensor.
  - Detection area, time delay and daylight threshold can be precisely set via dip switches.
  - Wide detection area ranges up to 52 ft. in diameter and 49 ft. in mounting height.
  - Includes clip for easy installation to high bay fixture.
- Battery backup accessory provides power to fixture for 90 minutes in the event of a power outage.
  - Illuminates fixtures within 0.3 seconds of the detection of an outage.
  - Wire to a fixture to ensure emergency lighting safety and compliance.
  - Short and open circuit protection.
  - UL/CUL Rated.

**New!**



**2 ft. Wire Guard for 110W High Bay Linear Fixture 65634**

**Item No. 656346911\***  
White Finish

Height: 0.71" Width: 23.82" Depth: 13.15"

**New!**



**2 ft. Wire Guard for 160W High Bay Linear Fixture 65635**

**Item No. 656356911\***  
White Finish

Height: 0.71" Width: 23.82" Depth: 17.87"



**4 ft. Wire Guard for 160W and 225W High Bay Linear Fixtures 65636, 65637**

**Item No. 65636911\***  
White Finish

Height: 0.71" Width: 45.87" Depth: 13.15"

**Motion Sensor for High Bay Linear Fixtures 65634, 65635, 65636, 65637**  
**Item No. 6563x6914\***

Height: 4.13" Width: 3.93" Depth: 4.33"



**Battery Backup for High Bay Linear Fixtures 65634, 65635, 65636, 65637**  
**Item No. 6563x6915\***

Height: 2.19" Width: 10.08" Depth: 2.17"




**\* SPECIAL ORDER ITEM**  
**CALL YOUR WESTINGHOUSE LIGHTING REPRESENTATIVE FOR ADDITIONAL INFORMATION**


### Motion Sensor

#### 5-Step Dimming Function


The motion sensor can achieve 5-step dimming function, 100%, 50%, 30%, 20%, 10% and off.




With sufficient ambient light, the sensor does not switch on the fixture.



With insufficient ambient light, the sensor switches on the fixture when motion is detected.



After hold time, the sensor dims the fixture at a low light level if no new motion triggers it.




After stand-by period, the sensor switches off the fixture if no motion is detected in the detection zone.


LED Linear High Bay Fixture Photometrics (110°)

2 ft. LED Linear High Bay Fixtures

Item No. 65634  
110W LED Linear High Bay Fixture




Item No. 65635  
160W LED Linear High Bay Fixture




4 ft. LED Linear High Bay Fixtures

Item No. 65636  
160W LED Linear High Bay Fixture



Item No. 65637  
225W LED Linear High Bay Fixture



COMMERCIAL SERVICE