



LIGHTING CATALOG

*Light Fixtures, Ceiling Fans
& Accessories*



Contents



DesignerYou® 6-15

Adjustable Pendant Fixtures	7
Lighting Fixtures	8-9
2¼" Fitter Pendant/Vanity Glass	10-15



Light Fixtures 16-89

Interior Lighting Collections	16-34
Chapel Hill	24
Churchville	31
Clinton	23
Elena I & II	21
Fallon	30
Fontane	30
Gatehouse Tower	26
Hearthstone	26
Kings Canyon	25
Parker Mews	28-29
Regal Springs	33
Spring Valley	32
Swanstone	22
Sylvestre	19
Treebridge Station	27
Trinity I & II	34
Wensley	20
Interior Hanging	35-45
Interior Ceiling	46-61
Interior Wall	62-72
Exterior	73-87
Accent Lighting	
Slimline Picture Lights	88-89



Lamps are not included with product unless otherwise noted. We recommend using Westinghouse lamps in all of our ceiling fans and light fixtures. To help serve you better, Westinghouse Lighting reserves the right to make changes and/or improvements (both visually and technically) to the products in this catalog without notice. As a result, some products and/or product information may change.

Visit our website for the latest specifications.



Ceiling Fans

90-121

Contemporary

Alloy	97
Bendan	93
Arcadia	98
Castle	101
Comet	100
Cumulus	97
Delancey	93
Elite	101
Harmony	99
Lavada	98
Origami	94
Panorama	102
Roundabout	95
Quince	94
Solana	99
Sparta	99
Techno	93
Turbo Swirl	96
Turbo Swirl CFL	96
Vector Elite	101
Wengue	95
Xavier	102
Xavier II	102

Traditional

Bethany	105
Casanova	112
Casanova Supreme	113
Contempra Trio	109
Contempra IV	110-111
Contempra V	111
Fairview	104
Newtown	108
Petite	112
Princess Ambiance	113
Richboro SE	108
Sumter	105
Swirl	106
Vintage	107
Vintage II	107

Indoor/Outdoor

Bayside	116
Brentford	114
Lafayette	115
Oasis	115
Willow Breeze	116

Industrial/Contractor

Contractor's Choice	119
Industrial	118
Industrial 78003	119

Ceiling Fan Specifications	120-121
----------------------------------	---------

Ceiling Fan Accessories 122-133

Ceiling Fan Light Kits	123
Extension Down Rods	124
Ceiling Fan Controls	125
Cathedral Ceiling Fan Canopy Kits	126
Pull Chains	127-130
Fan Hardware, Beaded Chain and Accessories	131-133



Ceiling Fan and Light Fixture Accessories 134-147

Recessed Light Converter	135
Ceiling Medallions	
Medallion Size & Installation Guide	136
Polyurethane Medallions	137
Molded Plastic Medallions	138
Support Braces & Boxes for Ceiling Fans & Light Fixtures	
Saf-T-Brace®	139-141
Saf-T-Bar®	142
Saf-T-Box®	143
Sidemount Plus Fan Box®	144
Saf-T-Pan®	145
Fan Master®, Fan Master Jr.®	146
Saf-T-Grid®	147



Replacement Glass and Shades 148-166

2¼" Fitter Glass	149-155
Glass Diffusers	156-157
Chimneys	158-159
Globes 3¼" & 4" Fitters	160-161
Polycarbonate & Acrylic Shades	162
Glass, Polycarbonate & Acrylic Shades ..	163
Assorted Glass Fitters and Channels	164
Clip-On Shades	165
Glassware Glossary	166
Plastic Material Guide	166



Lighting Hardware 167-198

Glass Shade Holder Kits & Accessories	168
Sockets	169-172
Porcelain Fixture Sockets	173-177
Switches	178-179
Crossbars	180-181
Nipples & All Thread Pipes	182
Assorted Hardware	183-185
Canopies	186-187
Swag Light Kits	188
Swag Hooks	189
Lamp Harps	190-191
Finials, Knobs and Risers	192-193
Parts and Accessories	194-195
Plugs	196
Accessories	197-198
Index	199-204

We make lighting choices easy...

From legislation to innovative new products, the selection of the right products can be daunting. At Westinghouse, we make lighting choices easy.

Efficiency and variety define the Westinghouse Lighting products. Our latest products feature technological advances that create a more beautiful, comfortable and energy-efficient space.

Our foundation is based on developing products that will enhance your lifestyle. Generations have trusted Westinghouse to make comfort and convenience a priority. We're continuing that tradition today. Whether you're looking for the latest technology or reliable quality products, we provide lighting choices that guide you in the right direction.

We continuously explore innovative options and new technologies that maximize your lighting experience. Our friendly customer relations team is here to help you find the perfect lighting solution. Call 1-800-999-2226 and speak to one of our team members.

Visit our website **www.westinghouselighting.com** for the most up-to-date products and specifications.



WESTINGHOUSE

a household name for generations...

George Westinghouse was a renowned inventor long before his name became a brand. He is one of the most productive inventors on record, credited with over 400 patents — many of them “firsts” that changed the way the world lived.

One of Westinghouse's primary contributions to modern life was his championing of alternating current (AC) rather than the direct current (DC) systems favored by Thomas Edison. Because AC was dramatically safer, Westinghouse's victory over Edison led to the electrification of American homes. To demonstrate the advantages of AC, Westinghouse staged grand displays like the illumination of the 1893 World's Fair.

George Westinghouse's spirit of innovation and commitment to improving quality of life is alive and flourishing at Westinghouse Lighting.

For over 125 years, people all over the world have trusted Westinghouse to provide high quality, reliable products for their homes and businesses. We're continuing that tradition today with our extensive assortment of light bulbs, lighting fixtures, ceiling fans and accessories. Customers in 128 countries on six continents choose Westinghouse Lighting for quality products and dependable customer service.





DesignerYou®

your light, your choice...

Fully customizable fixtures inspire creativity for quick and easy home upgrades. Pair stylish 2 1/4" fitter glass with sleek lighting fixtures or transform existing lighting with designer glass shades. It's as easy as 1-2-3.



Choose Your Fixture and Finish.

new!



Pendant Light Fixtures
are adjustable.
Cord Length: 50"

01011

Recessed Light Converter

Transform existing recessed lighting into a pendant or other light fixture!

- Quick and easy home upgrade with no remodeling
- Adjusts to any recessed can size between 4" - 6" diameter
- Works with existing recessed cans that use medium base lamps
- 50 lb. maximum load rating



85718
1 Light Adjustable
Mini Pendant
Chrome Finish

new!



70286
1 Light Adjustable
Mini Pendant
White Finish



70287
1 Light Adjustable
Mini Pendant
Antique Brass Finish



70284
1 Light Adjustable
Mini Pendant
Brushed Nickel Finish



70285
1 Light Adjustable
Mini Pendant
Oil Rubbed Bronze Finish

Height: 55" Diameter: 5" Cord Length: 50" Use (1) Medium (E26) Base Lamp, 60 Watt Maximum.



63012
3 Light Adjustable
Mini Pendant
Brushed Nickel Finish



63013
3 Light Adjustable
Mini Pendant
Oil Rubbed Bronze Finish

Height: 55" Length: 23.5" Width: 4.5" Cord Length: 50" Use (3) Medium (E26) Base Lamps, 60 Watt Maximum.

Choose Your Fixture and Finish.



*** 67480**
3 Light Wall with Arm
Brushed Nickel Finish
 Height: 5.88"
 Width: 22.63"
 Extends: 8.63"

Use (3) Medium (E26) Base Lamps,
 60 Watt Maximum.



*** 67481**
3 Light Wall with Arm
Oil Rubbed Bronze Finish
 Height: 5.88"
 Width: 22.63"
 Extends: 8.63"

Use (3) Medium (E26) Base Lamps,
 60 Watt Maximum.



*** 67482**
3 Light Wall
Brushed Nickel Finish
 Height: 5.5"
 Width: 21.13"
 Extends: 5"

Use (3) Medium (E26) Base Lamps,
 60 Watt Maximum.



*** 67485**
3 Light Wall
Oil Rubbed Bronze Finish
 Height: 5.5"
 Width: 21.13"
 Extends: 5"

Use (3) Medium (E26) Base Lamps,
 60 Watt Maximum.

*** 63006**
3 Light Wall
Oil Rubbed Bronze Finish
 Height: 7"
 Width: 19.5"
 Extends: 6.5"



Use (3) Medium (E26) Base Lamps,
 60 Watt Maximum.

*** 63008**
3 Light Wall
Brushed Nickel Finish
 Height: 7"
 Width: 19.5"
 Extends: 6.5"



Use (3) Medium (E26) Base Lamps,
 60 Watt Maximum.

*** 63018**
3 Light Wall
Antique Brass Finish
 Height: 7"
 Width: 19.5"
 Extends: 6.5"



Use (3) Medium (E26) Base Lamps,
 60 Watt Maximum.

*Fixture can be installed up or down

Choose Your Fixture and Finish.

*** 63000**
1 Light Wall
*Oil Rubbed
 Bronze Finish*
 Height: 9"
 Width: 4"
 Extends: 6.5"



Use (1) Medium (E26) Base Lamp,
 60 Watt Maximum

*** 63002**
1 Light Wall
*Brushed
 Nickel Finish*
 Height: 9"
 Width: 4"
 Extends: 6.5"



Use (1) Medium (E26) Base Lamp,
 60 Watt Maximum

*** 63005**
2 Light Wall
*Brushed
 Nickel Finish*
 Height: 6.5"
 Width: 11"
 Extends: 5"



Use (2) Medium (E26) Base Lamps,
 60 Watt Maximum.

*** 63003**
2 Light Wall
*Oil Rubbed
 Bronze Finish*
 Height: 6.5"
 Width: 11"
 Extends: 5"



Use (2) Medium (E26) Base Lamps,
 60 Watt Maximum.



*** 63011**
4 Light Wall
Brushed Nickel Finish
 Height: 7"
 Width: 24"
 Extends: 6.5"

Use (4) Medium (E26) Base Lamps,
 60 Watt Maximum.



*** 63009**
4 Light Wall
Oil Rubbed Bronze Finish
 Height: 7"
 Width: 24"
 Extends: 6.5"

Use (4) Medium (E26) Base Lamps,
 60 Watt Maximum.

Choose Your Glass Shade.

2¼" Fitter Glass

2¼" fitter glass is perfect for use with pendant, vanity fixtures, and ceiling fans.

new!



*** 85651**
Imperial Jade
Neckless Shade
Fitter: 2.25"
Height: 5.88"
Diameter: 4.88"

new!



*** 85734**
Devonshire
Linen Shade
Fitter: 2.25"
Height: 6.25"
Diameter: 4.5"

new!



85702
Brushed Nickel Perforated
Metal Neckless Shade
Fitter: 2.25"
Height: 6.5"
Diameter: 4.88"



*** 81412**
Lunar Weave Shade
Fitter: 2.25"
Height: 5.88"
Diameter: 5.38"

new!



*** 85703**
Honeycomb Shade
Fitter: 2.25"
Height: 5.88"
Diameter: 5.25"

new!



*** 85730**
Neckless Fire Pit
Long Shade
Fitter: 2.25"
Height: 8.5"
Diameter: 4.5"

new!



*** 81631**
Caramel Swirl Long
Neckless Shade
Fitter: 2.25"
Height: 8.7"
Diameter: 4.6"

new!



*** 85724**
Lunar Weave
Long Shade
Fitter: 2.25"
Height: 7.75"
Diameter: 4.75"

*Hand blown glass

Choose Your Glass Shade.



*** 85722**
**White Opal
Fluted Shade**
*Fitter: 2.25"
Height: 5.5"
Diameter: 4.75"*



*** 81407**
**Garden
Moss Shade**
*Fitter: 2.25"
Height: 5.25"
Diameter: 4.5"*



*** 81310**
**Giraffe
Spot Shade**
*Fitter: 2.25"
Height: 5.38"
Diameter: 4.5"*



*** 81311**
**Fire
Pit Shade**
*Fitter: 2.25"
Height: 5.38"
Diameter: 4.5"*



*** 81409**
**Charcoal
Swirl Shade**
*Fitter: 2.25"
Height: 5.25"
Diameter: 4.85"*



*** 81400**
**Wildfire
Cylinder Shade**
*Fitter: 2.25"
Height: 6.5"
Diameter: 4.75"*



*** 81404**
**Marble
Cylinder Shade**
*Fitter: 2.25"
Height: 6.5"
Diameter: 4.75"*

new!



*** 85723**
**Amber Drum
Neckless Shade**
*Fitter: 2.25"
Height: 5.9"
Diameter: 5.1"*




*** 85701**
**Ice
Cylinder Shade**
*Fitter: 2.25"
Height: 6.5"
Diameter: 4.75"*



*** 85700**
**Amber Mist
Cylinder Shade**
*Fitter: 2.25"
Height: 6.5"
Diameter: 4.75"*

Choose Your Glass Shade.



*** 81410**
Chocolate Drizzle Shade
Fitter: 2.25"
Height: 6.38"
Diameter: 4.38"



*** 81405**
Van Gogh Shade
Fitter: 2.25"
Height: 6.25"
Diameter: 4.38"



*** 81413**
Chili Pepper Shade
Fitter: 2.25"
Height: 6.25"
Diameter: 4.38"



*** 81315**
Clear with Black Rope Shade
Fitter: 2.25"
Height: 5.75"
Diameter: 4.63"



*** 81314**
Clear with White Rope Shade
Fitter: 2.25"
Height: 5.75"
Diameter: 4.63"



*** 81414**
Linen Globe
Fitter: 2.25"
Height: 4.88"
Diameter: 5.25"



*** 81303**
Amber and Brown Shade
Fitter: 2.25"
Height: 6.25"
Diameter: 4.5"



*** 81427**
Spice Swirl Shade
Fitter: 2.25"
Height: 5.75"
Diameter: 4.63"



*** 81364**
Temptress Red Shade
Fitter: 2.25"
Height: 5.25"
Diameter: 4"

*Hand blown glass

Choose Your Glass Shade.

81121
Square
Tiffany Shade
 Fitter: 2.25"
 Height: 5.13"
 Width: 4.75"



81279
Milky
Scavo Bell
 Fitter: 2.25"
 Height: 5.13"
 Diameter: 5.13"



81098
Milky
Scavo Bell
 Fitter: 2.25"
 Height: 5.25"
 Diameter: 5.5"



81257
Sandy
Fluted Bell
 Fitter: 2.25"
 Height: 4.75"
 Diameter: 5.5"



81119
Licorice
Marbleized Bell
 Fitter: 2.25"
 Height: 4.5"
 Diameter: 4.75"



81167
Brown Swirl Bell
 Fitter: 2.25"
 Height: 5.13"
 Diameter: 5.88"



81272
Milky Scavo Bell
 Fitter: 2.25"
 Height: 4.75"
 Diameter: 5.38"



*** 81363**
Burnt Umber Swirl Bell
 Fitter: 2.25"
 Height: 4.81"
 Diameter: 5.38"



81265
Hand-Painted
Leaf Design Bell
 Fitter: 2.25"
 Height: 4.75"
 Diameter: 5.38"



*** 81356**
Tortoise Bell
 Fitter: 2.25"
 Height: 5.25"
 Diameter: 4.75"



Choose Your Glass Shade.



81382
Linen
Pendant Shade
Fitter: 2.25"
Height: 5"
Diameter: 7.75"



81135
Amber Swirl
Pendant Shade
Fitter: 2.25"
Height: 5"
Diameter: 7.75"



*** 81375**
Tortoise
Pendant Shade
Fitter: 2.25"
Height: 5"
Diameter: 7.5"



*** 81353**
Clear and White
Design Bell
Fitter: 2.25"
Height: 4.75"
Diameter: 5"



81422
Brown
Marbleized Bell
Fitter: 2.25"
Height: 4.75"
Diameter: 5.38"



81391
Antique
Smolder Bell
Fitter: 2.25"
Height: 4.75"
Diameter: 5.25"



81120
Cappuccino
Swirl Shade
Fitter: 2.25"
Height: 4.25"
Diameter: 6.88"



81333
Honey Swirl
Scavo Shade
Fitter: 2.25"
Height: 4.38"
Diameter: 6.88"



81365
Parchment
Leaf Shade
Fitter: 2.25"
Height: 4.5"
Diameter: 6"

Choose Your Glass Shade.



81051
Frosted
Etched Bell

Fitter: 2.25"
Height: 4.5"
Diameter: 4.75"



81253
Frosted Bell with
Clear Square Design

Fitter: 2.25"
Height: 4.63"
Diameter: 5.38"



81270
Frosted and Clear
Cross Shade

Fitter: 2.25"
Height: 5.25"
Diameter: 5"



*** 81227**
White
Opal Bell

Fitter: 2.25"
Height: 4.75"
Diameter: 5.12"



*** 81095**
Clear
Seeded Bell

Fitter: 2.25"
Height: 5"
Diameter: 4.88"



81277
Beveled
Clear Bell

Fitter: 2.25"
Height: 4.75"
Diameter: 5.12"



81099
Etched Clear
Shell Bell

Fitter: 2.25"
Height: 5"
Diameter: 4.75"



81072
Frosted and Clear
Stripe Shade

Fitter: 2.25"
Height: 3.75"
Diameter: 4.63"



81411
Satin Etched
Tulip Shade

Fitter: 2.25"
Height: 5"
Diameter: 4.25"



81097
Frosted
Pleated Shade

Fitter: 2.25"
Height: 5"
Diameter: 4.25"

LIGHT FIXTURES

HANGING FIXTURES



A room's centerpiece is often an exquisite chandelier or pendant. From contemporary to traditional, our styles add simple elegance to any room.

CEILING FIXTURES



Make the ordinary extraordinary with our selection of quality ceiling fixtures available in many styles, finishes and sizes.



Westinghouse

INNOVATION YOU CAN BE SURE OF

WALL FIXTURES



Lighting isn't just for ceilings. Wall lighting complements any room and is perfect for bathrooms, dining rooms and hallways.

EXTERIOR FIXTURES



Lighting fixtures outside of a home make a statement of personality and add a finishing touch. Westinghouse's variety of durable finishes and designs can change any home from drab to fab.



All light fixtures in this catalog are Underwriter Laboratories and ETL Listed for safety. All Westinghouse light fixtures are warranted against defects in material and workmanship for a period of five years from their purchase date.



INTERIOR

light fixture collections

Every aspect of a room reflects style. From a dining room to a kitchen bar, or a bedroom corner to a two-story foyer, Westinghouse offers a variety of light fixtures available in collections and styles that are sure to complement any space.





***62278**


1 Light Wall

*Brushed Nickel Finish
with Frosted Seeded Glass*

Height: 8.25" Width: 4.75"

Extends: 6.25"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*



***62279**

3 Light Wall

*Brushed Nickel Finish
with Frosted Seeded Glass*

Height: 8.25" Width: 15.75"

Extends: 6.25"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*



62274

5 Light Chandelier

*Brushed Nickel Finish
with Frosted Seeded Glass*

Height: 18.5" Diameter: 20.63"

Chain: 36" Wire: 120"

*Use (5) Medium (E26) Base Lamps,
60 Watt Maximum*



62275

3 Light Chandelier

*Brushed Nickel Finish
with Frosted Seeded Glass*

Height: 17.63" Diameter: 18.25"

Chain: 36" Wire: 120"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*

***Fixture can be installed up or down**

www.westinghouselighting.com

Wensley Collection



* 62204

1 Light Wall

*Oil Rubbed Bronze Finish
with White Alabaster Glass*

Height: 7.13" Width: 5.88"

Extends: 8.13"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*



* 62205

2 Light Wall

*Oil Rubbed Bronze Finish
with White Alabaster Glass*

Height: 7.13" Width: 14.25"

Extends: 8.13"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



* 66220

3 Light Wall

*Oil Rubbed Bronze Finish
with White Alabaster Glass*

Height: 7.13" Width: 23.38"

Extends: 8.13"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*



66223

2 Light Semi-Flush

*Oil Rubbed Bronze Finish
with White Alabaster Glass*

Height: 6.5" Diameter: 10.13"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



62203

1 Light Flush

*Oil Rubbed Bronze Finish
with White Alabaster Glass*

Height: 6" Diameter: 11.25"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*



62201

1 Light Pendant

*Oil Rubbed Bronze Finish
with White Alabaster Glass*

Height: 37.25" Diameter: 5.88"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*

Includes (3) 9.25" long rods.

*Install 1, 2, or 3 rods for
customized lengths.*

*Fixture can be installed up or down

Elena I & II Collections



*** 62227**

1 Light Wall

Dark Bronze Finish
with Antique Amber Glass

Height: 8.63" Width: 6.25"

Extends: 9"

Use (1) Medium (E26) Base Lamp,
60 Watt Maximum



*** 66031**

3 Light Wall

Dark Bronze Finish
with Antique Amber Glass

Height: 8.88" Width: 24"

Extends: 10.5"

Use (3) Medium (E26) Base Lamps,
60 Watt Maximum



62225

1 Light Flush

Dark Bronze Finish
with Antique Amber Glass

Height: 6.25" Diameter: 11"

Use (1) Medium (E26) Base Lamp,
60 Watt Maximum



66028

2 Light Flush

Dark Bronze Finish
with Antique Amber Glass

Height: 6.75" Diameter: 13"

Use (2) Medium (E26)
Base Lamps, 60 Watt Maximum

62224

3 Light Chandelier

Dark Bronze Finish
with Antique Amber Glass

Height: 21.25" Width: 19.13"

Chain: 36" Wire: 120"

Use (3) Medium (E26)
Base Lamps, 60 Watt Maximum



62223

5 Light Chandelier

Dark Bronze Finish
with Antique Amber Glass

Height: 25.5" Width: 23.13"

Chain: 36" Wire: 120"

Use (5) Medium (E26)
Base Lamps, 60 Watt Maximum



*Fixture can be installed up or down
www.westinghouselighting.com

Swanstone Collection



*** 62285**

3 Light Wall

*Satin Nickel Finish
with White Opal Glass*

Height: 8.25" Width: 24.25"

Extends: 9.38"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*



*** 62284**

1 Light Wall

*Satin Nickel Finish
with White Opal Glass*

Height: 7.5" Width: 7.13"

Extends: 9.63"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*



62282

1 Light Flush

*Satin Nickel Finish
with White Painted Glass*

Height: 6" Diameter: 11.38"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*

62281

3 Light Chandelier

*Satin Nickel Finish
with White Opal Glass*

Height: 15.13" Diameter: 24"

Chain: 36" Wire: 60"

*Use (3) Medium (E26)
Base Lamps,
60 Watt Maximum*



62280

5 Light Chandelier

*Satin Nickel Finish
with White Opal Glass*

Height: 15.13" Diameter: 24"

Chain: 36" Wire: 60"

*Use (5) Medium (E26)
Base Lamps,
60 Watt Maximum*



***Fixture can be installed up or down**

Clinton Collection



*** 62272**

1 Light Wall

*Satin Nickel Finish
with White Alabaster Glass*

Height: 9.25" Width: 5.88"

Extends: 8.38"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*



*** 62273**

3 Light Wall

*Satin Nickel Finish
with White Alabaster Glass*

Height: 9.25" Width: 22"

Extends: 8.38"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*



62270

1 Light Flush

*Satin Nickel Finish
with White Alabaster Glass*

Height: 5.5" Diameter: 11"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*



62271

2 Light Flush

*Satin Nickel Finish
with White Alabaster Glass*

Height: 5.63" Diameter: 13"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*

62269

3 Light Chandelier

*Satin Nickel Finish
with White Alabaster Glass*

Height: 21.25" Diameter: 21.5"

Chain: 36" Wire: 120"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*



62268

5 Light Chandelier

*Satin Nickel Finish
with White Alabaster Glass*

Height: 22.13" Diameter: 23"

Chain: 36" Wire: 120"

*Use (5) Medium (E26) Base Lamps,
60 Watt Maximum*



***Fixture can be installed up or down**
www.westinghouselighting.com

Chapel Hill Collection



*** 62233**

1 Light Wall

*Oil Rubbed Bronze Finish
with Antique Amber Scavo Glass*

Height: 9.13" Width: 5.13"

Extends: 8.63"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*



*** 62234**

3 Light Wall

*Oil Rubbed Bronze Finish
with Antique Amber Scavo Glass*

Height: 9.13" Width: 18.88"

Extends: 8.63"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*

62231

1 Light Flush

*Oil Rubbed Bronze Finish
with Antique Amber Scavo Glass*

Height: 6.13" Diameter: 11"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*



62229

5 Light Chandelier

*Oil Rubbed Bronze Finish
with Antique Amber Scavo Glass*

Height: 18.88" Width: 23.63"

Chain: 36" Wire: 120"

*Use (5) Medium (E26) Base Lamps,
60 Watt Maximum*

62230

3 Light Chandelier

*Oil Rubbed Bronze Finish
with Antique Amber Scavo Glass*

Height: 18.5" Width: 21.75"

Chain: 36" Wire: 120"

*Use (3) Medium (E26)
Base Lamps, 60 Watt Maximum*



***Fixture can be installed up or down**

Kings Canyon Collection



* 62220

1 Light Wall

*Oil Rubbed Bronze Finish
with Burnt Scavo Glass*

Height: 9.13" Width: 7"

Extends: 9"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*



* 62221

2 Light Wall

*Oil Rubbed Bronze Finish
with Burnt Scavo Glass*

Height: 9.13" Width: 17"

Extends: 9"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



* 62222

3 Light Wall

*Oil Rubbed Bronze Finish
with Burnt Scavo Glass*

Height: 9.13" Width: 25"

Extends: 9"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*

62219

2 Light Flush

*Oil Rubbed Bronze Finish
with Burnt Scavo Glass*

Height: 7.25" Diameter: 13.25"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



62217

1 Light Pendant


*Oil Rubbed Bronze Finish
with Burnt Scavo Glass*

Height: 38.5" Diameter: 7"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*

Includes (3) 9.25" long rods.

*Install 1, 2, or 3 rods for
customized lengths.*



62215

3 Light Chandelier

*Oil Rubbed Bronze Finish
with Burnt Scavo Glass*

Height: 20.13" Diameter: 22.13"

Chain: 36" Wire: 60"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*



62214

5 Light Chandelier

*Oil Rubbed Bronze Finish
with Burnt Scavo Glass*

Height: 23.38" Diameter: 26"

Chain: 36" Wire: 60"

*Use (5) Medium (E26) Base Lamps,
60 Watt Maximum*

Gatehouse Tower Collection



62252

3 Light Chandelier

*Weathered Bronze Finish
with Frosted Glass*

Height: 18.88" Width: 22.88"

Chain: 36" Wire: 60"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*

Hearthstone Collection



69001

5 Light Chandelier

*Burnished Bronze Patina Finish
with Burnt Scavo Glass*

Height: 26" Width: 23.5"

Chain: 108" Wire: 120"

*Use (5) Medium (E26)
Base Lamps, 60 Watt Maximum*



69000

3 Light Chandelier

*Burnished Bronze Patina Finish
with Burnt Scavo Glass*

Height: 21.5" Width: 19"

Chain: 108" Wire: 120"

*Use (3) Medium (E26)
Base Lamps, 60 Watt Maximum*



69006


1 Light Mini Pendant

*Burnished Bronze Patina Finish
with Burnt Scavo Glass*

Height: 41.25" Diameter: 5"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*

*Includes (3) 9.25" long rods.
Install 1, 2, or 3 rods for
customized lengths.*



69009

3 Light Wall

*Burnished Bronze Patina Finish
with Burnt Scavo Glass*

Height: 10.75" Width: 19.5"

Extends: 8"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*

***Fixture can be installed up or down**

Treebridge Station Collection



62244

2 Light Flush

*Espresso Finish
with White Alabaster Glass*

Height: 5.63" Diameter: 13.5"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



*** 62245**

1 Light Wall

*Espresso Finish
with White Alabaster Glass*

Height: 10.5" Width: 5"

Extends: 7.5"

*Use (1) Medium (E26) Base Lamp ,
60 Watt Maximum*



*** 62247**

3 Light Wall

*Espresso Finish
with White Alabaster Glass*

Height: 10.5" Width: 21.25"

Extends: 7.5"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*

62240

5 Light Chandelier

*Espresso Finish
with White Alabaster Glass*

Height: 24.25" Width: 24.38"

Chain: 36" Wire: 60"

*Use (5) Medium (E26) Base Lamps,
60 Watt Maximum*



Parker Mews Collection

* 62260

1 Light Wall

Brushed Nickel Finish
with White Linen Fabric Shade

Height: 9.75" Width: 5.5"

Extends: 7"

Use (1) Candelabra (E12) Base Lamp,
60 Watt Maximum



* 62262

3 Light Wall

Brushed Nickel Finish
with White Linen Fabric Shades

Height: 9.75" Width: 24"

Extends: 7"

Use (3) Candelabra (E12) Base Lamps,
60 Watt Maximum



62258

1 Light Flush

Brushed Nickel Finish
with White Linen Fabric Shade

Height: 5.38" Diameter: 11"

Use (1) Medium (E26) Base Lamp,
60 Watt Maximum

62259

2 Light Flush

Brushed Nickel Finish
with White Linen Fabric Shade

Height: 6" Diameter: 13"

Use (2) Medium (E26) Base Lamps,
60 Watt Maximum



62257

2 Light Semi-Flush

Brushed Nickel Finish
with White Linen Fabric Shade

Height: 10.75" Width: 13"

Use (2) Medium (E26) Base Lamps,
60 Watt Maximum

*Fixture can be installed up or down



62256


1 Light Pendant

*Brushed Nickel Finish
with White Linen Fabric Shade*

Height: 43.5" Diameter: 5.5"

*Use (1) Candelabra (E12) Base Lamp,
60 Watt Maximum*

*Includes (3) 9.25" long rods.
Install 1, 2, or 3 rods for
customized lengths.*



† 62254

5 Light Chandelier

*Brushed Nickel Finish
with White Linen Fabric Shades*

Height: 23.13" Width: 25"

Chain: 36" Wire: 60"

*Use (5) Candelabra (E12) Base Lamps,
60 Watt Maximum*



† 62255

3 Light Chandelier

*Brushed Nickel Finish
with White Linen Fabric Shades*

Height: 23.13" Width: 23.38"


Chain: 36" Wire: 60"

*Use (3) Candelabra (E12) Base Lamps,
60 Watt Maximum*

Fontane Collection



*** 62267**
1 Light Wall
 Brushed Nickel Finish
 with Frosted Glass
 Height: 8.63" Width: 6.5"
 Extends: 7.88"
 Use (1) Medium (E26) Base Lamp,
 60 Watt Maximum



62266
3 Light Pendant
 Brushed Nickel Finish
 with Frosted Glass
 Height: 25.88" Diameter: 19.75"
 Chain: 36" Wire: 60"
 Use (3) Medium (E26) Base Lamps,
 60 Watt Maximum



62264
6 Light Chandelier
 Brushed Nickel Finish
 with Frosted Glass
 Height: 22.5" Diameter: 30.13"
 Chain: 36" Wire: 60"
 Use (6) Medium (E26) Base Lamps,
 60 Watt Maximum

Fallon Collection



62287
2 Light Semi-Flush
 Satin Platinum Finish
 with White Alabaster Glass
 Height: 7.13" Diameter: 13.13"
 Use (2) Medium (E26) Base Lamps,
 60 Watt Maximum



*** 62288**
3 Light Wall
 Satin Platinum Finish
 with White Alabaster Glass
 Height: 7.25" Width: 27.75"
 Extends: 10.5"
 Use (3) Medium (E26) Base Lamps,
 60 Watt Maximum



62286
5 Light Chandelier
 Satin Platinum Finish
 with White Alabaster Glass
 Height: 21.75" Width: 30.5"
 Chain: 36" Wire: 60"
 Use (5) Medium (E26) Base Lamps,
 60 Watt Maximum

*Fixture can be installed up or down



66646

2 Light Flush

*Brushed Nickel Finish with
Frosted White Alabaster Glass
Height: 6.13" Diameter: 13.25"
Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



66645

3 Light Flush

*Brushed Nickel Finish with
Frosted White Alabaster Glass
Height: 7.38" Diameter: 15"
Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*



*** 66649**

3 Light Wall

*Brushed Nickel Finish with
Frosted White Alabaster Glass
Height: 7.5" Width: 25"
Extends: 8.5"
Use (3) Medium (E26) Base Lamps,
100 Watt Maximum*

66640

3 Light Chandelier


*Brushed Nickel Finish with
Frosted White Alabaster Glass
Height: 17.38" Width: 19.5"
Chain: 108" Wire: 120"
Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*



*** 66647**

1 Light Wall

*Brushed Nickel Finish with
Frosted White Alabaster Glass
Height: 8" Width: 7"
Extends: 8"
Use (1) Medium (E26) Base Lamp,
100 Watt Maximum*



Spring Valley Collection



66590

1 Light Mini Pendant

*Ebony Bronze Finish
with Aged Alabaster Glass
Height: 40.5" Diameter: 7"
Use (1) Medium (E26) Base Lamp,
100 Watt Maximum
Includes (3) 9.25" long rods.
Install 1, 2, or 3 rods for
customized lengths.*



66587

3 Light Chandelier

*Ebony Bronze Finish
with Aged Alabaster Glass
Height: 18.38" Width: 21.5"
Chain: 108" Wire: 120"
Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*



66584

5 Light Chandelier

*Ebony Bronze Finish
with Aged Alabaster Glass
Height: 20" Width: 25"
Chain: 108" Wire: 120"
Use (5) Medium (E26) Base Lamps,
60 Watt Maximum*

*** 66596**

3 Light Wall

*Ebony Bronze Finish
with Aged Alabaster Glass
Height: 9.5" Width: 25"
Extends: 8.25"
Use (3) Medium (E26) Base Lamps,
100 Watt Maximum*



*** 66592**

1 Light Wall

*Ebony Bronze Finish
with Aged Alabaster Glass
Height: 9.25" Width: 7"
Extends: 8"
Use (1) Medium (E26) Base Lamp,
100 Watt Maximum*



*** 66593**

2 Light Wall

*Ebony Bronze Finish
with Aged Alabaster Glass
Height: 9.5" Width: 16"
Extends: 8"
Use (2) Medium (E26) Base Lamps,
100 Watt Maximum*



66599

2 Light Flush

*Ebony Bronze Finish
with Aged Alabaster Glass
Height: 6" Diameter: 13"
Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



***Fixture can be installed up or down**

Regal Springs Collection



62209

1 Light Pendant

*Ebony Gold Finish
with Burnt Scavo Glass*

Height: 41.25" Diameter: 7"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*

*Includes (3) 9.25" long rods.
Install 1, 2, or 3 rods for
customized lengths.*



*** 62212**

1 Light Wall

*Ebony Gold Finish
with Burnt Scavo Glass*

Height: 9.5" Width: 7"

Extends: 9"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*



*** 62213**

3 Light Wall

*Ebony Gold Finish
with Burnt Scavo Glass*

Height: 9.5" Width: 25.25"

Extends: 9"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*



62211

2 Light Flush

*Ebony Gold Finish
with Burnt Scavo Glass*

Height: 7.5" Diameter: 13.75"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



62210

2 Light Semi-Flush

*Ebony Gold Finish
with Burnt Scavo Glass*

Height: 12.5" Width: 13"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



62208

3 Light Pendant

*Ebony Gold Finish
with Burnt Scavo Glass*

Height: 23.5" Width: 19"

Chain: 36" Wire: 60"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*



62207

3 Light Chandelier

*Ebony Gold Finish
with Burnt Scavo Glass*

Height: 18.25" Width: 19"

Chain: 36" Wire: 60"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*



62206

5 Light Chandelier

*Ebony Gold Finish
with Burnt Scavo Glass*

Height: 24.5" Width: 25.5"

Chain: 36" Wire: 60"

*Use (5) Medium (E26) Base Lamps,
60 Watt Maximum*

***Fixture can be installed up or down**
www.westinghouselighting.com

Trinity I & II Collections

*** 62238**

1 Light Wall

*Oil Rubbed Bronze Finish
with Aged Alabaster Glass*

Height: 9" Width: 5.13"

Extends: 8"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*



*** 62239**

3 Light Wall

*Oil Rubbed Bronze Finish
with Aged Alabaster Glass*

Height: 8.5" Width: 17.25"

Extends: 8.38"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*



62236

1 Light Flush

*Oil Rubbed Bronze Finish
with Aged Alabaster Glass*

Height: 5.88" Diameter: 11.25"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*



62237

2 Light Flush

*Oil Rubbed Bronze Finish
with Aged Alabaster Glass*

Height: 6.63" Diameter: 13.13"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*

62235


5 Light Chandelier

*Oil Rubbed Bronze Finish
with Aged Alabaster Glass*

Height: 11" Width: 23"

Chain: 36" Wire: 60"

*Use (5) Medium (E26) Base Lamps,
60 Watt Maximum*



66008

5 Light Chandelier

*Brushed Nickel Finish
with White Opal Glass*

Height: 11" Width: 23"

Chain: 36" Wire: 120"

*Use (5) Medium (E26) Base Lamps,
60 Watt Maximum*



64615

3 Light Chandelier

*Brushed Nickel Finish
with White Opal Glass*

Height: 12.5" Width: 22"

Chain: 36" Wire: 120"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*

***Fixture can be installed up or down**



Westinghouse

INNOVATION YOU CAN BE SURE OF

HANGING

interior light fixture assortment

Every aspect of a room reflects style. From an elegant dining room to a kitchen bar, or a bedroom corner to two-story entry, Westinghouse offers a variety of hanging fixtures sure to complement any space.



66295

5 Light Chandelier

*Weathered Bronze Finish
with Beige Shades*

Height: 24.25" Width: 27.63"

Chain: 36" Wire: 60"

*Use (5) Candelabra (E12) Base Lamps,
60 Watt Maximum*



62214

Kings Canyon

5 Light Chandelier

*Oil Rubbed Bronze Finish
with Burnt Scavo Glass*

Height: 23.38" Diameter: 26"

Chain: 36" Wire: 60"

*Use (5) Medium (E26) Base Lamps,
60 Watt Maximum*



62215

Kings Canyon

3 Light Chandelier

*Oil Rubbed Bronze Finish
with Burnt Scavo Glass*

Height: 20.13" Diameter: 22.13"

Chain: 36" Wire: 60"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*



62240

Treebridge Station

5 Light Chandelier

*Espresso Finish
with White Alabaster Glass*

Height: 24.25" Width: 24.38"

Chain: 36" Wire: 60"

*Use (5) Medium (E26) Base Lamps,
60 Watt Maximum*



62206

**Regal Springs
5 Light Chandelier**

*Ebony Gold Finish
with Burnt Scavo Glass*

Height: 24.5" Width: 25.5"

Chain: 36" Wire: 60"

*Use (5) Medium (E26) Base Lamps,
60 Watt Maximum*



62207

**Regal Springs
3 Light Chandelier**

*Ebony Gold Finish
with Burnt Scavo Glass*

Height: 18.25" Width: 19"

Chain: 36" Wire: 60"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*



62224

**Elena
3 Light Chandelier**

*Dark Bronze Finish
with Antique Amber Glass*

Height: 21.25" Width: 19.13"

Chain: 36" Wire: 120"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*



62223

**Elena
5 Light Chandelier**

*Dark Bronze Finish
with Antique Amber Glass*

Height: 25.5" Width: 23.13"

Chain: 36" Wire: 120"

*Use (5) Medium (E26) Base Lamps,
60 Watt Maximum*



62229

**Chapel Hill
5 Light Chandelier**

*Oil Rubbed Bronze Finish
with Antique Amber Scavo Glass*

Height: 18.88" Width: 23.63"

Chain: 36" Wire: 120"

*Use (5) Medium (E26) Base Lamps,
60 Watt Maximum*



62230

**Chapel Hill
3 Light Chandelier**

*Oil Rubbed Bronze Finish
with Antique Amber Scavo Glass*

Height: 18.5" Width: 21.75"

Chain: 36" Wire: 120"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*



62280

Swanstone

5 Light Chandelier

*Satin Nickel Finish
with White Opal Glass*

Height: 15.13" Diameter: 24"

Chain: 36" Wire: 60"

*Use (5) Medium (E26) Base Lamps,
60 Watt Maximum*



62281

Swanstone

3 Light Chandelier

*Satin Nickel Finish
with White Opal Glass*

Height: 15.13" Diameter: 24"

Chain: 36" Wire: 60"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*



62268

Clinton

5 Light Chandelier

*Satin Nickel Finish
with White Alabaster Glass*

Height: 22.13" Diameter: 23"

Chain: 36" Wire: 120"

*Use (5) Medium (E26) Base Lamps,
60 Watt Maximum*



62269

Clinton

3 Light Chandelier

*Satin Nickel Finish
with White Alabaster Glass*

Height: 21.25" Diameter: 21.5"

Chain: 36" Wire: 120"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*



62264

Fontane

6 Light Chandelier

*Brushed Nickel Finish
with Frosted Glass*

Height: 22.5" Diameter: 30.13"

Chain: 36" Wire: 60"

*Use (6) Medium (E26) Base Lamps,
60 Watt Maximum*



62274

Sylvestre


5 Light Chandelier

*Brushed Nickel Finish
with Frosted Seeded Glass*

Height: 18.5" Diameter: 20.63"

Chain: 36" Wire: 120"

*Use (5) Medium (E26) Base Lamps,
60 Watt Maximum*



62275

Sylvestre

3 Light Chandelier

*Brushed Nickel Finish
with Frosted Seeded Glass*

Height: 17.63" Diameter: 18.25"

Chain: 36" Wire: 120"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*



62252

Gatehouse Tower

3 Light Chandelier

*Weathered Bronze Finish
with Frosted Glass*

Height: 18.88" Width: 22.88"

Chain: 36" Wire: 60"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*

† 62254

Parker Mews

5 Light Chandelier

*Brushed Nickel Finish
with White Linen Fabric Shades*

Height: 23.13" Width: 25"

Chain: 36" Wire: 60"

*Use (5) Candelabra (E12) Base Lamps,
60 Watt Maximum*



† 62255

Parker Mews

3 Light Chandelier

*Brushed Nickel Finish
with White Linen Fabric Shades*

Height: 23.13" Width: 23.38"

Chain: 36" Wire: 60"

*Use (3) Candelabra (E12) Base Lamps,
60 Watt Maximum*





66587
Spring Valley
3 Light Chandelier
 Ebony Bronze Finish
 with Aged Alabaster Glass
 Height: 18.38" Width: 21.5"
 Chain: 108" Wire: 120"
 Use (3) Medium (E26) Base Lamps,
 60 Watt Maximum



66584
Spring Valley
5 Light Chandelier
 Ebony Bronze Finish
 with Aged Alabaster Glass
 Height: 20" Width: 25"
 Chain: 108" Wire: 120"
 Use (5) Medium (E26) Base Lamps,
 60 Watt Maximum

69001
Hearthstone
5 Light Chandelier
 Burnished Bronze Patina Finish
 with Burnt Scavo Glass
 Height: 26" Width: 23.5"
 Chain: 108" Wire: 120"
 Use (5) Medium (E26) Base Lamps,
 60 Watt Maximum



69000
Hearthstone
3 Light Chandelier
 Burnished Bronze Patina Finish
 with Burnt Scavo Glass
 Height: 21.5" Width: 19"
 Chain: 108" Wire: 120"
 Use (3) Medium (E26) Base Lamps,
 60 Watt Maximum



66054
5 Light Chandelier
 Polished Brass Finish
 with Clear Ribbed Glass
 Height: 13.75" Width: 23.38"
 Chain: 36" Wire: 120"
 Use (5) Medium (E26) Base Lamps,
 60 Watt Maximum



67141
5 Light Chandelier
 Sienna Finish
 with Frosted Ribbed Glass
 Height: 13.75" Width: 23.38"
 Chain: 36" Wire: 120"
 Use (5) Medium (E26) Base Lamps,
 60 Watt Maximum



66008

Trinity I

5 Light Chandelier

*Brushed Nickel Finish
with White Opal Glass*

Height: 11" Width: 23"

Chain: 36" Wire: 120"

*Use (5) Medium (E26) Base Lamps,
60 Watt Maximum*



62235

Trinity II

5 Light Chandelier

*Oil Rubbed Bronze Finish
with Aged Alabaster Glass*

Height: 11" Width: 23"

Chain: 36" Wire: 60"

*Use (5) Medium (E26) Base Lamps,
60 Watt Maximum*



64615

Trinity I

3 Light Chandelier

Brushed Nickel Finish with White Opal Glass

Height: 12.5" Width: 22" Chain: 36" Wire: 120"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*



62286

Fontane

5 Light Chandelier

*Satin Platinum Finish
with White Alabaster Glass*

Height: 21.75" Width: 30.5"

Chain: 36" Wire: 60"

*Use (5) Medium (E26) Base Lamps,
60 Watt Maximum*

66640

Churchville

3 Light Chandelier

*Brushed Nickel Finish with
Frosted White Alabaster Glass*

Height: 17.38" Width: 19.5"

Chain: 108" Wire: 120"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*





66088
10 Light Williamsburg Style Chandelier

Polished Brass Finish

Height: 20" Width: 23.25"

Chain: 36" Wire: 120"

*Use (10) Candelabra (E12) Base Lamps,
 60 Watt Maximum*



66098
5 Light Chandelier

Polished Brass Finish

Height: 16" Width: 18"

Chain: 36" Wire: 120"

*Use (5) Candelabra (E12) Base Lamps,
 60 Watt Maximum*

66244
1 Light Pendant

Polished Brass Finish

with Crystal Ribbed Glass

Height: 6" Diameter: 10"

Cord Length: 48"

*Use (1) Medium (E26) Base Lamp,
 100 Watt Maximum*



66198
1 Light Pendant

White Finish

Height: 8.5" Diameter: 15.5"

Cord Length: 48"

*Use (1) Medium (E26) Base Lamp,
 100 Watt Maximum*



67143
1 Light Pendant

Sienna Finish

with Frosted Ribbed Glass

Height: 9" Diameter: 16.5"

Chain: 36" Wire: 120"

*Use (1) Medium (E26) Base Lamp,
 100 Watt Maximum*





62208
Regal Springs
3 Light Pendant
 Ebony Gold Finish
 with Burnt Scavo Glass
 Height: 23.5" Width: 19"
 Chain: 36" Wire: 60"
 Use (3) Medium (E26) Base Lamps,
 60 Watt Maximum



62266
Fontane
3 Light Pendant
 Brushed Nickel Finish
 with Frosted Glass
 Height: 25.88" Diameter: 19.75"
 Chain: 36" Wire: 60"
 Use (3) Medium (E26) Base Lamps,
 60 Watt Maximum



01011
Recessed Light Converter
 Transform existing recessed lighting into a pendant or other light fixture!

- Quick and easy home upgrade with no remodeling
- Unique patent pending design
- Adjusts to any recessed can size between 4" - 6" diameter
- No visible screws or hardware
- Perfect for hanging a pendant or other lighting fixtures
- Decorative medallion can be painted to match any decor
- Works with existing recessed cans that use medium base lamps*
- 50 lb. maximum load rating



*Converter works with existing recessed cans that use medium base PAR16, R16, A19, R20, PAR20, BR25, BR30, R30, PAR30, BR38, PAR38, BR40 or R40 lamps.

Note: Paintable decorative medallion and metal plate are optional when used on a 4" diameter recessed can.

66590

Spring Valley

1 Light Mini Pendant

*Ebony Bronze Finish
with Aged Alabaster Glass*

Height: 40.5" Diameter: 7"

Use (1) Medium (E26) Base Lamp,

100 Watt Maximum

Includes (3) 9.25" long rods.

*Install 1, 2, or 3 rods for
customized lengths.*



69006

Hearthstone

1 Light Mini Pendant

*Burnished Bronze Patina Finish
with Burnt Scavo Glass*


Height: 41.25" Diameter: 5"

Use (1) Medium (E26) Base Lamp,

60 Watt Maximum

Includes (3) 9.25" long rods.

*Install 1, 2, or 3 rods for
customized lengths.*



62201

Wensley

1 Light Mini Pendant

*Oil Rubbed Bronze Finish
with White Alabaster Glass*

Height: 37.25" Diameter: 5.88"

Use (1) Medium (E26) Base Lamp,

60 Watt Maximum

Includes (3) 9.25" long rods.

*Install 1, 2, or 3 rods for
customized lengths.*



62209

Regal Springs

1 Light Mini Pendant

*Ebony Gold Finish
with Burnt Scavo Glass*

Height: 41.25" Diameter: 7"

Use (1) Medium (E26) Base Lamp,

60 Watt Maximum

Includes (3) 9.25" long rods.

*Install 1, 2, or 3 rods for
customized lengths.*



62217

Kings Canyon

1 Light Mini Pendant

*Oil Rubbed Bronze Finish
with Burnt Scavo Glass*

Height: 38.5" Diameter: 7"

Use (1) Medium (E26) Base Lamp,

60 Watt Maximum

Includes (3) 9.25" long rods.

*Install 1, 2, or 3 rods for
customized lengths.*

*** 67384**

1 Light Mini Pendant

*Oil Rubbed Bronze Finish
with Fire Storm Glass Shade*

Height: 59.5" Diameter: 5"

Cord Length: 50"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*



64532

1 Light Mini Pendant

*Gun Metal Finish
with Perforated Metal Shade*

Height: 56.5" Diameter: 5"

Cord Length: 50"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*



69231

Winchester

1 Light Mini Pendant

*Brushed Nickel Finish
with Frosted White Alabaster Glass*

Height: 38" Diameter: 9.5"

*Use (1) Medium (E26) Base Lamp,
100 Watt Maximum*

Includes (3) 9.25" long rods.

*Install 1, 2, or 3 rods for
customized lengths.*



62256

Parker Mews

1 Light Mini Pendant

*Brushed Nickel Finish
with White Linen Fabric Shade*

Height: 43.5" Diameter: 5.5"

*Use (1) Candelabra (E12) Base Lamp,
60 Watt Maximum*

Includes (3) 9.25" long rods.

*Install 1, 2, or 3 rods for
customized lengths.*

***Hand Blown Glass**

www.westinghouselighting.com

67017

Abington

1 Light Mini Pendant

*Weathered Bronze Finish
with Frosted Glass*

Height: 34.25" Diameter: 7.25"

*Use (1) Candelabra (E12) Base Lamp,
60 Watt Maximum*

Includes (3) 9.25" long rods.

*Install 1, 2, or 3 rods for
customized lengths.*





CEILING

interior light fixture assortment

Inspiration guides our ceiling fixture designs and we offer a wide range of styles and finishes to fit any décor.





62257

Parker Mews

2 Light Semi-Flush

*Brushed Nickel Finish
with White Linen Fabric Shade*

Height: 10.75" Width: 13"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



62259

Parker Mews

2 Light Flush

*Brushed Nickel Finish
with White Linen Fabric Shade*

Height: 6" Diameter: 13"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



62258

Parker Mews

1 Light Flush

*Brushed Nickel Finish
with White Linen Fabric Shade*

Height: 5.38" Diameter: 11"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*



62282

Swanstone

1 Light Flush

*Satin Nickel Finish
with White Painted Glass*

Height: 6" Diameter: 11.38"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*



62287

Fallon

2 Light Semi-Flush

*Satin Platinum Finish
with White Alabaster Glass*

Height: 7.13" Diameter: 13.13"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



62270

Clinton

1 Light Flush

*Satin Nickel Finish
with White Alabaster Glass*

Height: 5.5" Diameter: 11"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*



62271

Clinton

2 Light Flush

*Satin Nickel Finish
with White Alabaster Glass*

Height: 5.63" Diameter: 13"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



62236

Trinity II

1 Light Flush

*Oil Rubbed Bronze Finish
with Aged Alabaster Glass*

Height: 5.88" Diameter: 11.25"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*



62237

Trinity II

2 Light Flush

*Oil Rubbed Bronze Finish
with Aged Alabaster Glass*

Height: 6.63" Diameter: 13.13"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



64308

2 Light Flush

*Sienna Finish
with Frosted Swirl Glass*

Height: 6.13" Diameter: 13"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



62225

Elena

1 Light Flush

*Dark Bronze Finish
with Antique Amber Glass*

Height: 6.25" Diameter: 11"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*



66028

Elena

2 Light Flush

*Dark Bronze Finish
with Antique Amber Glass*

Height: 6.75" Diameter: 13"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



66253

Pine Creek

2 Light Flush

*Iron Granite Finish
with Frosted Glass*

Height: 6.38" Diameter: 13.25"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



62231

Chapel Hill

1 Light Flush

*Oil Rubbed Bronze Finish
with Antique Amber Scavo Glass*

Height: 6.13" Diameter: 11"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*



66599

Spring Valley

2 Light Flush

*Ebony Bronze Finish
with Aged Alabaster Glass*

Height: 6" Diameter: 13"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



62203
Wensley
1 Light Flush
*Oil Rubbed Bronze Finish
 with White Alabaster Glass
 Height: 6" Diameter: 11.25"
 Use (1) Medium (E26) Base Lamp,
 60 Watt Maximum*



66223
Wensley
2 Light Semi-Flush
*Oil Rubbed Bronze Finish
 with White Alabaster Glass
 Height: 6.5" Diameter: 10.13"
 Use (2) Medium (E26) Base Lamps,
 60 Watt Maximum*



62219
Kings Canyon
2 Light Flush
*Oil Rubbed Bronze Finish
 with Burnt Scavo Glass
 Height: 7.25" Diameter: 13.25"
 Use (2) Medium (E26) Base Lamps,
 60 Watt Maximum*



62244
Treebridge Station
2 Light Flush
*Espresso Finish
 with White Alabaster Glass
 Height: 5.63" Diameter: 13.5"
 Use (2) Medium (E26) Base Lamps,
 60 Watt Maximum*



64290
1 Light Flush
*Oil Rubbed Bronze Finish
 with Frosted White Alabaster Glass
 Height: 5.5" Diameter: 11"
 Use (1) Medium (E26) Base Lamp,
 60 Watt Maximum*



64291
2 Light Flush
*Oil Rubbed Bronze Finish
 with Frosted White Alabaster Glass
 Height: 5.88" Diameter: 13"
 Use (2) Medium (E26) Base Lamps,
 60 Watt Maximum*



64292
3 Light Flush
*Oil Rubbed Bronze Finish
 with Frosted White Alabaster Glass
 Height: 6.63" Diameter: 15"
 Use (3) Medium (E26) Base Lamps,
 60 Watt Maximum*



62211
Regal Springs
2 Light Flush
 Ebony Gold Finish
 with Burnt Scavo Glass
 Height: 7.5" Diameter: 13.75"
 Use (2) Medium (E26) Base Lamps,
 60 Watt Maximum



62210
Regal Springs
2 Light Semi-Flush
 Ebony Gold Finish
 with Burnt Scavo Glass
 Height: 12.5" Width: 13"
 Use (2) Medium (E26) Base Lamps,
 60 Watt Maximum



66254
Pine Creek
2 Light Semi-Flush
 Iron Granite Finish
 with Frosted Glass
 Height: 12.25" Width: 14.5"
 Use (2) Medium (E26) Base Lamps,
 60 Watt Maximum



69193
Provincial
2 Light Flush
 Excavated Bronze Finish
 with Frosted Rope and Reed Design Glass
 Height: 6" Diameter: 13"
 Use (2) Medium (E26) Base Lamps,
 60 Watt Maximum



69192
Provincial
2 Light Flush
 Excavated Bronze Finish
 with Frosted Rope and Reed Design Glass
 Height: 5.5" Diameter: 11"
 Use (2) Candelabra (E12) Base Lamps,
 40 Watt Maximum



67241
San Moritz
2 Light Flush
 Cozumel Gold Finish
 with Marbleized Alabaster Glass
 Height: 6.5" Diameter: 13.25"
 Use (2) Medium (E26) Base Lamps,
 60 Watt Maximum



66177
3 Light Flush
 Cozumel Gold Finish
 with Frosted Embossed Floral and
 Leaf Design Glass
 Height: 7.63" Diameter: 15"
 Use (3) Medium (E26) Base Lamps,
 60 Watt Maximum



64311
2 Light Flush
 Cozumel Gold Finish
 with Frosted Swirl Glass
 Height: 6.13" Diameter: 13"
 Use (2) Medium (E26) Base Lamps,
 60 Watt Maximum



64316

2 Light Flush

*Sienna Finish
with Embossed Floral and
Leaf Design Glass
Height: 7" Diameter: 13"
Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



67225

**Sierra Madre
2 Light Flush**

*Organic Gold Finish
with Frosted White Alabaster Glass
Height: 6.25" Diameter: 15.38"
Use (2) Medium (E26) Base Lamps,
75 Watt Maximum*



64309

3 Light Flush

*Sienna Finish
with Frosted Swirl Glass
Height: 6.5" Diameter: 15"
Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*



67142

2 Light Flush

*Sienna Finish
with Frosted Ribbed Glass
Height: 7.5" Diameter: 13.25"
Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



69246

**Laurel Springs
2 Light Flush**

*Antique Brick Finish
with Frosted Crackle Glass
Height: 6.63" Diameter: 13"
Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



69449

**Conestoga
2 Light Flush**

*Saddle Bronze Finish
with Antique Amber Scavo Glass
Height: 7.13" Diameter: 15"
Use (2) Medium (E26) Base Lamps,
75 Watt Maximum*



69450

**Conestoga
2 Light Flush**

*Saddle Bronze Finish
with Antique Amber Scavo Glass
Height: 6.75" Diameter: 13"
Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



64363

2 Light Flush

*Brushed Nickel Finish
with Frosted Glass*

Height: 5.5" Diameter: 13"

Use (2) GU24 Base CFL

*Twist Lamps, 13 Watt,
Lamps Included*



66645

Churchville

3 Light Flush

Brushed Nickel Finish

with Frosted White Alabaster Glass

Height: 7.38" Diameter: 15"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*



66646

Churchville

2 Light Flush

Brushed Nickel Finish

with Frosted White Alabaster Glass

Height: 6.13" Diameter: 13.25"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



67572

Eastgate

1 Light Flush

Brushed Nickel Finish

with Frosted White Alabaster Glass

Height: 5.25" Diameter: 10.25"

*Use (1) Medium (E26) Base Lamp,
75 Watt Maximum*



67573

Eastgate

2 Light Flush

Brushed Nickel Finish

with Frosted White Alabaster Glass

Height: 5.5" Diameter: 13"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



64304

1 Light Flush

*Brushed Nickel Finish
with Frosted Swirl Glass*

Height: 5.88" Diameter: 11"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*



64305

2 Light Flush

*Brushed Nickel Finish
with Frosted Swirl Glass*

Height: 6.13" Diameter: 13"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



64306

3 Light Flush

*Brushed Nickel Finish
with Frosted Swirl Glass*

Height: 6.5" Diameter: 15"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*

Compact Fluorescent Lamps contain mercury. (Hg) For more on clean up and safe disposal, visit epa.gov/cfl.



64301

3 Light Flush

White Finish
with Frosted Swirl Glass
Height: 6.5" Diameter: 15"
Use (3) Medium (E26) Base Lamps,
60 Watt Maximum



64300

2 Light Flush

White Finish
with Frosted Swirl Glass
Height: 6.13" Diameter: 13"
Use (2) Medium (E26) Base Lamps,
60 Watt Maximum



66378

1 Light Flush

White Finish
with Frosted Swirl Glass
Height: 5.88" Diameter: 11"
Use (1) Medium (E26) Base Lamp,
60 Watt Maximum



66176

3 Light Flush

Textured White Finish
with Embossed Floral
and Leaf Design Glass
Height: 7.25" Diameter: 15"
Use (3) Medium (E26) Base Lamps,
60 Watt Maximum



66162

2 Light Flush

Textured White Finish
with Embossed Floral
and Leaf Design Glass
Height: 7" Diameter: 13.25"
Use (2) Medium (E26) Base Lamps,
60 Watt Maximum



66161

1 Light Flush

Textured White Finish
with Embossed Floral
and Leaf Design Glass
Height: 6.25" Diameter: 11.25"
Use (1) Medium (E26) Base Lamp,
60 Watt Maximum



64303

3 Light Flush

Polished Brass Finish
with Frosted Swirl Glass
Height: 6.5" Diameter: 15"
Use (3) Medium (E26) Base Lamps,
60 Watt Maximum



64302

2 Light Flush

Polished Brass Finish
with Frosted Swirl Glass
Height: 6.13" Diameter: 13"
Use (2) Medium (E26) Base Lamps,
60 Watt Maximum



66327

1 Light Flush

Polished Brass Finish
with Frosted Swirl Glass
Height: 5.88" Diameter: 11"
Use (1) Medium (E26) Base Lamp,
60 Watt Maximum



66465

3 Light Flush

*Polished Brass Finish
with Crystal Ribbed Glass*

Height: 8.25" Diameter: 15.38"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*



66282

2 Light Flush

*Polished Brass Finish
with Crystal Ribbed Glass*

Height: 7.25" Diameter: 13.5"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



66464

1 Light Flush

*Polished Brass Finish
with Crystal Ribbed Glass*

Height: 6.25" Diameter: 11"

*Use (1) Medium (E26) Base Lamp,
75 Watt Maximum*



66323

2 Light Semi-Flush

*Polished Brass Finish
with Clear Ribbed and
Etched Floral Pattern Glass*

Height: 8.25" Diameter: 11.75"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



64361

2 Light Flush

*Cobblestone Finish
with Frosted Ribbed Glass*

Height: 7.25" Diameter: 13"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



67605

1 Light Flush

*Cobblestone Finish
with Frosted White Alabaster Glass*

Height: 6.75" Diameter: 11"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*



64323

2 Light Flush

*Pewter Patina Finish
with Frosted Ribbed Glass*

Height: 7.25" Diameter: 12.5"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



66339

2 Light Flush

*Bisque Leaf Finish
with Faux Marbleized Glass Bowl
Height: 5" Diameter: 11.75"
Use (2) Candelabra (E12) Base Lamps,
40 Watt Maximum*



64360

3 Light Flush

*Brushed Nickel Finish with
Frosted White Alabaster Glass
Height: 6.75" Diameter: 15"
Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*



67314

2 Light Flush

*Antique Brass Finish
with White Glass
Height: 6.75" Diameter: 9.5"
Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



64340

2 Light Semi-Flush

*Brushed Nickel Finish
with Frosted Glass
Height: 8" Diameter: 15.25"
Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



66468

2 Light Semi-Flush

*Polished Brass Finish
with White and Clear Glass
Height: 7.5" Diameter: 15.25"
Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



66689

1 Light Flush

*Polished Brass Finish
with Clear Faceted Glass*

Height: 4.75" Diameter: 7.5"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*



66698

2 Light Flush

*Polished Brass Finish
with Clear Faceted Glass*

Height: 5.5" Diameter: 9.5"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



66610

2 Light Flush

*Antique Brass Finish
with Clear Faceted Glass*

Height: 5.5" Diameter: 9.5"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



67209

1 Light Flush

*Brushed Nickel Finish
with Frosted Fluted Glass*

Height: 4" Diameter: 6.88"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*



67210

2 Light Flush with Pull Chain

*Brushed Nickel Finish
with Frosted Fluted Glass*

Height: 4.25" Diameter: 8.75"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



67212

2 Light Flush

*Brushed Nickel Finish
with Frosted Fluted Glass*

Height: 5.75" Diameter: 10.75"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



66329

1 Light Flush

*Polished Brass Finish
with Satin White Ribbed Glass*

Height: 4.63" Diameter: 8"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*



67202

2 Light Flush with Pull Chain

*Sienna Finish
with Frosted Fluted Glass*

Height: 4.25" Diameter: 8.75"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



66609

2 Light Flush

*Polished Brass Finish
with White Glass*

Height: 4.75" Diameter: 8.88"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



66611

2 Light Flush

*White Finish
with White Glass*

Height: 5" Diameter: 8.75"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



66699

1 Light Flush

*White Finish
with White Glass*

Height: 4.38" Diameter: 7.25"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*



66681

1 Light Flush

*Antique Brass Finish
with White Glass*

Height: 4.38" Diameter: 7.25"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*



66604

1 Light Flush

*Antique Brass Finish
with Satin White Glass with Design*

Height: 4.5" Diameter: 7.5"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*



67215

2 Light Flush with Pull Chain

*Polished Brass Finish
with Frosted Fluted Glass*

Height: 4.25" Diameter: 8.75"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



66658

1 Light Flush

Polished Brass Finish
with Clear Acorn Design Glass
Height: 7.25" Diameter: 5.25"
Use (1) Medium (E26) Base Lamp,
60 Watt Maximum



66600

1 Light Flush

Antique Brass Finish
with White Glass Globe
Height: 7.25" Diameter: 6"
Use (1) Medium (E26) Base Lamp,
60 Watt Maximum



66692

1 Light Flush

Polished Brass Finish
with Crystal Ribbed Glass Globe
Height: 7.25" Diameter: 6"
Use (1) Medium (E26) Base Lamp,
60 Watt Maximum



66677

1 Light Flush

Polished Brass Finish
with White Glass Globe
Height: 7.25" Diameter: 6"
Use (1) Medium (E26) Base Lamp,
60 Watt Maximum



66607

1 Light Flush

White Finish
with White Glass Globe
Height: 7.25" Diameter: 6"
Use (1) Medium (E26) Base Lamp,
60 Watt Maximum



66680

1 Light Flush with Pull Chain

White Finish
with White Glass Globe
Height: 7.25" Diameter: 6"
Use (1) Medium (E26) Base Lamp,
60 Watt Maximum



67208

1 Light Flush with Pull Chain

Brushed Nickel Finish
with White Glass Globe
Height: 7.25" Diameter: 6"
Use (1) Medium (E26) Base Lamp,
60 Watt Maximum



66603

1 Light Flush

Polished Brass Finish
with Frosted and Clear Glass
Height: 7.25" Diameter: 6"
Use (1) Medium (E26) Base Lamp,
60 Watt Maximum



66214

3 Light Flush

White Finish
with White Glass Globes
Height: 7.25" Diameter: 16"
Use (3) Medium (E26) Base Lamps,
60 Watt Maximum



67345

2 Light Flush with Pull Chain

White Finish
with White and Clear Glass
Height: 5.25" Diameter: 8.75"
Use (2) Medium (E26) Base Lamps,
60 Watt Maximum



66204

1 Light Flush

White Finish
with White and Clear Glass
Height: 4.5" Diameter: 6.75"
Use (1) Medium (E26) Base Lamp,
60 Watt Maximum



66203

2 Light Flush

White Finish
with White and Clear Glass
Height: 5.25" Diameter: 8.75"
Use (2) Medium (E26) Base Lamps,
60 Watt Maximum



66238

2 Light Flush

White Finish
with White and Clear Glass
Height: 5.25" Diameter: 10.75"
Use (2) Medium (E26) Base Lamps,
75 Watt Maximum



66239

1 Light Flush

Chrome Finish
with White and Clear Glass
Height: 4.5" Diameter: 6.75"
Use (1) Medium (E26) Base Lamp,
60 Watt Maximum



66240

2 Light Flush

Chrome Finish
with White and Clear Glass
Height: 5.25" Diameter: 8.75"
Use (2) Medium (E26) Base Lamps,
60 Watt Maximum



66241

2 Light Flush

Chrome Finish
with White and Clear Glass
Height: 5.25" Diameter: 10.75"
Use (2) Medium (E26) Base Lamps,
75 Watt Maximum



66205

3 Light Semi-Flush

*Polished Brass Finish
with White Glass*

Height: 7" Diameter: 15"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*



66206

2 Light Semi-Flush

*White Finish
with White Scroll Design Glass*

Height: 6.25" Diameter: 13"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



66263

2 Light Semi-Flush

*White Finish
with White and Clear Glass*

Height: 6.25" Square: 11.5"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



66242

2 Light Semi-Flush

*White Finish
with White Glass*

Height: 6.5" Diameter: 13"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



66201

2 Light Semi-Flush

*White Finish
with White Glass*

Height: 6" Square: 12"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



66297

1 Light Flush Mount

*White and Brushed Nickel Finish
with White Alabaster Glass*

Height: 4.25" Diameter: 12"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*



66200

**2 Light Semi-Flush
with Pull Chain**

*White Finish
with White Glass*

Height: 6.63" Square: 12"

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



65302

1 Light Flush

*Brushed Nickel Finish
with Amber Diffuser and Multi-color Designs*

Height: 3.88" Diameter: 9.75"

*Use (1) Candelabra (E12) Base Lamp,
60 Watt Maximum*



67322

3 Light Flush

*Brushed Nickel Finish
with Opal Glass*

Height: 5.5" Width: 18"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*



67325

3 Light Flush

*Polished Brass Finish
with Clear Floral Ribbed Glass Shade*

Height: 5.5" Width: 18"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*



66686

3 Light Flush

*Antique Brass Finish
with Frosted Ruffled Edge Glass*

Height: 5.63" Width: 11"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*



66326

**3 Light Multi-
Directional Flush**

White Finish

Height: 8.25" Width: 10.13"

Extends: 18.25"

*Use (3) Medium (E26) Base Lamps,
65 Watt Maximum*



66624

**1 Light Multi-
Directional Flush**

White Finish

Height: 8.25" Width: 5.5"

Extends: 9"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*



WALL

interior light fixture assortment

Utilize the versatility of wall fixtures to enhance the beauty of a fireplace, accentuate nooks and quiet spaces, or add a decorative touch around a bathroom mirror. The possibilities are endless.





*** 66596**
Spring Valley
3 Light Wall
 Ebony Bronze Finish
 with Aged Alabaster Glass
 Height: 9.5" Width: 25"
 Extends: 8.25"
 Use (3) Medium (E26) Base Lamps,
 100 Watt Maximum



*** 62212**
Regal Springs
1 Light Wall
 Ebony Gold Finish
 with Burnt Scavo Glass
 Height: 9.5" Width: 7"
 Extends: 9"
 Use (1) Medium (E26) Base Lamp,
 60 Watt Maximum



*** 62213**
Regal Springs
3 Light Wall
 Ebony Gold Finish
 with Burnt Scavo Glass
 Height: 9.5" Width: 25.25"
 Extends: 9"
 Use (3) Medium (E26) Base Lamps,
 60 Watt Maximum



*** 62204**
Wensley
1 Light Wall
 Oil Rubbed Bronze Finish
 with White Alabaster Glass
 Height: 7.13" Width: 5.88"
 Extends: 8.13"
 Use (1) Medium (E26) Base Lamp,
 60 Watt Maximum



*** 62205**
Wensley
2 Light Wall
 Oil Rubbed Bronze Finish
 with White Alabaster Glass
 Height: 7.13" Width: 14.25"
 Extends: 8.13"
 Use (2) Medium (E26) Base Lamps,
 60 Watt Maximum



*** 66220**
Wensley
3 Light Wall
 Oil Rubbed Bronze Finish
 with White Alabaster Glass
 Height: 7.13" Width: 23.38"
 Extends: 8.13"
 Use (3) Medium (E26) Base Lamps,
 60 Watt Maximum



*** 62245**
Treebridge Station
1 Light Wall
 Espresso Finish
 with White Alabaster Glass
 Height: 10.5" Width: 5"
 Extends: 7.5"
 Use (1) Medium (E26) Base Lamp,
 60 Watt Maximum



*** 62247**
Treebridge Station
3 Light Wall
 Espresso Finish
 with White Alabaster Glass
 Height: 10.5" Width: 21.25"
 Extends: 7.5"
 Use (3) Medium (E26) Base Lamps,
 60 Watt Maximum



***62238**

Trinity II

1 Light Wall

*Oil Rubbed Bronze Finish
with Aged Alabaster Glass*

Height: 9" Width: 5.13"

Extends: 8"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*



***62239**

Trinity II


3 Light Wall

*Oil Rubbed Bronze Finish
with Aged Alabaster Glass*

Height: 8.5" Width: 17.25"

Extends: 8.38"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*



***69009**

Hearthstone

3 Light Wall

*Burnished Bronze Patina Finish
with Burnt Scavo Glass*

Height: 10.75" Width: 19.5"

Extends: 8"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*



***62227**

Elena

1 Light Wall

*Dark Bronze Finish
with Antique Amber Glass*

Height: 8.63" Width: 6.25"

Extends: 9"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*



***66031**

Elena

3 Light Wall

*Dark Bronze Finish
with Antique Amber Glass*

Height: 8.88" Width: 24"

Extends: 10.5"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*



***62233**

Chapel Hill

1 Light Wall

*Oil Rubbed Bronze Finish
with Antique Amber Scavo Glass*

Height: 9.13" Width: 5.13"

Extends: 8.63"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*



***62234**

Chapel Hill

3 Light Wall

*Oil Rubbed Bronze Finish
with Antique Amber Scavo Glass*

Height: 9.13" Width: 18.88"

Extends: 8.63"

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*

***Fixture can be installed up or down**



*** 62220**

**Kings Canyon
1 Light Wall**

*Oil Rubbed Bronze Finish
with Burnt Scavo Glass*

*Height: 9.13" Width: 7"
Extends: 9"*

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*



*** 62221**

**Kings Canyon
2 Light Wall**

*Oil Rubbed Bronze Finish
with Burnt Scavo Glass*

*Height: 9.13" Width: 17"
Extends: 9"*

*Use (2) Medium (E26) Base Lamps,
60 Watt Maximum*



*** 62222**

**Kings Canyon
3 Light Wall**

*Oil Rubbed Bronze Finish
with Burnt Scavo Glass*

*Height: 9.13" Width: 25"
Extends: 9"*

*Use (3) Medium (E26) Base Lamps,
60 Watt Maximum*



*** 67015**

**Abington
1 Light Wall**

*Weathered Bronze Finish
with Frosted Glass*

*Height: 8.25" Width: 7.25"
Extends: 8"*

*Use (1) Candelabra (E12) Base Lamp,
60 Watt Maximum*



*** 66592**

**Spring Valley
1 Light Wall**

*Ebony Bronze Finish
with Aged Alabaster Glass*

*Height: 9.25" Width: 7"
Extends: 8"*

*Use (1) Medium (E26) Base Lamp,
100 Watt Maximum*



*** 66593**

**Spring Valley
2 Light Wall**

*Ebony Bronze Finish
with Aged Alabaster Glass*

*Height: 9.5" Width: 16"
Extends: 8"*

*Use (2) Medium (E26) Base Lamps,
100 Watt Maximum*



*** 62260**

**Parker Mews
1 Light Wall**

*Brushed Nickel Finish
with White Linen Fabric Shade*

*Height: 9.75" Width: 5.5"
Extends: 7"*

*Use (1) Candelabra (E12) Base Lamp,
60 Watt Maximum*



*** 62262**

**Parker Mews
3 Light Wall**

*Brushed Nickel Finish
with White Linen Fabric Shades*

*Height: 9.75" Width: 24"
Extends: 7"*

*Use (3) Candelabra (E12) Base Lamps,
60 Watt Maximum*




*** 62278**
Sylvestre
1 Light Wall
 Brushed Nickel Finish
 with Frosted Seeded Glass
 Height: 8.25" Width: 4.75"
 Extends: 6.25"
 Use (1) Medium (E26) Base Lamp,
 60 Watt Maximum



*** 62279**
Sylvestre
3 Light Wall
 Brushed Nickel Finish
 with Frosted Seeded Glass
 Height: 8.25" Width: 15.75"
 Extends: 6.25"
 Use (3) Medium (E26) Base Lamps,
 60 Watt Maximum



*** 67331**
1 Light Wall
 Brushed Nickel Finish
 with Frosted White Alabaster Glass
 Height: 8.5" Width: 7.5"
 Extends: 8.75"
 Use (1) Medium (E26) Base Lamp,
 100 Watt Maximum




*** 67899**
Royal Park
3 Light Wall
 Brushed Nickel Finish
 with Frosted White Opal Glass
 Height: 9.25" Width: 25.88"
 Extends: 8.37"
 Use (3) Medium (E26) Base Lamps,
 100 Watt Maximum

*Fixture can be installed up or down



*** 62272**
Clinton
1 Light Wall
Satin Nickel Finish
with White Alabaster Glass
Height: 9.25" Width: 5.88"
Extends: 8.38"
Use (1) Medium (E26) Base Lamp,
60 Watt Maximum



*** 62273**
Clinton
3 Light Wall
Satin Nickel Finish
with White Alabaster Glass
Height: 9.25" Width: 22"
Extends: 8.38"
Use (3) Medium (E26) Base Lamps,
60 Watt Maximum



*** 62284**
Swanstone
1 Light Wall
Satin Nickel Finish
with White Opal Glass
Height: 7.5" Width: 7.13"
Extends: 9.63"
Use (1) Medium (E26) Base Lamp,
60 Watt Maximum



*** 62285**
Swanstone
3 Light Wall
Satin Nickel Finish
with White Opal Glass
Height: 8.25" Width: 24.25"
Extends: 9.38"
Use (3) Medium (E26) Base Lamps,
60 Watt Maximum



*** 66647**
Churchville
1 Light Wall
Brushed Nickel Finish
with Frosted White Alabaster Glass
Height: 8" Width: 7"
Extends: 8" Use (1) Medium (E26)
Base Lamp, 100 Watt Maximum



*** 66649**
Churchville
3 Light Wall
Brushed Nickel Finish
with Frosted White Alabaster Glass
Height: 7.5" Width: 25"
Extends: 8.5"
Use (3) Medium (E26) Base Lamps,
100 Watt Maximum



*** 62267**
Fontane
1 Light Wall
Brushed Nickel Finish
with Frosted Glass
Height: 8.63" Width: 6.5"
Extends: 7.88"
Use (1) Medium (E26) Base Lamp,
60 Watt Maximum



*** 62288**
Fallon
3 Light Wall
Satin Platinum Finish
with White Alabaster Glass
Height: 7.25" Width: 27.75"
Extends: 10.5"
Use (3) Medium (E26) Base Lamps,
60 Watt Maximum

*** 67514**

1 Light Wall with On/Off Switch

Oyster Bronze Finish
with Frosted Ribbed Design Glass
Height: 8" Width: 4.75"
Extends: 9.5"
Use (1) Medium (E26) Base Lamp,
100 Watt Maximum



*** 67515**

3 Light Wall

Oyster Bronze Finish
with Frosted Ribbed Design Glass
Height: 8.75" Width: 16.5"
Extends: 9.5"
Use (3) Medium (E26) Base Lamps,
100 Watt Maximum



*** 67512**

1 Light Wall with On/Off Switch

Oyster Bronze Finish
with Frosted Ribbed Glass
Height: 9.25" Width: 5"
Extends: 8.25"
Use (1) Medium (E26) Base Lamp,
100 Watt Maximum



*** 67513**

3 Light Wall

Oyster Bronze Finish
with Frosted Ribbed Glass
Height: 8.5" Width: 24"
Extends: 8.25"
Use (3) Medium (E26) Base Lamps,
100 Watt Maximum



*** 66522**

3 Light Wall

Chrome Finish
with Frosted Pleated Glass
Height: 8.5" Width: 24"
Extends: 7.25"
Use (3) Medium (E26) Base Lamps,
100 Watt Maximum

*** 66523**

4 Light Wall

Chrome Finish
with Frosted Pleated Glass
Height: 8.5" Width: 30"
Extends: 7.25"
Use (4) Medium (E26) Base Lamps,
100 Watt Maximum

*** 66521**

1 Light Wall with On/Off Switch

Chrome Finish
with Frosted Pleated Glass
Height: 9.38" Width: 5"
Extends: 7.62"
Use (1) Medium (E26) Base Lamp,
100 Watt Maximum



*** 67477**

3 Light Wall

Chrome Finish
with Frosted Tulip Glass
Height: 8.25" Width: 24"
Extends: 6.75"
Use (3) Medium (E26) Base Lamps,
100 Watt Maximum



***Fixture can be installed up or down**



*** 66490**

1 Light Wall with On/Off Switch

Cobblestone Finish with Frosted White Alabaster Glass

Height: 9.13" Width: 5.5"

Extends: 8.75"

Use (1) Medium

(E26) Base Lamp, 100 Watt Maximum



*** 66492**

1 Light Wall with On/Off Switch

Goldenrod Finish with Frosted Glass

Height: 9.75" Width: 5"

Extends: 7.75"

Use (1) Medium

E26) Base Lamp, 100 Watt Maximum



*** 66495**

3 Light Wall

Antique Pewter Finish with Frosted Pleated Glass

Height: 7.75" Width: 18" Extends: 7.75"

Use (3) Medium (E26) Base Lamps, 100 Watt Maximum



*** 66491**

3 Light Wall

Cobblestone Finish with Frosted White Alabaster Glass

Height: 8.75" Width: 24" Extends: 8.5"

Use (3) Medium (E26) Base Lamps, 100 Watt Maximum



*** 67533**

3 Light Wall

White Finish with Embossed Floral and Leaf Design Glass

Height: 8.75" Width: 18" Extends: 8.37"

Use (3) Medium (E26) Base Lamps, 100 Watt Maximum



*** 66499**

3 Light Wall

Cobblestone Finish with Frosted Glass

Height: 8.25" Width: 17" Extends: 7.87"

Use (3) Medium (E26) Base Lamps, 100 Watt Maximum



*** 67226**
Sierra Madre
1 Light Wall
Organic Gold Finish
with Frosted White Alabaster Glass
Height: 9.38" Width: 7" Extends: 8.25"
Use (1) Candelabra (E12) Base Lamp,
60 Watt Maximum



*** 66496**
1 Light Wall
Brushed Nickel Finish
with White Opal Glass
Height: 9" Width: 5.13"
Extends: 8"
Use (1) Medium (E26) Base Lamp,
60 Watt Maximum



*** 64617**
2 Light Wall
Brushed Nickel Finish
with White Opal Glass
Height: 8.5" Width: 13.5"
Extends: 8.5"
Use (2) Medium (E26) Base Lamps,
60 Watt Maximum



*** 66497**
3 Light Wall
Brushed Nickel Finish
with White Opal Glass
Height: 8.5" Width: 17.25"
Extends: 8.37"
Use (3) Medium (E26) Base Lamps,
60 Watt Maximum



66662
1 Light Wall Sconce
Polished Brass Finish
with Crystal Ribbed Glass
Height: 6.5" Width: 12" Extends: 6"
Use (1) Medium (E26) Base Lamp,
100 Watt Maximum

*Fixture can be installed up or down

66601

1 Light Wall with On/Off Switch

Polished Brass Finish
with Frosted Etched
Grape Design Glass

Height: 7.75" Width: 4.5"
Extends: 4.87"

Use (1) Medium (E26) Base Lamp,
100 Watt Maximum



66654

1 Light Wall with On/Off Switch

Brushed Nickel Finish
with White Opal Glass

Height: 8" Width: 4.5"
Extends: 5"

Use (1) Medium (E26) Base Lamp,
100 Watt Maximum



*** 66401**

1 Light Wall

White Finish Base
with White Ceramic Glass

Height: 7.5" Width: 4.5"
Extends: 4.5"

Use (1) Medium (E26) Base Lamp,
75 Watt Maximum




66403

2 Light Wall with Ground Convenience Outlet

White Finish Base with White Ceramic Glass

Height: 4.5" Width: 14" Extends: 5"

Use (2) Medium (E26) Base Lamps, 75 Watt Maximum



66424

4 Light Wall with Ground Convenience Outlet

White Finish Base with White Ceramic Glass

Height: 4.25" Width: 24" Extends: 5"

Use (4) Medium (E26) Base Lamps, 60 Watt Maximum



66402

1 Light Wall with Ground Convenience Outlet and Pull Chain

Chrome Finish Base
with White and Crystal Glass

Height: 4.75" Width: 5.25"
Extends: 7.25"

Use (1) Medium (E26) Base Lamp,
60 Watt Maximum

66405

3 Light Bath Bar

Polished Brass Finish

Height: 4.25" Width: 18"

Extends without Lamps: 2.12" Extends with Lamps: 5.25"

Use (3) Medium (E26) Base Lamps, 100 Watt Maximum



66410

4 Light Bath Bar

Polished Brass Finish

Height: 4.25" Width: 24"

Extends without Lamps: 2.12" Extends with Lamps: 5.25"

Use (4) Medium (E26) Base Lamps, 100 Watt Maximum





66594

3 Light Bath Bar

White Finish

Height: 4.5" Width: 18"

Extends without Lamps: 2.12" Extends with Lamps: 5.25"

Use (3) Medium (E26) Base Lamps, 100 Watt Maximum



66595

4 Light Bath Bar

White Finish

Height: 4.5" Width: 24"

Extends without Lamps: 2.12" Extends with Lamps: 5.25"

Use (4) Medium (E26) Base Lamps, 100 Watt Maximum



66406

3 Light Bath Bar

Chrome Finish

Height: 4.5" Width: 18"

Extends without Lamps: 2.12" Extends with Lamps: 5.25"

Use (3) Medium (E26) Base Lamps, 100 Watt Maximum



66411

4 Light Bath Bar

Chrome Finish

Height: 4.5" Width: 24"

Extends without Lamps: 2.12" Extends with Lamps: 5.25"

Use (4) Medium (E26) Base Lamps, 100 Watt Maximum



66414

6 Light Bath Bar

Chrome Finish

Height: 4.5" Width: 36"

Extends without Lamps: 2.25" Extends with Lamps: 5.25"

Use (6) Medium (E26) Base Lamps, 100 Watt Maximum



66448

3 Light Bath Bar

Beveled Mirror

Height: 4.25" Width: 18"

Extends without Lamps: 3.25" Extends with Lamps: 6.25"

Use (3) Medium (E26) Base Lamps, 100 Watt Maximum



66449

4 Light Bath Bar

Beveled Mirror

Height: 4.25" Width: 24"

Extends without Lamps: 3.25" Extends with Lamps: 6.25"

Use (4) Medium (E26) Base Lamps, 100 Watt Maximum



66450

6 Light Bath Bar

Beveled Mirror

Height: 4.25" Width: 36"

Extends without Lamps: 3.25" Extends with Lamps: 5.25"

Use (6) Medium (E26) Base Lamps, 100 Watt Maximum



66442

3 Light Bath Bar

Solid Oak with Polished Brass Finish

Accented Socket Covers

Height: 4.5" Width: 18"

Extends without Lamps: 2.12" Extends with Lamps: 5.12"

Use (3) Medium (E26) Base Lamps, 100 Watt Maximum



66443

4 Light Bath Bar

Solid Oak with Polished Brass Finish

Accented Socket Covers

Height: 4.5" Width: 24"

Extends without Lamps: 2.12" Extends with Lamps: 5.12"

Use (4) Medium (E26) Base Lamps, 100 Watt Maximum



Westinghouse

INNOVATION YOU CAN BE SURE OF

EXTERIOR

EXTERIOR

light fixture assortment

Welcome visitors and make a statement with the inviting glow of light and timeless, durable design of outdoor lighting fixtures.



**new!****64000****9 Watt LED Wall Lantern***Weathered Patina Finish
with Seeded Glass**Height: 12.25" Width: 6" Extends: 8"
Height from Center of Outlet Box: 2.83"
Back Plate: H: 5.38" W: 4.38"
Includes Integrated LEDs, 9 Watt Total***new!****64001****9 Watt LED Wall Lantern***Black Finish
with Clear Seeded Glass**Height: 11" Width: 6"
Extends: 8"
Height from Center
of Outlet Box: 2.83"
Back Plate: H: 5.38" W: 4.38"
Includes Integrated LEDs, 9 Watt Total***new!****64002****9 Watt LED Wall Lantern***Oil Rubbed Bronze Finish
with Frosted Glass**Height: 14.63" Width: 6.25"
Extends: 8.75"
Height from Center
of Outlet Box: 9.06"
Back Plate: H: 7.88" W: 4.5"
Includes Integrated LEDs, 9 Watt Total***new!****64003****9 Watt LED Wall Lantern***Oil Rubbed Bronze Finish
with Crackle Glass**Height: 9.75" Width: 6"
Extends: 7.88"
Height from Center
of Outlet Box: 2.83"
Back Plate: H: 5.38" W: 4.38"
Includes Integrated LEDs, 9 Watt Total***new!****64004****9 Watt LED Wall Lantern***Oil Rubbed Bronze Finish
with Crackle Glass**Height: 14.63" Width: 9"
Extends: 11.75"
Height from Center
of Outlet Box: 2.83"
Back Plate: H: 8.88" W: 6.5"
Includes Integrated LEDs, 9 Watt Total***LED LIGHT SOURCE SPECIFICATIONS**

Item No.	Total Energy Used (Watts)	LED Chips Per Fixture	Watts Per LED Chip	Light Appearance (Kelvin)	Brightness (Lumens)	Avg. Rated Hours	Life in Years*	Est. Yearly Energy Cost**
64000	9	18	.5	3000 (Warm White)	500	40000	37	\$1.08
64001	9	18	.5	3000 (Warm White)	500	40000	37	\$1.08
64002	9	18	.5	3000 (Warm White)	500	40000	37	\$1.08
64003	9	18	.5	3000 (Warm White)	500	40000	37	\$1.08
64004	9	3	3	3000 (Warm White)	300	40000	37	\$1.08

*Based on 3hrs./day

**Based on 3hrs./day 11¢/kWh - Cost depends on rates and use.

**67545****Castle Inn****1 Light Pendant**

*Textured Black Finish
on Cast Aluminum with
Amber Seeded Glass*

Height: 14.63" Diameter: 7.5"

Chain: 36" Wire: 120"

*Use (1) Medium (E26) Base Lamp,
100 Watt Maximum*

62301**Weatherby****1 Light Wall Lantern**

*Weathered Bronze Finish
on Steel with Clear Glass*

Height: 12.75" Width: 6"

Extends: 7.5"

*Height from Center
of Outlet Box: 7.25"*

Back Plate: H: 7.88" W: 4.38"

*Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*

**64841****Studenburg****1 Light Wall Lantern**

*Vintage Bronze Finish
on Steel with Clear Crackle Glass*

Height: 12.88" Width: 7"

Extends: 8.87"

*Height from Center
of Outlet Box: 7.25"*

Back Plate: H: 6.5" W: 4.13"

*Use (1) Medium (E26) Base Lamp,
100 Watt Maximum*

**64864****Riverbend****1 Light Wall Lantern**

*Textured Rust Patina Finish
on Solid Brass and Steel with
Water Glass and Tiffany Accents*

Height: 11" Width: 7" Extends: 7.75"

*Height from Center
of Outlet Box: 3.63"*

Back Plate: H: 6.75" W: 4.75"

*Use (1) Medium (E26) Base Lamp,
100 Watt Maximum*

**64865****Riverbend****1 Light Wall Lantern**

*Textured Rust Patina Finish
on Solid Brass and Steel
with Water Glass and Tiffany Accents*

Height: 14" Width: 9" Extends: 9.75"

*Height from Center
of Outlet Box: 5"*

Back Plate: H: 8.38" W: 4.75"

*Use (1) Medium (E26) Base Lamp,
100 Watt Maximum*

**64866****Riverbend****1 Light Post Top Lantern**

*Textured Rust Patina Finish
on Solid Brass and Steel
with Water Glass and
Tiffany Accents*

Height: 16.75" Width: 9"

*Use (1) Medium (E26) Base Lamp,
100 Watt Maximum*

*(Fits standard 3" diameter post,
post sold separately)*

**62307****Parksville****1 Light Wall Lantern**

*Oil Rubbed Bronze Finish
on Steel with White Alabaster Glass*
Height: 11" Width: 6.25" Extends: 8.37"
Height from Center of Outlet Box: 2.25"
Back Plate: D: 4.75"
Use (1) Medium (E26) Base Lamp,
100 Watt Maximum

**62302****Bonneville****1 Light Wall Lantern**

*Weathered Bronze Finish
on Steel with Frosted Glass*
Height: 11.75" Width: 7.25" Extends: 8.88"
Height from Center of Outlet Box: 4.75"
Back Plate: D: 4.25"
Use (1) Medium (E26) Base Lamp,
100 Watt Maximum

**62303****Bonneville****2 Light Flush**

*Weathered Bronze Finish
on Steel with Frosted Glass*
Height: 5.63" Diameter: 12.63"
Use (2) Medium (E26) Base Lamps,
60 Watt Maximum

**66742****Senecaville****1 Light Wall Lantern**

*Weathered Bronze Finish
on Steel with White Alabaster Glass*
Height: 16.25" Width: 8" Extends: 9.5"
Height from Center of Outlet Box: 6.5"
Back Plate: H: 7.5" W: 6.5"
Use (1) Medium (E26) Base Lamp,
100 Watt Maximum

**66741****Senecaville****1 Light Wall Lantern**

*Weathered Bronze Finish
on Steel with White Alabaster Glass*
Height: 13.13" Width: 6.5" Extends: 8"
Height from Center of Outlet Box: 5.25"
Back Plate: H: 6.13" W: 5.38"
Use (1) Medium (E26) Base Lamp,
100 Watt Maximum

**66746****Senecaville****2 Light Flush**

*Weathered Bronze Finish
on Steel with White Alabaster Glass*
Height: 6" Diameter: 12"
Use (2) Medium (E26) Base Lamps,
60 Watt Maximum

62308**Naveen****1 Light Wall Lantern**

*Oil Rubbed Bronze Finish
on Steel with White Alabaster Glass*
Height: 13.63" Width: 5.5"
Extends: 6.63"
Height from Center
of Outlet Box: 4.75"
Back Plate: H: 5.88" W: 4.38"
Use (1) Medium (E26) Base Lamp,
100 Watt Maximum

new!**69407****Claremont****2 Light Flush**

*Textured Rust Patina Finish
on Steel with White Alabaster Glass*
Height: 5" Diameter: 12"
Use (2) Medium (E26) Base Lamps,
60 Watt Maximum



**67864****1 Light Wall Lantern**

Textured White Finish
on Cast Aluminum

with Clear Curved Beveled Glass

Height: 20" Width: 7" Extends: 9.25"

Height from Center
of Outlet Box: 16"

Back Plate: H: 6.88" W: 4.38"

Use (1) Medium (E26) Base Lamp,
100 Watt Maximum

**64683****1 Light Wall Lantern**

Textured Rust Patina Finish
on Cast Aluminum

with Clear Curved Beveled Glass

Height: 20" Width: 7" Extends: 9.25"

Height from Center
of Outlet Box: 16"

Back Plate: H: 6.88" W: 4.38"

Use (1) Medium (E26) Base Lamp,
100 Watt Maximum

**67863****1 Light Wall Lantern**

Textured Black Finish
on Cast Aluminum

with Clear Curved Beveled Glass

Height: 20" Width: 7" Extends: 9.25"

Height from Center
of Outlet Box: 16"

Back Plate: H: 6.88" W: 4.38"

Use (1) Medium (E26) Base Lamp,
100 Watt Maximum

**69823****Country Club****1 Light Dual Mount Pendant**

Weathered Bronze Finish

with Clear Curved Beveled Glass

Height: 14.25" Diameter: 7"

Chain: 36" Wire: 120"

Use (1) Medium (E26) Base Lamp,
100 Watt Maximum

**66924****1 Light Wall Lantern**

Polished Brass Finish

on Steel with Clear Curved Beveled Glass

Height: 18.5" Width: 5.75" Extends: 6"

Height from Center of Outlet Box: 11.5"

Back Plate: D: 4.5"

Use (1) Medium (E26) Base Lamp,
100 Watt Maximum

67873**1 Light Wall Lantern**

Weathered Bronze Finish
with Clear Glass

Height: 12" Width: 6.5" Extends: 6.5"

Height from Center of Outlet Box: 6.5"

Back Plate: H: 5.5" W: 4.75"

Use (1) Medium (E26) Base Lamp,
60 Watt Maximum

**66853****1 Light Wall Lantern**

Polished Brass Finish

on Steel with Clear Beveled Glass

Height: 12" Width: 7" Extends: 7"

Height from Center of Outlet Box: 2.75"

Back Plate: H: 5.5" W: 4.75"

Use (1) Medium (E26) Base Lamp,
100 Watt Maximum

**66970****1 Light Wall Lantern**

Polished Brass Finish

on Steel with Clear Curved Beveled Glass

Height: 15" Width: 6.5" Extends: 7"

Height from Center of Outlet Box: 7.5"

Back Plate: H: 5.5" W: 4.75"

Use (1) Medium (E26) Base Lamp,
100 Watt Maximum



67492**Stanford****1 Light Wall Lantern***Auburn Patina Finish on Steel
with Frosted Smoke Alabaster Glass**Height: 10.75" Width: 7" Extends: 8.87"**Height from Center of Outlet Box: 2.37"**Back Plate: H: 4.63" W: 4.38"**Use (1) Medium (E26) Base Lamp,**100 Watt Maximum***67509****Mystic Bay****1 Light Pendant***Rust Finish on Cast Aluminum
with Frosted Seeded Glass**Height: 14.38" Width: 9.25"**Chain: 36" Wire: 120"**Use (1) Medium (E26) Base Lamp,**100 Watt Maximum***67519****1 Light Wall Lantern***Rust Finish on Cast Aluminum
with Clear Water Glass**Height: 11.5" Square: 6" Extends: 8.25"**Height from Center of Outlet Box: 6.25"**Back Plate: H: 7.75" W: 4.5"**Use (1) Medium (E26) Base Lamp,**100 Watt Maximum***69395****Exteriore****1 Light Wall Lantern***Textured Rust Patina Finish
on Cast Aluminum**with Clear Seeded Glass**Height: 13.5" Width: 6.5" Extends: 7.25"**Height from Center of Outlet Box: 5"**Back Plate: H: 6.88" W: 4.5"**Use (1) Medium (E26) Base Lamp,**100 Watt Maximum***62306****New Haven****1 Light Wall Lantern***Oil Rubbed Bronze Finish
on Steel with Clear Seeded Glass**Height: 12.75" Width: 6.5" Extends: 8.63"**Height from Center of Outlet Box: 4.88"**Back Plate: D: 4.75"**Use (1) Medium (E26) Base Lamp,**100 Watt Maximum***67904****Olde Town****1 Light Wall Lantern***Burnt Sienna Finish
on Aluminum**with Clear Seeded Glass**Height: 17.5" Width: 6.5"**Extends: 6.5"**Height from Center
of Outlet Box: 7.63"**Back Plate: H: 7" W: 4.63"**Use (1) Medium (E26) Base Lamp,**100 Watt Maximum***67905****Olde Town****1 Light Dual Mount Pendant***Burnt Sienna Finish
on Aluminum**with Clear Seeded Glass**Height: 16" Width: 6.5"**Chain: 36" Wire: 120"**Use (1) Medium (E26) Base Lamp,**100 Watt Maximum*

67850**1 Light Wall Lantern**

*Antique Silver Finish
on Cast Aluminum with Clear Water Glass*

Height: 15.75" Width: 6" Extends: 6.75"

Height from Center of Outlet Box: 4"

Back Plate: H: 5.88" W: 4.5"

*Use (1) Medium (E26) Base Lamp,
100 Watt Maximum*

**67851****1 Light Wall Lantern**

*Textured Rust Patina Finish
on Cast Aluminum with Clear Water Glass*

Height: 15.75" Width: 6" Extends: 6.75"

Height from Center of Outlet Box: 4"

Back Plate: H: 5.88" W: 4.5"

*Use (1) Medium (E26) Base Lamp,
100 Watt Maximum*

**67843****1 Light Pendant**

*Textured Black Finish
on Cast Aluminum with Clear Glass*

Height: 12.25" Width: 8" Chain: 36" Wire: 120"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum

67846**1 Light Wall Lantern**

*Textured Black Finish
on Cast Aluminum with Clear Glass*

Height: 12.5" Width: 7" Extends: 9.75"

*Height from Center
of Outlet Box: 3.75"*

Back Plate: H: 7.88" W: 4.63"

*Use (1) Medium (E26) Base Lamp,
100 Watt Maximum*

**67847****1 Light Wall Lantern**

*Textured White Finish
on Cast Aluminum with Clear Glass*

Height: 12.5" Width: 7" Extends: 9.75"

*Height from Center
of Outlet Box: 3.75"*

Back Plate: H: 7.88" W: 4.63"

*Use (1) Medium (E26) Base Lamp,
100 Watt Maximum*

**67834****1 Light Wall Lantern**

*Textured White Finish
on Cast Aluminum with
Clear Beveled Glass*

Height: 11.75" Width: 6.5"

Extends: 7.75"

*Height from Center
of Outlet Box: 2.75"*

Back Plate: H: 5.75" W: 4.38"

*Use (1) Medium
(E26) Base Lamp,
100 Watt Maximum*

**67831****1 Light Wall Lantern**

*Textured Black Finish
on Cast Aluminum with
Clear Beveled Glass*

Height: 11.75" Width: 6.5"

Extends: 7.75"

*Height from Center
of Outlet Box: 2.75"*

Back Plate: H: 5.75" W: 4.38"

*Use (1) Medium
(E26) Base Lamp,
100 Watt Maximum*

**66828****1 Light Wall Lantern**

*Textured White Finish
on Cast Aluminum with
Frosted Glass*

Height: 15" Width: 6.5"

Extends: 8.12"

*Height from Center
of Outlet Box: 11.5"*

Back Plate: H: 5.75" W: 4.38"

*Use (1) Medium
(E26) Base Lamp,
100 Watt Maximum*

**66826****1 Light Wall Lantern**

*Textured Black Finish
on Cast Aluminum with
Frosted Glass*

Height: 15" Width: 6.5"

Extends: 8.12"

*Height from Center
of Outlet Box: 11.5"*

Back Plate: H: 5.75" W: 4.38"

*Use (1) Medium
(E26) Base Lamp,
100 Watt Maximum*

**69919****1 Light Wall Lantern***Brushed Nickel Finish**on Steel with Clear Textured Glass**Height: 12" Width: 6.25" Extends: 7.25"**Height from Center of Outlet Box: 7"**Back Plate: H: 6.13" W: 4.38"**Use (1) Medium (E26) Base Lamp,
100 Watt Maximum***67930****1 Light Wall Lantern***Bronze Patina Finish**on Steel with Clear Textured Glass**Height: 12" Width: 6.25" Extends: 7.25"**Height from Center of Outlet Box: 7"**Back Plate: H: 6.13" W: 4.38"**Use (1) Medium (E26) Base Lamp,
100 Watt Maximum***67518****1 Light Wall Lantern***Rust Finish**on Cast Aluminum with Tiffany Art Glass**Height: 12.25" Square: 5.75" Extends: 7.5"**Height from Center of Outlet Box: 6.25"**Back Plate: H: 8.13" W: 4.5"**Use (1) Medium (E26) Base Lamp,
100 Watt Maximum***67328***Burnham***1 Light Wall Lantern***Oil Rubbed Bronze Finish**on Steel with Honey Art Glass**Height: 12.5" Width: 6" Extends: 9"**Height from Center of Outlet Box: 2.5"**Back Plate: H: 5" W: 5"**Use (1) Medium (E26) Base Lamp,
100 Watt Maximum***66898****1 Light Wall Lantern***Textured Black Finish**on Cast Aluminum with White Acrylic Lens**Height: 9.88" Width: 7.75" Extends: 4.13"**Height from Center of Outlet Box: 4.25"**Back Plate: H: 9.38" W: 7"**Use (1) Medium (E26) Base Lamp,
60 Watt Maximum***Hg****Dusk
TO DAWN****64829***Nova Scotia***1 Light Wall Lantern with
Dusk to Dawn Sensor***Textured Black Finish**on Steel with Honey Art Glass**Height: 11" Width: 6.25" Extends: 8.87"**Height from Center of Outlet Box: 4.5"**Back Plate: H: 8.5" W: 4"**Use (1) GU24 Base CFL Twist Lamp,
13 Watt, Lamp Included***66748***Moncove***1 Light Wall Lantern***Textured Rust Patina Finish**on Steel with Tiffany Art Glass**Height: 12.63" Width: 8.75" Extends: 10.25"**Height from Center of Outlet Box: 7.5"**Back Plate: H: 8.63" W: 6.38"**Use (1) Medium (E26) Base Lamp,
100 Watt Maximum***Hg****Dusk
TO DAWN****64830***Nova Scotia***1 Light Wall Lantern with
Dusk to Dawn Sensor***Textured Black Finish**on Steel with Honey Art Glass**Height: 14.75" Width: 9.5" Extends: 13"**Height from Center of Outlet Box: 6"**Back Plate: H: 9.5" W: 4.5"**Use (1) GU24 Base CFL Twist Lamp,
23 Watt, Lamp Included*Compact Fluorescent Lamps contain mercury. **Hg** For more on clean up and safe disposal, visit epa.gov/cfl.

**69610****1 Light Wall Lantern**

*Pewter Patina Finish
on Steel with Ice Glass*

Height: 10.75" Width: 4.5" Extends: 5"

Height from Center of Outlet Box: 4"

Back Plate: D: 4.5"

Use (1) Medium (E26) Base Lamp,
100 Watt Maximum

**64681****1 Light Wall Lantern**

*Textured Rust Patina Finish
on Steel with Ice Glass*

Height: 10.75" Width: 4.5" Extends: 5"

Height from Center of Outlet Box: 4"

Back Plate: D: 4.5"

Use (1) Medium (E26) Base Lamp,
100 Watt Maximum

**64883****1 Light Wall Lantern with
Dusk to Dawn Sensor**

Sienna Finish on Steel with Frosted Glass

Height: 8.25" Width: 4.5" Extends: 5.75"

Height from Center of Outlet Box: 3"

Back Plate: D: 4.5"

Use (1) GU24 Base CFL Twist Lamp,
13 Watt, Lamp Included

**66972****1 Light Wall Lantern**

*Textured Black Finish
on Steel with Clear Glass*

Height: 8.25" Width: 4.5"

Extends: 5.75"

Height from Center

of Outlet Box: 3"

Back Plate: D: 4.5"

Use (1) Medium
(E26) Base Lamp,
100 Watt Maximum

**64684****1 Light Wall Lantern**

*Antique Silver Finish
on Steel with Clear Glass*

Height: 8.25" Width: 4.5"

Extends: 5.75"

Height from Center

of Outlet Box: 3"

Back Plate: D: 4.5"

Use (1) Medium
(E26) Base Lamp,
100 Watt Maximum

**66935****1 Light Wall Lantern**

*Sienna Finish
on Steel with Clear Glass*

Height: 8.25" Width: 4.5"

Extends: 5.75"

Height from Center

of Outlet Box: 3"

Back Plate: D: 4.5"

Use (1) Medium
(E26) Base Lamp,
100 Watt Maximum

**66937****1 Light Wall Lantern**

*Antique Brass Finish
on Steel with Clear Glass*

Height: 8.25" Width: 4.5"

Extends: 5.75"

Height from Center

of Outlet Box: 3"

Back Plate: D: 4.5"

Use (1) Medium
(E26) Base Lamp,
100 Watt Maximum

**66936****1 Light Wall Lantern**

*Polished Brass Finish
on Steel with Clear Glass*

Height: 8.25" Width: 4.5"

Extends: 5.75"

Height from Center of Outlet Box: 3"

Back Plate: D: 4.5"

Use (1) Medium (E26) Base Lamp,
100 Watt Maximum

**66971****1 Light Wall Lantern**

*White Finish
on Steel with Clear Glass*

Height: 8.25" Width: 4.5"

Extends: 5.75"

Height from Center of Outlet Box: 3"

Back Plate: D: 4.5"

Use (1) Medium (E26) Base Lamp,
100 Watt Maximum

**66938****1 Light Wall Lantern**

*Goldenrod Finish
on Steel with Clear Glass*

Height: 8.25" Width: 4.5"

Extends: 5.75"

Height from Center of Outlet Box: 3"

Back Plate: D: 4.5"

Use (1) Medium (E26) Base Lamp,
100 Watt Maximum

Compact Fluorescent Lamps contain mercury. For more on clean up and safe disposal, visit epa.gov/cfl.

**64516****1 Light Wall Lantern with Dusk to Dawn Sensor**

Matte Black Finish on Steel
with Frosted Curved Glass

Height: 7.75" Width: 6" Extends: 6.5"
Height from Center of Outlet Box: 2.25"
Back Plate: D: 4.5"
Use (1) GU24 Base CFL Twist Lamp,
13 Watt, Lamp Included

**64688****1 Light Wall Lantern**

Antique Silver Finish on Steel
with Clear Curved Glass

Height: 7.75" Width: 6" Extends: 6.5"
Height from Center of Outlet Box: 2.25"
Back Plate: D: 4.5"
Use (1) Medium (E26) Base Lamp,
100 Watt Maximum

**64689****1 Light Wall Lantern**

Textured Rust Patina Finish on Steel
with Clear Curved Glass

Height: 7.75" Width: 6" Extends: 6.5"
Height from Center of Outlet Box: 2.25"
Back Plate: D: 4.5"
Use (1) Medium (E26) Base Lamp,
100 Watt Maximum

**66961****1 Light Wall Lantern**

Matte Black Finish on Steel
with Clear Curved Glass

Height: 7.75" Width: 6" Extends: 6.5"
Height from Center of Outlet Box: 2.25"
Back Plate: D: 4.5"
Use (1) Medium (E26) Base Lamp,
100 Watt Maximum

**66962****1 Light Wall Lantern**

White Finish on Steel
with Clear Curved Glass

Height: 7.75" Width: 6" Extends: 6.5"
Height from Center of Outlet Box: 2.25"
Back Plate: D: 4.5"
Use (1) Medium (E26) Base Lamp,
100 Watt Maximum


**67963****1 Light Wall Lantern**

Polished Brass Finish on Steel
with Clear Curved Glass

Height: 7.75" Width: 6" Extends: 6.5"
Height from Center of Outlet Box: 2.25"
Back Plate: D: 4.5"
Use (1) Medium (E26) Base Lamp,
100 Watt Maximum

Compact Fluorescent Lamps contain mercury. (Hg) For more on clean up and safe disposal, visit epa.gov/cfl.

**64686****1 Light Wall Lantern***Antique Silver Finish
on Steel with Clear Glass**Height: 13.5" Width: 4.75"**Extends: 5.75"**Height from Center of Outlet Box: 8"**Back Plate: D: 4.5"**Use (1) Medium (E26) Base Lamp,
100 Watt Maximum***67887****1 Light Wall Lantern***White Finish on Steel
with Polished Brass Accents
with Clear Beveled Glass**Height: 14.25" Width: 5.25"**Extends: 6"**Height from Center of Outlet Box: 8.5"**Back Plate: D: 4.5"**Use (1) Medium (E26) Base Lamp,
100 Watt Maximum***64687****1 Light Wall Lantern***Textured Rust Patina Finish
on Steel with Clear Glass**Height: 13.5" Width: 4.75"**Extends: 5.75"**Height from Center of Outlet Box: 8"**Back Plate: D: 4.5"**Use (1) Medium (E26) Base Lamp,
100 Watt Maximum***66963****1 Light Wall Lantern***Antique Brass Finish
on Steel with Clear Glass**Height: 13.5" Width: 4.75"**Extends: 5.75"**Height from Center of Outlet Box: 8"**Back Plate: D: 4.5"**Use (1) Medium (E26) Base Lamp,
100 Watt Maximum***66984****1 Light Wall Lantern***White Finish
on Steel with Clear Glass**Height: 13.5" Width: 4.75"**Extends: 5.75"**Height from Center of Outlet Box: 8"**Back Plate: D: 4.5"**Use (1) Medium (E26) Base Lamp,
100 Watt Maximum***66983****1 Light Wall Lantern***Matte Black Finish
on Steel with Clear Glass**Height: 13.5" Width: 4.75"**Extends: 5.75"**Height from Center of Outlet Box: 8"**Back Plate: D: 4.5"**Use (1) Medium (E26) Base Lamp,
100 Watt Maximum***66964****1 Light Wall Lantern***Polished Brass Finish
on Steel with Clear Glass**Height: 13.5" Width: 4.75"**Extends: 5.75"**Height from Center of Outlet Box: 8"**Back Plate: D: 4.5"**Use (1) Medium (E26) Base Lamp,
100 Watt Maximum*

67836**1 Light Wall Fixture***White Finish on Steel
with White Glass Lens**Diameter: 8" Extends: 4"**Use (1) Medium (E26)**Base Lamp, 60 Watt Maximum***67835****1 Light Wall Fixture***White Finish on Steel
with White Glass Lens**Height: 4.25" Width: 8.5"**Extends: 4"**Use (1) Medium (E26)**Base Lamp, 60 Watt Maximum.***66881****1 Light Wall Lantern***Textured Black Finish
on Cast Aluminum
with Frosted Glass**Height: 8.5" Width: 6"**Extends: 6.75"**Height from Center**of Outlet Box: 3.88"**Back Plate: D: 4.75"**Use (1) Medium (E26) Base Lamp,
60 Watt Maximum***66879****1 Light Wall Lantern***Textured White Finish
on Cast Aluminum
with Frosted Glass**Height: 8.5" Width: 6"**Extends: 6.75"**Height from Center**of Outlet Box: 3.88"**Back Plate: D: 4.75"**Use (1) Medium (E26) Base Lamp,
60 Watt Maximum***67975****2 Light Wall Fixture***Polished Graphite Finish
on Steel Cylinder**Height: 15" Width: 5"**Extends: 8.25"**Height from Center**of Outlet Box: 7.5"**Back Plate: H: 5" W: 4.25"**Use (2) Medium (E26)**Base Lamps, 75 Watt Maximum***67973****1 Light Wall Fixture***Polished Graphite Finish
on Steel Cylinder**Height: 7" Width: 4.5"**Extends: 7.87"**Height from Center**of Outlet Box: 2.76"**Back Plate: H: 5" W: 4.25"**Use (1) Medium (E26)**Base Lamp, 75 Watt Maximum***66955****Lantern Post
with Ground
Convenience Outlet &
Dusk to Dawn Sensor***Black Finish on Steel**Height: 84" Diameter: 3"**(Includes ladder rest)***66808****Lantern Post***Black Finish on Steel**Height: 84" Diameter: 3"**(Includes ladder rest)***66991****Steel Ladder Rest and
Polycarbonate Spherettes***Black Finish**Diameter: 1.38" Width: 15.75"***67901****Pedestal Mount
for Post Lantern***Textured Black Finish**Height: 3.13" Square: 5.63"**3" Diameter Pedestal Mount*

67978**1 Light Wall Lantern***Brushed Aluminum Finish on Cast Aluminum
with White Threaded Glass Globe**Height: 7" Diameter: 5.75" Extends: 7"**Height from Center of Outlet Box: 3.25"**Back Plate: H: 5.88" W: 4.5"**Use (1) Medium (E26) Base Lamp, 100 Watt Maximum***67980****1 Light Flush***Brushed Aluminum Finish
on Cast Aluminum with White Glass Globe**Height: 7.25" Diameter: 6"**Use (1) Medium (E26) Base Lamp,
60 Watt Maximum***66840****1 Light Flush***Black Finish
on Steel with White Glass Globe**Height: 7.25" Diameter: 6"**Use (1) Medium (E26) Base Lamp,
60 Watt Maximum***66945****1 Light Hi-Impact****Polycarbonate Wall Lantern***White Finish with White Glass Globe**Height: 7.25" Diameter: 6" Extends: 7"**Height from Center of Outlet Box: 2.5"**Back Plate: H: 4.38" W: 4.5"**Use (1) Medium (E26) Base Lamp,
60 Watt Maximum***66803****1 Light Hi-Impact****Polycarbonate Wall Lantern***Black Finish with White Glass Globe**Height: 7.25" Diameter: 6" Extends: 7"**Height from Center of Outlet Box: 2.5"**Back Plate: H: 4.38" W: 4.5"**Use (1) Medium (E26) Base Lamp,
60 Watt Maximum***66861****1 Light Polycarbonate
Post Top Lantern***Black Finish
with White Acrylic Globe**Height: 13" Diameter: 12"**Use (1) Medium (E26) Base Lamp,
100 Watt Maximum
(Fits standard 3" post,
post sold separately)*

66878**1 Light Wall Lantern***White Finish**on Steel with Clear Glass**Height: 7.5" Diameter: 4.5" Extends: 5.75"**Height from Center of Outlet Box: 2"**Back Plate: D: 4.5"**Use (1) Medium (E26) Base Lamp,
100 Watt Maximum***66885****1 Light Wall Lantern***Matte Black Finish**on Steel with Clear Glass**Height: 7.5" Diameter: 4.5" Extends: 5.75"**Height from Center of Outlet Box: 2"**Back Plate: D: 4.5"**Use (1) Medium (E26) Base Lamp,
100 Watt Maximum***66884****1 Light Wall Lantern***Polished Brass Finish**on Steel with Clear Glass**Height: 7.5" Diameter: 4.5" Extends: 5.75"**Height from Center of Outlet Box: 2"**Back Plate: D: 4.5"**Use (1) Medium (E26) Base Lamp,
100 Watt Maximum***66839****1 Light Wall Lantern***Antique Brass Finish**on Steel with Clear Glass**Height: 7.5" Diameter: 4.5" Extends: 5.75"**Height from Center of Outlet Box: 2"**Back Plate: D: 4.5"**Use (1) Medium (E26) Base Lamp,
100 Watt Maximum***66818****1 Light Flush***Antique Brass Finish**on Steel with Clear Glass**Height: 6" Diameter: 4.75"**Use (1) Medium (E26) Base Lamp,
60 Watt Maximum***66919****1 Light Flush***Matte Black Finish**on Steel with Clear Glass**Height: 6" Diameter: 4.75"**Use (1) Medium (E26) Base Lamp,
60 Watt Maximum***66800****1 Light Hi-Impact Polypropylene Wall Lantern***Black Finish with Clear Glass**Height: 6" Diameter: 4.5"**Extends: 5.75"**Height from Center of Outlet Box: 2.5"**Back Plate: H: 4.38" W: 4.5"**Use (1) Medium (E26) Base Lamp,
60 Watt Maximum***66949****1 Light Hi-Impact Polycarbonate Wall Lantern with Dusk to Dawn Sensor***Black Finish with Clear Glass**Height: 6" Diameter: 4.5"**Extends: 5.75"**Height from Center of Outlet Box: 2.5"**Back Plate: H: 4.38" W: 4.5"**Use (1) Medium (E26) Base Lamp,
60 Watt Maximum*

**66946**
1 Light Hi-Impact Polycarbonate Wall Lantern with Removable Tail
White Finish with Clear Textured Acrylic
Height with Tail: 17" Height without Tail: 13"
Square: 8" Extends: 8.5"
Height from Center of Outlet Box: 10.75"
Back Plate: H: 4.63" W: 4.63"
Use (1) Medium (E26) Base Lamp,
60 Watt Maximum
**66859**
1 Light Hi-Impact Polypropylene Wall Lantern
Black Finish with Clear Textured Acrylic
Height: 8" Width: 7.25" Extends: 6"
Height from Center of Outlet Box: 2.37"
Back Plate: D: 4.75"
Use (1) Medium (E26) Base Lamp,
60 Watt Maximum
**66822**
1 Light Hi-Impact Polypropylene Flush
Black Finish with Clear Textured Glass
Height: 4.75" Square: 8.25"
Use (1) Medium (E26) Base Lamp,
60 Watt Maximum
**66975**
1 Light Hi-Impact Polypropylene Flush
White Finish with Clear Textured Glass Panels
Height: 4.75" Square: 8.25"
Use (1) Medium (E26) Base Lamp,
60 Watt Maximum
**66823**
2 Light Hi-Impact Polypropylene Flush
Black Finish with Clear Textured Glass Panels
Height: 5.5" Square: 10.25"
Use (2) Medium (E26) Base Lamps,
60 Watt Maximum
**66976**
2 Light Hi-Impact Polypropylene Flush
White Finish with Clear Textured Glass Panels
Height: 5.5" Square: 10.25"
Use (2) Medium (E26) Base Lamps,
60 Watt Maximum
66875
1 Light Hi-Impact Polycarbonate Post Top Lantern
Black Finish with Clear Textured Acrylic Panels
Height: 12.38" Square: 8"
Use (1) Medium (E26)
Base Lamp,
60 Watt Maximum
(Fits standard 3" post, post sold separately)




ACCENT LIGHTING

picture lights...

Picture lights amplify the natural beauty of treasured artwork and photographs and provide light where it's needed most.



Slimline Picture Lights

Picture lights include:

- Adjustable neck and shade
- 8' cord set
- In-line on/off switch
- Detachable polarized plug
- Mounting hardware
- Westinghouse lamps



75051

14" Picture Light


*Polished Brass Finish
Extends 6" From Wall
Includes (2) T6, 15 Watt
Frost Lamps*



75053

14" Picture Light

*Antique Brass Finish
Extends 6" From Wall
Includes (2) T6, 15 Watt
Frost Lamps*



75052

7" Picture Light

*Antique Brass Finish
Extends 5 7/8" From Wall
Includes (1) T6, 15 Watt
Frost Lamp*



75050

7" Picture Light

*Polished Brass Finish
Extends 5 7/8" From Wall
Includes (1) T6, 15 Watt
Frost Lamp*



CEILING FANS

LOW CEILINGS



Install hugger ceiling fans or ceiling fans without a down rod in rooms with low ceilings.

STANDARD 8 FT. CEILINGS



Install ceiling fans with or without a down rod in rooms with standard 8' ceilings. See page 124 to view our full assortment of extension down rods.

SELECT THE RIGHT SIZE CEILING FAN FOR EVERY ROOM

Maximize air flow by installing an appropriately sized ceiling fan for your room.

For rooms up to 8' x 10' Use 24" - 42" ceiling fans.

For rooms up to 12' x 12' Use 42" - 48" ceiling fans.

For rooms up to 18' x 20' Use ceiling fans 50" and larger.



Westinghouse

INNOVATION YOU CAN BE SURE OF



All ceiling fans in this catalog are UL or ETL Listed.

Fashionable, high quality ceiling fans and light kits add comfort, color and complementary style to any room. A trusted name for over 120 years, Westinghouse guarantees the construction of its ceiling fans with a limited lifetime warranty. Westinghouse... Innovation you can be sure of.

HIGH AND SLOPED CEILINGS



Install ceiling fans with extension down rods in rooms with high and sloped ceilings. See page 124-125 for a full assortment of extension down rods and ceiling fan controls.

INDOOR / OUTDOOR



In outdoor areas, install ceiling fans that are approved for use in damp or wet locations. See pages 114-116 to view our indoor/outdoor assortment.

YEAR-ROUND COMFORT & EFFICIENCY



For year-round comfort and maximum energy savings, Westinghouse ceiling fans include a reversible switch that allows the ceiling fans to be used during cool or warm weather. In the summer, keep your home cool by running your ceiling fan counterclockwise. In the winter, run your ceiling fan clockwise to re-circulate warm air from the ceiling, eliminating cold spots and drafts.

**Westinghouse**

INNOVATION YOU CAN BE SURE OF

CONTEMPORARY

ceiling fan collection...

Featuring a wide range of modern and transitional styles, our contemporary collection of ceiling fans captures the essence of today's lifestyle trends through modern designs and fashion-forward finishes.



52" Delancey



78001

52" Brushed Chrome Finish

Silver ABS Blades

Includes Light Fixture

with Opal Frosted Glass



SPECIFICATIONS

- Limited Lifetime Warranty
 - DC Motor 125S
 - 13° Blade Pitch
 - 3/4" x 4" Down Rod
 - 78" Lead Wire
 - Includes Remote Control
 - Includes: (2) Medium Base, 13 Watt CFL Mini-Twists
- Airflow:** 5722 Cubic Feet Per Minute
- Electricity Use:** 32 Watts (excludes lights)
- Airflow Efficiency:** 178 Cubic Feet Per Minute Per Watt

SPECIFICATIONS

- Limited Lifetime Warranty
 - Silicon Steel Motor 153mm X 17mm
 - 13° Blade Pitch
 - 3/4" x 4" Down Rod
 - 78" Lead Wire
 - Includes Remote Control
 - Includes: (1) 17 Watt Integrated LED Light Source, Average Rated Hours: 25,000
- Airflow:** 4264 Cubic Feet Per Minute
- Electricity Use:** 52 Watts (excludes lights)
- Airflow Efficiency:** 82 Cubic Feet Per Minute Per Watt



52" Techno

78002

52" Brushed Aluminum Finish

Gray ABS Blades

Includes Light Fixture

with Opal Frosted Glass

52" Bendan



72557

52" Satin Chrome Finish

Wengue Plywood Blades

Includes Light Fixture

with Opal Frosted Glass

SPECIFICATIONS

- Limited Lifetime Warranty
 - Cold Rolled Steel Motor 153mm X 18mm
 - 12° Blade Pitch
 - 3/4" x 4" Down Rod
 - 78" Lead Wire
 - Includes Remote Control
 - Includes: (1) R7 Base, 100 Watt Halogen Lamp
- Airflow:** 4739 Cubic Feet Per Minute
- Electricity Use:** 60 Watts (excludes lights)
- Airflow Efficiency:** 79 Cubic Feet Per Minute Per Watt

Compact Fluorescent Lamps contain mercury. For more on clean up and safe disposal, visit epa.gov/cfl.

**78631****24" Chrome Finish***Reversible Blades (Wengue/Beech)**Includes Light Fixture with Opal Frosted Glass***72243****24" Gun Metal Finish***Reversible Blades (Black/Graphite)**Includes Light Fixture with Opal Frosted Glass***SPECIFICATIONS**

- Limited Lifetime Warranty
- Silicon Steel Motor 153mm X 9mm
- 18° Blade Pitch
- 3/4" x 4" Down Rod
- 78" Lead Wire
- Includes: (2) Candelabra Base, 40 Watt G16 1/2 Lamps

Airflow: 2039 Cubic Feet Per Minute**Electricity Use:** 31 Watts (excludes lights)**Airflow Efficiency:** 67 Cubic Feet Per Minute Per Watt**72471****24" White Finish***Reversible Blades (White/Beech)**Includes Light Fixture with Opal Frosted Glass*

24" Origami

Collection

**78644****24" Chrome Finish***Reversible Blades (Wengue/Beech)**Includes Light Fixture with Opal Frosted Glass***new!****72229****24" Espresso Finish***Reversible Blades (Espresso/Applewood)**Includes Light Fixture with Opal Frosted Glass***SPECIFICATIONS**

- Limited Lifetime Warranty
- Silicon Steel Motor 153mm X 9mm
- 18° Blade Pitch
- 3/4" x 4" Down Rod
- 78" Lead Wire

Includes: (1) Candelabra Base, 60 Watt G16 1/2 Lamp**Airflow:** 2039 Cubic Feet Per Minute**Electricity Use:** 31 Watts (excludes lights)**Airflow Efficiency:** 66 Cubic Feet Per Minute Per Watt

30" Wengue Collection

SPECIFICATIONS

- Limited Lifetime Warranty
- Silicon Steel Motor 153mm X 9mm
- 18° Blade Pitch
- ¾" x 4" Down Rod
- 78" Lead Wire
- Includes: (2) Candelabra Base, 40 Watt G16 1/2 Lamps

Airflow: 2543 Cubic Feet Per Minute

Electricity Use: 39 Watts (excludes lights)

Airflow Efficiency: 65 Cubic Feet Per Minute Per Watt



72472

30" White Finish

Reversible Blades (White/Beech)

Includes Light Fixture with Opal Frosted Glass



78763

30" Chrome Finish

Reversible Blades

(Wengue/Beech)

Includes Light Fixture with Opal Frosted Glass



72245

30" Espresso Finish

Reversible Blades

(Espresso/Dark Cherry)

Includes Light Fixture with Opal Frosted Glass



72475

30" Brushed Nickel Finish

Reversible MDF Blades (Multi-Color/White)

Includes Opal Frosted Glass Light Fixture



30" Roundabout

SPECIFICATIONS

- Limited Lifetime Warranty
- Silicon Steel Motor 153mm X 10mm
- 18° Blade Pitch
- ¾" x 4" Down Rod
- 78" Lead Wire
- Includes: (2) Candelabra Base, 40 Watt G16 1/2 Lamps

Airflow: 2483 Cubic Feet Per Minute

Electricity Use: 39 Watts (excludes lights)

Airflow Efficiency: 63 Cubic Feet Per Minute Per Watt

30" Turbo Swirl Collection

7814465

30" Brushed Aluminum Finish

Light Maple Blades
Includes Light Fixture
with Opal Frosted Glass



SPECIFICATIONS

- Limited Lifetime Warranty
 - Silicon Steel Motor 153mm X 10mm
 - 18° Blade Pitch
 - 3/4" x 4" Down Rod
 - 78" Lead Wire
 - Includes: (1) Candelabra Base, 60 Watt G16 1/2 Lamp
- Airflow:** 2541 Cubic Feet Per Minute
Electricity Use: 45 Watts (excludes lights)
Airflow Efficiency: 57 Cubic Feet Per Minute Per Watt



7814565

30" White Finish

White Blades
Includes Light Fixture
with Opal Frosted Glass

7824865

30" Antique Brass

Walnut Blades
Includes Light Fixture
with Opal Frosted Glass



30" Turbo Swirl CFL

SPECIFICATIONS

- Limited Lifetime Warranty
 - Cold Rolled Steel Motor 153mm X 12mm
 - 18° Blade Pitch
 - 3/4" x 4" Down Rod
 - 78" Lead Wire
 - Includes: (1) Medium Base, 13 Watt CFL Mini-Twist
- Airflow:** 3519 Cubic Feet Per Minute
Electricity Use: 50 Watts (excludes lights)
Airflow Efficiency: 70 Cubic Feet Per Minute Per Watt



72261

30" Gun Metal Finish

Black Blades
Includes Light Fixture with Opal Frosted Glass

Compact Fluorescent Lamps contain mercury. (Hg) For more on clean up and safe disposal, visit epa.gov/cfl.

www.westinghouselighting.com

42" Alloy Collection



78764

42" Gun Metal Finish

*Reversible Blades (Black/Graphite)
Includes Light Fixture with
Opal Frosted Glass*

SPECIFICATIONS

- Limited Lifetime Warranty
 - Silicon Steel Motor 153mm X 10mm
 - 12° Blade Pitch
 - 3/4" x 4" Down Rod
 - 78" Lead Wire
 - Includes: (2) Candelabra Base, 40 Watt G16 1/2 Lamps
- Airflow:** 4083 Cubic Feet Per Minute
Electricity Use: 51 Watts (excludes lights)
Airflow Efficiency: 80 Cubic Feet Per Minute Per Watt



72473

42" Brushed Nickel Finish

*Reversible Blades (Beech/Wengue)
Includes Light Fixture with Opal Frosted Glass*

48" Cumulus

SPECIFICATIONS

- Limited Lifetime Warranty
 - Silicone Steel Motor 153mm X 15mm
 - 12° Blade Pitch
 - 3/4" x 10" Down Rod
 - 78" Lead Wire
 - Includes Remote Control
 - Includes: (1) E11 Mini-Can Base, 75 Watt Maximum
- Airflow:** 4592 Cubic Feet Per Minute
Electricity Use: 53 Watts (excludes lights)
Airflow Efficiency: 87 Cubic Feet Per Minute Per Watt



72598

48" White Finish

*Reversible Blades (White/White Washed Pine)
Includes Light Fixture with
Opal Frosted Glass*

78775

46" Brushed Nickel Finish

*Reversible Plywood Blades
(Beech/Weathered Maple)
Includes Light Fixture with
Frosted White Alabaster Glass*



46" Arcadia Collection



78691

46" White Finish

*Reversible Plywood Blades
(Light Maple/White)
Includes Light Fixture with
Frosted White Alabaster Glass*

SPECIFICATIONS

- Limited Lifetime Warranty
 - Silicon Steel Motor 153mm X 12mm
 - 12° Blade Pitch
 - 3/4" x 4" Down Rod
 - 78" Lead Wire
 - Includes Remote Control
 - Includes: (2) Candelabra Base, 40 Watt G16 1/2 Lamps
- Airflow:** 4300 Cubic Feet Per Minute
Electricity Use: 52 Watts (excludes lights)
Airflow Efficiency: 82 Cubic Feet Per Minute Per Watt.

48" Lavada



SPECIFICATIONS

- Limited Lifetime Warranty
 - Silicon Steel Motor 153mm X 15mm
 - 12° Blade Pitch
 - 3/4" x 4" Down Rod
 - 78" Lead Wire
 - Includes: (1) R7 Base, 100 Watt Halogen Lamp
- Airflow:** 4757 Cubic Feet Per Minute
Electricity Use: 52 Watts (excludes lights)
Airflow Efficiency: 91 Cubic Feet Per Minute Per Watt

72474

48" Brushed Nickel Finish

*Reversible Plywood Blades
(Dark Cherry/Applewood)
Includes Light Fixture
with Frosted Opal Glass*

48" Solana

SPECIFICATIONS

- Limited Lifetime Warranty
- Silicon Steel Motor 153mm X 17mm
- 12° Blade Pitch
- 3/4" x 4" Down Rod
- 78" Lead Wire
- Includes Remote Control
- Includes: (2) Candelabra Base, 60 Watt G16 1/2 Lamps

Airflow: 3313 Cubic Feet Per Minute

Electricity Use: 49 Watts (excludes lights)

Airflow Efficiency: 68 Cubic Feet Per Minute Per Watt



72161

48" Brushed Nickel Finish

Wengue Plywood Blades

Includes Light Fixture with Opal Frosted Glass

48" Harmony

SPECIFICATIONS

- Limited Lifetime Warranty
- Silicon Steel Motor 153mm X 20mm
- 13° Blade Pitch
- 3/4" x 6" Down Rod
- 78" Lead Wire
- 4-Speed Fan Control
- Includes: (2) Candelabra Base,

40 Watt Torpedo Lamps

Airflow: 4881 Cubic Feet Per Minute

Electricity Use: 53 Watts (excludes lights)

Airflow Efficiency: 92 Cubic Feet Per Minute Per Watt



72141

48" Brushed Nickel Finish

Weathered Maple Plywood Blades

Includes Light Fixture with Opal Frosted Glass

52" Sparta

78524

52" Brushed Nickel Finish

Weathered Maple Plywood Blades

Includes Light Fixture

with Opal Glass



SPECIFICATIONS

- Limited Lifetime Warranty
- Silicon Steel Motor 153mm X 15mm
- 13° Blade Pitch
- 3/4" x 4" Down Rod
- 54" Lead Wire
- Includes Remote Control
- Includes: (1) E11 Base, 100 Watt Single-Ended Halogen

Airflow: 5017 Cubic Feet Per Minute

Electricity Use: 54 Watts (excludes lights)

Airflow Efficiency: 93 Cubic Feet Per Minute Per Watt

52" Comet Collection



7813665

52" Brushed Pewter Finish

*Reversible Plywood Blades (Light Maple/White)
Includes Light Fixture with Frosted Glass*

SPECIFICATIONS

- Limited Lifetime Warranty
- Cold Rolled Steel Motor 153mm X 15mm
- 11° Blade Pitch
- ¾" x 4" Down Rod
- 78" Lead Wire
- Includes: (2) Candelabra Base, 40 Watt Torpedo Lamps

Airflow: 5199 Cubic Feet Per Minute Electricity

Electricity Use: 61 Watts (excludes lights)

Airflow Efficiency: 85 Cubic Feet Per Minute Per Watt.



7801765

52" White Finish

*Reversible Plywood Blades
(White/White Washed Pine)
Includes Light Fixture with Frosted Glass*



7801665

52" Matte Black Finish

*Reversible Plywood Blades
(Matte Black/Marble)
Includes Light Fixture
with Frosted Glass*

42" Vector Elite

78507

**42" Brushed Nickel
and Graphite Finish**

*Reversible Plywood Blades
(Graphite/Silver)
Includes Light Fixture with
Brushed Nickel Spot Lights*



SPECIFICATIONS

- Limited Lifetime Warranty
- Silicon Steel Motor 153mm X 10mm
- 16° Blade Pitch
- ¾" x 4" Down Rod
- 78" Lead Wire
- Includes: (3) GU10 Base, 50 Watt MR16 Halogen Lamps

Airflow: 3665 Cubic Feet Per Minute

Electricity Use: 57 Watts (excludes lights)

Airflow Efficiency: 64 Cubic Feet Per Minute Per Watt


SPECIFICATIONS

- Limited Lifetime Warranty
- Silicon Steel Motor 153mm X 17mm
- 12° Blade Pitch
- ¾" x 4" Down Rod
- 78" Lead Wire
- Includes: (3) GU10 Base, 50 Watt MR16 Halogen Lamps

Airflow: 4682 Cubic Feet Per Minute

Electricity Use: 57 Watts (excludes lights)

Airflow Efficiency: 82 Cubic Feet Per Minute Per Watt



48" Elite

78505

48" Brushed Nickel Finish

*Beech Plywood Blades
Includes Light Fixture with
Brushed Nickel Spot Lights*

52" Castle



72477

52" Brushed Nickel Finish

*Reversible Plywood Blades (Weathered Maple/Beech)
Includes Light Fixture with Opal Frosted Glass*



SPECIFICATIONS

- Limited Lifetime Warranty
- Cold Rolled Steel Motor 153mm X 15mm
- 12° Blade Pitch
- ¾" x 6" Down Rod
- 78" Lead Wire
- Includes: (2) Medium Base, 13 Watt CFL Mini-Twists

Airflow: 4819 Cubic Feet Per Minute Per Watt

Electricity Use: 66 Watts (excludes lights)

Airflow Efficiency: 73 Cubic Feet Per Minute Per Watt

Compact Fluorescent Lamps contain mercury. **(Hg)** For more on clean up and safe disposal, visit epa.gov/cfl.

44" Xavier



7226565

**44" Brushed Nickel Finish
with Copper Accents**

*Reversible Blades (Maple/Mahogany)
Includes Light Fixture with Spot Lights*

52" Xavier II



SPECIFICATIONS

- Limited Lifetime Warranty
- Silicon Steel Motor 153mm X 15mm
- 13° Blade Pitch
- 3/4" x 4" Down Rod
- 78" Lead Wire
- Includes: (3) GU10 Base, 50 Watt MR16 Halogen Lamps

7226565 Airflow: 4381 Cubic Feet Per Minute
Electricity Use: 65 Watts (excludes lights)
Airflow Efficiency: 67 Cubic Feet Per Minute Per Watt

7234265 Airflow: 5063 Cubic Feet Per Minute
Electricity Use: 67 Watts (excludes lights)
Airflow Efficiency: 76 Cubic Feet Per Minute Per Watt

7234265

52" Brushed Nickel Finish with Gun Metal Accents

*Reversible Blades (Graphite/Weathered Maple)
Includes Light Fixture with Spot Lights*



72559

52" Chrome Finish

*Reversible Blades (High Gloss White/Black)
Includes Light Fixture with Opal Frosted Glass Shades*

SPECIFICATIONS

- Limited Lifetime Warranty
 - Silicon Steel Motor 153mm X 17mm
 - 12° Blade Pitch
 - 3/4" x 4" Down Rod
 - 54" Lead Wire
 - Includes: (4) Medium Base, 14 Watt CFL Mini-Twists
- Airflow:** 4733 Cubic Feet Per Minute
Electricity Use: 63 Watts (excludes lights)
Airflow Efficiency: 75 Cubic Feet Per Minute Per Watt

52" Panorama

Compact Fluorescent Lamps contain mercury.  For more on clean up and safe disposal, visit epa.gov/cfl.

www.westinghouselighting.com

TRADITIONAL

ceiling fan collection

Known for their classic and distinctive designs, traditional-styled fans are the most popular. Available in many finishes including antique brass, rustic bronze and brushed nickel, we offer colors and styles to match any décor.



52" Fairview

Collection



78400

52" Brushed Nickel Finish

*Reversible Blades (Weathered Maple/Dark Cherry)
Includes Light Fixture with Frosted Glass Bowl*

SPECIFICATIONS

- Limited Lifetime Warranty
- Cold Rolled Steel Motor 153mm X 12mm
- 11° Blade Pitch
- ¾" x 4" Down Rod
- 24" Lead Wire
- Includes Remote Control
- Includes: (2) Candelabra Base, 60 Watt G16 1/2 Lamps

Airflow: 4370 Cubic Feet Per Minute

Electricity Use: 55 Watts (excludes lights)

Airflow Efficiency: 80 Cubic Feet Per Minute Per Watt



78399

52" Oil Rubbed Bronze Finish

Reversible Blades (Dark Cherry/Walnut)

Includes Light Fixture with Frosted Glass Bowl

52" Bethany

7879965

52" Rustic Bronze Finish

Reversible Blades

(Mahogany/Rich Walnut)

*Includes Light Fixture with
Crème Agate Glass Bowl*



SPECIFICATIONS

- Limited Lifetime Warranty
- Cold Rolled Steel Motor 153mm X 15mm
- 11° Blade Pitch
- ¾" x 4" Down Rod
- 78" Lead Wire
- Includes: (2) Candelabra Base, 60 Watt G16 1/2 Lamps

Airflow: 4757 Cubic Feet Per Minute

Electricity Use: 65 Watts (excludes lights)

Airflow Efficiency: 73 Cubic Feet Per Minute Per Watt

52" Sumter Collection

72476

52" Brushed Nickel Finish

Reversible Blades (Weathered Maple/Beech)

Includes Light Fixture with White Alabaster Glass Bowl



SPECIFICATIONS

- Limited Lifetime Warranty
- Cold Rolled Steel Motor 153mm X 15mm
- 12° Blade Pitch
- 12" Lead Wire
- Use (2) Candelabra Base, G16 1/2 Lamps, 60 Watt Maximum (not included)

Airflow: 4410 Cubic Feet Per Minute

Electricity Use: 60 Watts (excludes lights)

Airflow Efficiency: 74 Cubic Feet Per Minute Per Watt

72470

52" Classic Bronze Finish

Reversible Blades

(Applewood with Shaded Edges/Dark Cherry)

Includes Light Fixture with Amber Alabaster Glass Bowl



52" Swirl Collection



7856865

52" Rustic Bronze Finish

Reversible Blades (Mahogany/Rich Walnut)

Includes Light Fixture with

Frosted Swirl Glass Shades

7807765

52" Brushed Pewter Finish

Reversible Blades (Light Maple/White)

Includes Light Fixture with

Frosted Swirl Glass Shades



SPECIFICATIONS

- Limited Lifetime Warranty
- Cold Rolled Steel Motor 153mm X 15mm
- 11° Blade Pitch
- ¾" x 4" Down Rod
- 78" Lead Wire
- Includes: (4) Candelabra Base, 40 Watt Torpedo Lamps

Airflow: 4831 Cubic Feet Per Minute

Electricity Use: 66 Watts (excludes lights)

Airflow Efficiency: 73 Cubic Feet Per Minute Per Watt



7852165

52" Brushed Nickel Finish

Reversible Blades (Rosewood/Light Maple)

Includes Light Fixture with

Frosted Swirl Glass Shades

52" Vintage Collection



7804365

52" Polished Brass Finish

*Reversible Blades (Walnut/Oak)
Includes Light Fixture
with Clear Ribbed Glass Shades*



7867865

52" Brushed Nickel Finish

*Reversible Blades (Rosewood/Light Maple)
Includes Light Fixture
with Frosted Ribbed Glass Shades*

SPECIFICATIONS

- Limited Lifetime Warranty
 - Cold Rolled Steel Motor 153mm X 15mm
 - 11° Blade Pitch
 - 3/4" x 4" Down Rod
 - 78" Lead Wire
 - Includes: (3) Candelabra Base, 60 Watt Torpedo Lamps
- Airflow:** 4815 Cubic Feet Per Minute
Electricity Use: 66 Watts (excludes lights)
Airflow Efficiency: 73 Cubic Feet Per Minute Per Watt



7862765

52" White Finish

*Reversible Blades
(White/White Washed Pine)
Includes Light Fixture
with Frosted Ribbed Glass Shades*

52" Vintage II

SPECIFICATIONS

- Limited Lifetime Warranty
 - Cold Rolled Steel Motor 153mm X 12mm
 - 11° Blade Pitch
 - 3/4" x 4" Down Rod
 - 78" Lead Wire
 - Includes: (2) Candelabra Base, 60 Watt G16 1/2 Lamps
- Airflow:** 4435 Cubic Feet Per Minute
Electricity Use: 60 Watts (excludes lights)
Airflow Efficiency: 74 Cubic Feet Per Minute Per Watt



7839165

52" Brushed Nickel Finish

*Reversible Blades (Rosewood/Light Maple)
Includes Light Fixture with Frosted White Alabaster Glass Bowl*

42" Richboro SE

SPECIFICATIONS

- Limited Lifetime Warranty
 - Silicon Steel Motor 153mm X 10mm
 - 12° Blade Pitch
 - ¾" x 4" Down Rod
 - 78" Lead Wire
 - Includes: (2) Candelabra Base, 60 Watt G16 1/2 Lamps
- Airflow:** 2995 Cubic Feet Per Minute
Electricity Use: 44 Watts (excludes lights)
Airflow Efficiency: 68 Cubic Feet Per Minute Per Watt



7877365

42" Brushed Nickel Finish

Reversible Blades

(Rosewood/Light Maple)

*Includes Light Fixture with
Frosted White Alabaster Glass Bowl*

42" Newtown

SPECIFICATIONS

- Limited Lifetime Warranty
 - Cold Rolled Steel Motor 153mm X 10mm
 - 12° Blade Pitch
 - ¾" x 4" Down Rod
 - 78" Lead Wire
 - Includes: (3) Candelabra Base, 60 Watt Torpedo Lamps
- Airflow:** 3446 Cubic Feet Per Minute
Electricity Use: 55 Watts (excludes lights)
Airflow Efficiency: 63 Cubic Feet Per Minute Per Watt



7843565

42" Brushed Nickel Finish

Reversible Blades (Light Maple/Bird's Eye Maple)

Includes Light Fixture with Water Glass Shades

42" Contempra Trio Collection



78615

42" Brushed Nickel Finish

*Reversible Blades (Rosewood/Bird's Eye Maple)
Includes Light Fixture with Frosted Glass Shades*



78377

42" Oil Rubbed Bronze Finish

*Reversible Blades (Dark Cherry/Walnut)
Includes Light Fixture with Frosted Glass Shades*



78509

42" Satin Brass Finish

*Reversible Blades (Walnut/Maple)
Includes Light Fixture
with Frosted Glass Shades*

78510

42" Antique Brass Finish

*Reversible Blades (Oak/Walnut)
Includes Light Fixture
with Frosted Glass Shades*



SPECIFICATIONS

- Limited Lifetime Warranty
- Cold Rolled Steel Motor: 153mm x 10mm
- 12° Blade Pitch
- 12" Lead Wire
- Use (3) Candelabra Base Lamps, 60 Watt Maximum (not included).

Airflow: 4410 Cubic Feet Per Minute

Electricity Use: 54 Watts (excludes lights)

Airflow Efficiency: 82 Cubic Feet Per Minute Per Watt



78508

42" White Finish

*Reversible Blades
(White/White Washed Pine)
Includes Light Fixture
with Frosted Glass Shades*

52" Contempra IV

Collection

SPECIFICATIONS

- Limited Lifetime Warranty
- Cold Rolled Steel Motor 153mm X 15mm
- 11° Blade Pitch
- 12" Lead Wire
- Use (4) Candelabra Base,

60 Watt Maximum (not included)

Airflow: 4410 Cubic Feet Per Minute

Electricity Use: 63 Watts (excludes lights)

Airflow Efficiency: 70 Cubic Feet Per Minute Per Watt



78660

52" Oil Rubbed Bronze Finish

Reversible Blades (Dark Cherry/Walnut)

*Includes Light Fixture with
Frosted Ribbed Glass Shades*



78716

52" Polished Brass Finish

Reversible Blades (Walnut/Oak)

*Includes Light Fixture with
Clear Ribbed Glass Shades*



78714

52" Antique Brass Finish

Reversible Blades (Oak/Walnut)

*Includes Light Fixture with
Frosted Ribbed Glass Shades*

52" Contempra IV

Collection



SPECIFICATIONS

- Limited Lifetime Warranty
- Cold Rolled Steel Motor 153mm X 15mm
- 11° Blade Pitch
- 12" Lead Wire
- Use (4) Candelabra Base,

60 Watt Maximum (not included)

Airflow: 4410 Cubic Feet Per Minute

Electricity Use: 63 Watts (excludes lights)

Airflow Efficiency: 70 Cubic Feet Per Minute Per Watt

78715

52" White Finish

Reversible Blades (White/White Washed Pine)

Includes Light Fixture with Frosted Ribbed Glass Shades



78616

52" Brushed Nickel Finish

Reversible Blades (Rosewood/Bird's Eye Maple)

Includes Light Fixture with Frosted Ribbed Glass Shades

52" Contempra V



SPECIFICATIONS

- Limited Lifetime Warranty
- Cold Rolled Steel Motor 153mm X 15mm
- 11° Blade Pitch
- 12" Lead Wire
- Use (4) Candelabra Base Lamps,

40 Watt Maximum (not included)

Airflow: 4410 Cubic Feet Per Minute

Electricity Use: 70 Watts (excludes lights)

Airflow Efficiency: 63 Cubic Feet Per Minute Per Watt

78004

52" Brushed Nickel Finish

Reversible Blades

(Rosewood/Bird's Eye Maple)

Includes Light Fixture with Frosted Alabaster Glass Shades



78005

30" Brushed Nickel Finish

Reversible Blades

(Rosewood/Light Maple)

Includes Light Fixture

with Opal Mushroom Glass

30" Petite Collection



78603

30" Antique Brass Finish

Reversible Blades (Walnut/Oak)

Includes Light Fixture with

Opal Mushroom Glass



78108

30" White Finish

Reversible Blades

(White/White Washed Pine)

Includes Light Fixture with Opal Mushroom Glass

SPECIFICATIONS

- Limited Lifetime Warranty
- Cold Rolled Steel Motor 153mm X 9mm
- 18° Blade Pitch
- 12" Lead Wire
- Use (1) Candelabra Base,

60 Watt Maximum (not included)

Airflow: 3925 Cubic Feet Per Minute

Electricity Use: 45 Watts (excludes lights)

Airflow Efficiency: 87 Cubic Feet Per Minute Per Watt

52" Casanova

78053

52" White Finish

Reversible Blades

(White/White Washed Pine)

SPECIFICATIONS

- Limited Lifetime Warranty
- Cold Rolled Steel Motor 153mm X 15mm
- 11° Blade Pitch
- 12" Lead Wire

Airflow: 5098 Cubic Feet Per Minute

Electricity Use: 60 Watts (excludes lights)

Airflow Efficiency: 85 Cubic Feet Per Minute Per Watt



42" Casanova Supreme Collection



78123

42" Antique Brass Finish

*Reversible Blades (Oak/Walnut)
Includes Light Fixture with
Opal Schoolhouse Glass*

SPECIFICATIONS

- Limited Lifetime Warranty
- Cold Rolled Steel Motor 153mm X 10mm
- 12° Blade Pitch
- 12" Lead Wire

• Use (1) Candelabra Base Lamp,
60 Watt Maximum (not included)

Airflow: 4410 Cubic Feet Per Minute

Electricity Use: 56 Watts (excludes lights)

Airflow Efficiency: 79 Cubic Feet Per Minute Per Watt



78126

42" White Finish

*Reversible Blades
(White/White Washed Pine)
Includes Light Fixture with
Opal Schoolhouse Glass*



78125

42" Polished Brass Finish

*Reversible Blades (Walnut/Oak)
Includes Light Fixture with
Opal Schoolhouse Glass*

42" Princess Ambiance

SPECIFICATIONS

- Limited Lifetime Warranty
- Cold Rolled Steel Motor 153mm X 10mm
- 12° Blade Pitch
- 3/4" x 4" Down Rod
- 78" Lead Wire
- Includes: (1) Candelabra Base, 60 Watt G16 1/2 Lamp

Airflow: 3540 Cubic Feet Per Minute

Electricity Use: 53 Watts (excludes lights)

Airflow Efficiency: 67 Cubic Feet Per Minute Per Watt



7813365

42" White Finish

*Reversible Blades
(White/White Washed Pine)
Includes Light Fixture
with Opal Mushroom Glass*



Westinghouse

INNOVATION YOU CAN BE SURE OF

INDOOR/OUTDOOR ceiling fan collection...

Bring indoor comfort outdoors with Westinghouse ceiling fans designed specially for patios, verandahs and gazebos. Our indoor/outdoor ceiling fans are suitable for wet locations.



52" Brentford

78000

52" Aged Walnut Finish

Reversible ABS Blades
(Dark Cherry Shaded Edges/Walnut)
Includes Light Fixture
with Clear Seeded Glass

SPECIFICATIONS

- Limited Lifetime Warranty
- Silicon Steel Motor 153mm X 17mm
- 13° Blade Pitch
- 3/4" x 4" Down Rod
- 54" Lead Wire
- Includes: (3) Candelabra Base, 40 Watt Torpedo Lamps

Airflow: 5062 Cubic Feet Per Minute

Electricity Use: 55 Watts (excludes lights)

Airflow Efficiency: 92 Cubic Feet Per Minute Per Watt



www.westinghouselighting.com

52" Lafayette

Collection



SPECIFICATIONS

- Limited Lifetime Warranty
 - Silicon Steel Motor 153mm X 15mm
 - 12° Blade Pitch
 - 3/4" x 6" Down Rod
 - 54" Lead Wire
 - Includes: (1) Medium Base, 13 Watt CFL Mini-Twist
- Airflow:** 5083 Cubic Feet Per Minute
Electricity Use: 65 Watts (excludes lights)
Airflow Efficiency: 78 Cubic Feet Per Minute Per Watt



7877965

52" Antique Pewter Finish

Black ABS Resin Blades

Includes Light Fixture with White Alabaster Glass



7877865

52" Weathered Iron Finish

Light Oak ABS Resin Blades

Includes Light Fixture with Yellow Alabaster Glass

48" Oasis



SPECIFICATIONS

- Limited Lifetime Warranty
 - Silicon Steel Motor 153mm X 15mm
 - 13° Blade Pitch
 - 3/4" x 6" Down Rod
 - 54" Lead Wire
 - Includes: (1) Candelabra Base, G16 1/2 Lamp, 60 Watt Maximum
- Airflow:** 4305 Cubic Feet Per Minute
Electricity Use: 57 Watts (excludes lights)
Airflow Efficiency: 76 Cubic Feet Per Minute Per Watt



7861965

48" Oil Rubbed Bronze Finish

Mahogany Leaf

ABS Resin Blades

Includes Light Fixture with Yellow Alabaster Glass

Compact Fluorescent Lamps contain mercury. (Hg) For more on clean up and safe disposal, visit epa.gov/cfl.

www.westinghouselighting.com

44" Bayside

SPECIFICATIONS

- Limited Lifetime Warranty
- Silicon Steel Motor 153mm X 12mm
- 12° Blade Pitch
- ¾" x 4" Down Rod
- 54" Lead Wire

Airflow: 3673 Cubic Feet Per Minute

Electricity Use: 48 Watts (excludes lights)

Airflow Efficiency: 77 Cubic Feet Per Minute Per Watt



72345

44" Oil Rubbed Bronze Finish
Dark Cherry ABS Resin Blades

52" Willow Breeze Collection

SPECIFICATIONS

- Limited Lifetime Warranty
- Silicon Steel Motor 153mm X 15mm
- 12° Blade Pitch
- ¾" x 4" Down Rod
- 54" Lead Wire

Airflow: 5290 Cubic Feet Per Minute

Electricity Use: 58 Watts (excludes lights)

Airflow Efficiency: 91 Cubic Feet Per Minute Per Watt



72478

52" Oil Rubbed Bronze Finish
Dark Cherry ABS Resin Blades



72280

52" White Finish
White ABS Resin Blades



INDUSTRIAL & contractor ceiling fan collection

Commercial environments need durable, reliable ceiling fans. Our industrial and contractor ceiling fans have the quality you want and expect from an international brand.



Caution: Industrial Ceiling Fans must be installed with blades at least 10 feet from the floor.

56" Industrial Collection

78614

56" Brushed Nickel Finish

*Brushed Nickel Finish Steel Blades
Ball Hanger Installation System*




SPECIFICATIONS

- 15 Year Limited Warranty
 - Cold Rolled Steel Motor 153mm X 17mm
 - 9° Blade Pitch
 - ½" x 12" Down Rod
 - Lead Wire: 78" - 78127, 78614
24" - 78409
 - Includes Wall Control
- Airflow:** 6254 Cubic Feet Per Minute
Electricity Use: 60 Watts (excludes lights)
Airflow Efficiency: 104 Cubic Feet Per Minute Per Watt

78127

56" White Finish

*White Steel Blades
Ball Hanger Installation System*



78409

56" White Finish

*White Steel Blades
J-Hook Installation System*

**J-Hook
Installation System**



56" Industrial Collection

78003

56" Brushed Nickel Finish

Black Steel Blades

Ball Hanger Installation System



SPECIFICATIONS


- 15 Year Limited Warranty
- Cold Rolled Steel Motor 153mm X 17mm
- 8° Blade Pitch
- ½" x 12" Down Rod
- 78" Lead Wire
- Includes Wall Control

Airflow: 6254 Cubic Feet Per Minute

Electricity Use: 60 Watts (excludes lights)

Airflow Efficiency: 104 Cubic Feet Per Minute Per Watt

52" Contractor's Choice



78024

52" White Finish

White Blades

SPECIFICATIONS

- Limited Lifetime Warranty
- Silicon Steel Motor 153mm X 15mm
- 12° Blade Pitch
- ¾" x 4" Down Rod
- 78" Lead Wire

Airflow: 4726 Cubic Feet Per Minute

Electricity Use: 65 Watts (excludes lights)


Airflow Efficiency: 73 Cubic Feet Per Minute Per Watt

CEILING FAN SPECIFICATIONS

Family Name	Page #	Size	# of Blades	Blade Material	Capacitor	Extra Switch Housing Cap	Fan Mounting	Airflow CFM (High)	RPM (High)	Electricity Use-Watts (High)	Efficiency CFM/W (High)	Amp	Remote Control	Slope Angle
Alloy	97	42"	3	MDF	Dual	No	Down Rod Only	4083	215	51	80	0.42	Adaptable	18°
Arcadia	98	46"	3	Plywood	Triple	No	Combo	4300	242	52	82	0.43	Included	20°
Bayside	116	44"	5	ABS Resin	Triple	No	Combo	3673	220	48	77	0.40	Adaptable	11°
Bendan	93	52"	5	Plywood	Dual	No	Down Rod Only	4739	175	60	79	0.51	Included	N/A
Bethany	105	52"	5	MDF	Triple	No	Combo	4757	170	65	73	0.52	Adaptable	18°
Brentford	114	52"	5	ABS Resin	Triple	No	Down Rod Only	5062	168	55	92	0.46	Adaptable	20°
Casanova	112	52"	5	MDF	Triple	No	Hugger	5098	180	60	85	0.50	Not Adaptable	N/A
Casanova Supreme	113	42"	4	MDF	Dual	Yes	Hugger	4410	220	56	79	0.45	Not Adaptable	N/A
Castle	101	52"	5	Plywood	Triple	No	Combo	4819	171	66	73	0.55	Adaptable	18°
Comet	100	52"	5	Plywood	Triple	No	Combo	5199	165	61	85	0.50	Adaptable	18°
Contempra IV	110	52"	5	MDF	Triple	No	Hugger	4410	165	63	70	0.52	Not Adaptable	N/A
Contempra V	111	52"	5	MDF	Triple	No	Hugger	4410	165	70	63	0.52	Not Adaptable	N/A
Contempra Trio	109	42"	5	MDF	Dual	Yes	Hugger	4410	220	54	82	0.45	Not Adaptable	N/A
Contractor's Choice	119	52"	5	MDF	Triple	No	Combo	4726	175	65	73	0.52	Adaptable	11°
Cumulus	97	48"	3	MDF	Triple	No	Down Rod Only	4804	210	52	93	0.43	Included	N/A
Delancey	93	52"	3	ABS Resin	N/A	No	Down Rod Only	5722	194	32	178	0.46	Included	20°
Elite	101	48"	3	Plywood	Triple	No	Combo	4682	230	57	82	0.49	Adaptable	18°
Fairview	104	52"	5	MDF	Dual	No	Combo	4370	170	55	80	0.47	Included	N/A
Harmony	99	48"	2	Plywood	Triple	No	Down Rod Only	4881	230	53	92	0.46	Adaptable	20°
Industrial	118	56"	3	Steel	Single	No	Down Rod Only	6254	240	60	104	0.50	Wall Control	24° N/A for 78409
Industrial 78003	119	56"	3	Steel	Single	No	Down Rod Only	6254	240	60	104	0.50	Wall Control	24°
Lafayette	115	52"	5	ABS Resin	Triple	Yes	Combo	5083	170	65	78	0.47	Adaptable	11°
Lavada	98	48"	3	Plywood	Triple	No	Down Rod Only	4757	204	52	91	0.44	Adaptable	20°
Newtown	108	42"	5	MDF	Dual	No	Combo	3446	220	55	63	0.45	Adaptable	18°
Oasis	115	48"	5	ABS Resin	Triple	Yes	Combo	4305	215	57	76	0.47	Adaptable	11°
Origami	94	24"	6	MDF	Dual	No	Down Rod Only	2039	309	31	66	0.25	Adaptable	18°
Panorama	102	52"	5	MDF	Triple	Yes	Combo	4733	160	63	75	0.53	Adaptable	15°
Petite	112	30"	6	MDF	Dual	No	Hugger	3925	270	45	87	0.36	Not Adaptable	N/A
Princess Ambiance	113	42"	4	MDF	Triple	No	Combo	3540	220	53	67	0.44	Adaptable	18°
Quince	94	24"	6	MDF	Dual	No	Down Rod Only	2039	320	31	67	0.25	Adaptable	18°
Richboro SE	108	42"	5	MDF	Dual	No	Combo	2995	215	44	68	0.45	Adaptable	15°
Roundabout	95	30"	5	MDF	Dual	No	Down Rod Only	2483	265	39	63	0.34	Adaptable	18°
Solana	99	48"	2	Plywood	Triple	No	Down Rod Only	3313	220	49	68	0.42	Included	30°
Sparta	99	52"	2	Plywood	Triple	No	Down Rod Only	5017	205	54	93	0.45	Included	20°
Sumter	105	52"	5	MDF	Triple	No	Hugger	4410	170	60	74	0.51	Not Adaptable	N/A
Swirl	106	52"	5	MDF	Triple	No	Combo	4831	170	66	73	0.55	Adaptable	18°
Techno	93	52"	3	ABS Resin	Triple	No	Down Rod Only	4264	234	52	82	0.47	Included	20°
Turbo Swirl	96	30"	6	MDF	Dual	No	Combo	2541	260	52	49	0.36	Adaptable	18°
Turbo Swirl CFL	96	30"	6	MDF	Dual	No	Combo	3519	246	50	70	0.42	Adaptable	18°
Vector Elite	101	42"	3	Plywood	Triple	No	Combo	3665	220	57	64	0.47	Adaptable	19°
Vintage	107	52"	5	MDF	Triple	No	Combo	4815	170	66	73	0.55	Adaptable	18°
Vintage II	107	52"	5	MDF	Triple	Yes	Combo	4435	170	60	74	0.50	Adaptable	18°
Wengue	95	30"	3	MDF	Dual	No	Down Rod Only	2543	280	40	64	0.33	Adaptable	18°
Willow Breeze	116	52"	5	ABS Resin	Triple	No	Combo	5290	185	58	91	0.48	Adaptable	12°
Xavier	102	44"	5	MDF	Triple	Yes	Combo	4381	210	65	67	0.54	Adaptable	17°
Xavier II	102	52"	5	MDF	Triple	Yes	Combo	5063	170	67	76	0.56	Adaptable	17°



Visit www.westinghouselighting.com for FTC energy guide information.



A - Top of Canopy to Bottom of Blade
B - Top of Canopy to Bottom of Switch Housing
C - Top of Canopy to Bottom of Canopy
D - Width of Motor Housing
E - Width of Canopy
F - Top of Canopy to Bottom of Glass

CEILING FAN SPECIFICATIONS - DIMENSIONS

Family Name	Size of Down Rod Included	A	B	C	D	E	F
Alloy	3/4" x 4"	6.38"	11"	2.5"	6.75"	5.13"	11.75"
Arcadia	3/4" x 4"	9.38"	11"	2"	9.75"	5.88"	14"
Bayside	3/4" x 4"	11"	11.38"	2.38"	8.88"	5.13"	N/A
Bendan	3/4" x 4"	10"	N/A	2.5"	10.25"	5.13"	13.75"
Bethany	3/4" x 4"	12.63"	12.5"	2.38"	12.13"	5.13"	17.5"
Brentford	3/4" x 4"	9.96"	11.65"	2.06"	12.36"	5.83"	18.78"
Casanova	N/A	8"	8.5"	N/A	11"	N/A	N/A
Casanova Supreme	N/A	7.25"	8.5"	N/A	8.75"	N/A	12.5"
Castle	3/4" x 6"	11.43"	12.63"	2.4"	10.49"	5.13"	15.98"
Comet	3/4" x 4"	11.88"	14.25"	2.25"	11.5"	5.13"	14.25"
Contempra IV	N/A	7.13"	8.13"	N/A	11.5"	N/A	13"
Contempra V	N/A	7.83"	8.13"	N/A	11.5"	N/A	12.9"
Contempra Trio	N/A	5.88"	7.5"	N/A	10.38"	N/A	13.38"
Contractor's Choice	3/4" x 4"	10.25"	11.25"	2.25"	9"	5.25"	N/A
Cumulus	N/A	15.93"	19.3"	2.75"	7.28"	5.2"	21.3"
Delancey	3/4" x 4"	12.24"	12.52"	2.06"	7.87"	6.14"	15.47"
Elite	3/4" x 4"	9.63"	12.63"	2.13"	9"	5.25"	16.63"
Fairview	3/4" x 4"	12.25"	13"	2.38"	11"	5.13"	18.88"
Harmony	3/4" x 6"	10.63"	12.75"	2"	7.5"	6"	17.13"
Industrial	1/2" x 12"	17.25"	N/A	2.38"	7.75"	5.13"	N/A
Industrial 78003	1/2" x 12"	17.25"	N/A	2.38"	7.75"	5.13"	N/A
Lafayette	3/4" x 6"	15.5"	16.13"	2.38"	12.25"	5.13"	24"
Lavada	3/4" x 4"	8.07"	11.42"	2.07"	7.87"	6.14"	12.6"
Newtown	3/4" x 4"	11.38"	12.63"	2.38"	10"	5.13"	17.75"
Oasis	3/4" x 4"	13.63"	13.38"	2.38"	9"	5.13"	18.75"
Origami	3/4" x 4"	7.88"	10"	2.5"	6.75"	5.13"	14.75"
Panorama	3/4" x 4"	12.62"	9"	2.5"	10.75"	5.12"	15.87"
Petite	N/A	6.75"	8"	N/A	9"	N/A	12"
Princess Ambiance	3/4" x 4"	12.25"	12.5"	2.13"	6.63"	5.25"	16.88"
Quince	3/4" x 4"	9"	10.38"	2.5"	6.75"	5.13"	12.13"
Richboro SE	3/4" x 4"	12.25"	18.13"	2.25"	8.63"	5.13"	17"
Roundabout	3/4" x 4"	11.42"	13.75"	2.36"	7.68"	5.12"	15.92"
Solana	3/4" x 4"	10.75"	13"	2"	7.63"	6.25"	17.38"
Sparta	3/4" x 4"	10.7"	11.6"	2.1"	9.1"	5.86"	13"
Sumter	N/A	6"	7.87"	N/A	11.42"	N/A	14.2"
Swirl	3/4" x 4"	13.5"	12"	2.25"	12"	5.25"	18"
Techno	3/4" x 4"	9.13"	11.02"	2.06"	8.39"	6.14"	12.4"
Turbo Swirl	3/4" x 4"	10"	11.5"	2.25"	7"	5"	14.5"
Turbo Swirl CFL	3/4" x 4"	10"	11.5"	2.25"	7"	5"	16.5"
Vector Elite	3/4" x 4"	7"	11.25"	2.13"	10.38"	5.13"	15.5"
Vintage	3/4" x 4"	11"	13"	2"	11"	5"	18"
Vintage II	3/4" x 4"	11.38"	13.25"	2.38"	11.13"	5.13"	19.25"
Wengue	3/4" x 4"	9"	10.38"	2.5"	6.75"	5.13"	12.13"
Willow Breeze	3/4" x 4"	11.1"	13.3"	2.4"	11.6"	5.1"	N/A
Xavier	3/4" x 4"	16"	17.5"	2"	10"	5"	22.5"
Xavier II	3/4" x 4"	16"	17.5"	2"	10"	5"	22.5"

If a Combo Style Fan with a 4" Down Rod is Installed without the Down Rod, Subtract 3" from the Dimensions Listed (A, B, F).
If a Combo Style Fan with a 6" Down Rod is Installed without the Down Rod, Subtract 5" from the Dimensions Listed (A, B, F).



CEILING FAN

accessories

Compliment your Westinghouse ceiling fans with decorative pull chains and energy-saving light kits, while enjoying the convenience of our fan remote controls.



Ceiling Fan Light Kits

**Schoolhouse
Light Kits**
Height: 6.75"
Diameter: 8.25"



77813



77838



77832



77811



Light kit includes one medium base, 13 watt maximum ENERGY STAR® CFL Mini-Twist.

Item No.	Description	Finish	Glass Description
77811	Schoolhouse Light Kit, Damp Location	Polished Brass	White Glass
77813	Schoolhouse Light Kit, Damp Location	Oil Rubbed Bronze	White Glass
77832	Schoolhouse Light Kit, Damp Location	Antique Brass	White Glass
77838	Schoolhouse Light Kit, Damp Location	White	White Glass

**3 Light Cluster
Light Kits**
Height: 7"
Width: 12.75"



77812



77823



77814



Light Kit includes three medium base, 9 watt maximum ENERGY STAR® CFL Mini-Twists.



77815



77826

Item No.	Description	Finish	Glass Description
77812	3 Light Cluster Light Kit	Polished Brass	Frosted Ribbed Glass Shades
77814	3 Light Cluster Light Kit	White	Frosted Ribbed Glass Shades
77815	3 Light Cluster Light Kit	Antique Brass	Frosted Ribbed Glass Shades
77823	3 Light Cluster Light Kit	Brushed Nickel	Frosted Ribbed Glass Shades
77826	3 Light Cluster Light Kit	Oil Rubbed Bronze	Frosted Ribbed Glass Shades

Designed to work with standard 42" to 52" ceiling fans with a center hole in the housing cap.



Compact Fluorescent Lamps contain mercury. For more on clean up and safe disposal, visit epa.gov/cfl.

Extension Down Rods

For optimum performance, ceiling fan blades should be at least 7' from the floor but no higher than 8-9' in order to best cool a room.

For ceilings 9' and higher, an extension down rod is required to bring the ceiling fan down to the proper height above the floor.




Antique Brass




Brushed Nickel



Polished Brass


Oil Rubbed
Bronze


Rustic Bronze



White

1/2" EXTENSION DOWN RODS

Finish	12"	18"	24"	36"	48"
Antique Brass	77241	N/A	77244	N/A	N/A
Brushed Nickel	77491	N/A	77492	N/A	N/A
Polished Brass	77242	N/A	77245	N/A	N/A
White	77240	N/A	77243	77246	N/A

1/2" is the nominal dimension of these downrods.

3/4" EXTENSION DOWN RODS

Finish	12"	18"	24"	36"
Antique Brass	77249	N/A	77252	77255
Brushed Nickel	77526	N/A	77527	77528
Oil Rubbed Bronze	65680	N/A	65682	N/A
Polished Brass	77934	N/A	77935	N/A
Rustic Bronze	65659	N/A	65661	N/A
White	77251	77265	77254	77257

3/4" is the nominal dimension of these downrods.

The chart below is provided for convenient selection of the correct extension down rod.

Ceiling Height 9'	Ceiling Height 10'	Ceiling Height 11'	Ceiling Height 12'	Ceiling Height 13'
				
Extension Down Rod 12"	Extension Down Rod 18"	Extension Down Rod 24"	Extension Down Rod 36"	Extension Down Rod 48"

Ceiling Fan Controls



77872 Single Slide Ceiling Fan Wall Control

- Turn any 3 speed fan into a 4 speed fan
- High/Medium-High/Medium/Low fan speeds
- Easy 2 wire installation in standard junction box
- Matching wall plate included

Max. Fan Amp 1.25



77870 Ceiling Fan and Light Remote Control

- High/Medium/Low fan speeds and Off button
- Full range light dimmer
- Operates up to a distance of 40 feet
- Universal receiver fits most ceiling fans
- Installs quickly, even in pre-mounted fans
- Wall Bracket included
- (1) 9 Volt battery included

Max. Fan Amp 1.25
Max. Light 300 Watt



77873 Dual Slide Ceiling Fan/Light Wall Control

- Turn any 3 speed fan into a 4 speed fan
- High/Medium-High/Medium/Low fan speeds
- Full range sliding light dimmer
- Easy 3 wire installation in standard junction box
- Replaces toggle switch
- Matching wall plate included

Max. Fan Amp 1.25
Max. Light 300 Watt



77874 Thermostat Ceiling Fan/Light Remote Control

- Automatic On/Off and Speed Control based on room temperature
- ½ - 24 hour programmable fan/light shut off timers
- 3-Minute Auto Light Shut Off
- High/Medium/Low fan speeds and Off button
- Full range light dimmer
- Operates up to a distance of 40 feet
- Universal receiver fits most ceiling fans
- Installs quickly, even in pre-mounted fans
- (4) AAA batteries required (not included)

Max. Fan Amp 1.25
Max. Light 300 Watt



77875 Ceiling Fan and Light Wall Control

- High/Medium/Low fan speeds and Off button
- Full range light dimmer
- Wireless communication between transmitter and receiver
- Operates up to a distance of 40 feet
- Easy 2 wire installation in standard junction box
- Universal receiver fits most ceiling fans
- Matching wall plate included

Max. Fan Amp 1.25
Max. Light 300 Watt



77840 Ceiling Fan and Light Remote Control

- Turn any 3 speed fan into a 4 speed fan
- High/Medium/Medium-Low/Low fan speeds and Off button
- Full range light dimmer
- Operates up to a distance of 40 feet
- Universal receiver fits most ceiling fans
- Installs quickly, even in pre-mounted fans
- Wall Bracket included
- (1) 23A 12 Volt battery included

Max. Fan Amp 1.25
Max. Light 300 Watt



All fan controls are CUL listed.

Cathedral Ceiling Fan Canopy Kits

Cathedral Ceiling Fan Canopy Kits Include:


- Decorative Canopy
- Retaining Ball
- Universal Mounting Plate
- Mounting Bracket
- Decorative Hole Cover Ring
- Mounting Hardware
- ½" Down Rod Sleeve Adapter
- Complete Installation Instructions



The **only** cathedral ceiling fan canopy kit that is remote control adaptable up to a 45° angle. No visible screws. Decorative hole cover ring included for a clean finished look.

This unique patent-pending product is the only cathedral ceiling fan canopy kit that is remote control adaptable. It is easy to install a remote control receiver even up to a 45 degree angle.

Attractive one piece canopy design is available in finishes to coordinate and complement most ceiling fans.



Patent Pending

70029 - White Finish
70030 - Antique Brass Finish
70031 - Brushed Nickel Finish
70032 - Oil Rubbed Bronze Finish
Cathedral Ceiling Fan Canopy Kit

Can be mounted onto a cathedral ceiling having up to a 45° angle

*For Use With ½" or ¾" I.D. Down Rods
85 lb. Load Rating*



70032



70029



70030



70031

Pull Chains



77630
Red
Spiral Glass
Brushed
Nickel Finish



77122
Yellow
Spiral Glass
Oil Rubbed
Bronze Finish



77640
Cobalt
Twist Glass
Brushed
Nickel Finish



77628
Burgundy and
Orange Beads
Polished
Brass Finish



77294
Burgundy and
Orange Beads
Chrome Finish



77642
Orange and
Green
Daisy Beads
Polished
Brass Finish



77123
Frosted White
Alabaster Glass
Brushed
Nickel Finish



77125
Amber
Alabaster Glass
Oil Rubbed
Bronze Finish



77620
White Swirl and
Multi-Color Dotted
Glass Orb
Brushed
Nickel Finish



77118
Clear and
Amber Swirls
Glass Orb
Oil Rubbed
Bronze Finish



77621
Clear and
Blue Swirl
Glass Orb
Brushed
Nickel Finish

All pull chains include a 12" beaded chain unless otherwise noted.

77029
Light Bulb
Brushed
Nickel Finish



77030
Light Bulb
Oil Rubbed
Bronze Finish



77220
Light Bulb
Antique
Brass Finish



77036
Fan
Brushed
Nickel Finish



77083
Fan
Oil Rubbed
Bronze Finish



77225
Fan
White
Chrome Finish



77224
Fan
Antique
Brass Finish



77087
Natural Finish
Wooden Handle
Polished
Brass Finish

77291
Walnut
Wooden Cone
Antique
Brass Finish

77009
White
Wooden Cone
Polished
Brass Finish

77292
White
Wooden Cone
Chrome
Finish

77019
Natural Finish
Wooden Cone
Polished
Brass Finish

77008
Walnut
Wooden Cone
Polished
Brass Finish



77014
White
Wooden Knob
Polished
Brass Finish

77013
Walnut
Wooden Knob
Polished
Brass Finish

70661 - 36" Chain
77069 - 12" Chain
Walnut
Wooden Ball
Polished
Brass Finish

77290
Walnut
Wooden Ball
36" Antique
Brass Finish

77072
White
Wooden Ball
Polished
Brass Finish

77007
Sculptured
Walnut
Wooden Ball
Polished
Brass BFinish

All pull chains include a 12" beaded chain unless otherwise noted.

CARDER PRODUCT SOLD IN INNER PACK ONLY

www.westinghouselighting.com

77215
Trophy
*Brushed
Nickel Finish*



77108
Trophy
*Antique
Brass Finish*



77214
Trophy
*Oil Rubbed
Bronze Finish*



77103
Pendant
*Brushed
Nickel Finish*



77104
Beaded Ball
*Brushed
Nickel Finish*



77096
Beaded Ball
*Oil Rubbed
Bronze Finish*



77217
Ball
*Brushed
Nickel Finish*



77218
Ball
*Old Chicago
Finish*



77004
Ball
Solid Brass

77005
Teardrop
*Polished
Brass Finish*



77121
**Chrome Finish
and Ceramic
Black Accent**



77095
**Polished
Brass Finish
and Ceramic
White Accent**



77097
**Polished
Brass Finish
and Ceramic
Blue Accent**



All pull chains include a 12" beaded chain unless otherwise noted.

77645

Shell

*Antique Brass
Finish*

*Converts
to a finial*



77644

Anchor

*Antique Brass
Finish*



77626

Four Leaf Clover

*Antique Bronze
Finish*



77638

Frog

*Brushed Nickel
Finish*



77006

**Acrylic
Cylinder**

*Polished
Brass Finish*



77088

**Acrylic
Teardrop**

*Polished
Brass Finish*



77084

Acrylic Sphere

*Polished
Brass Finish*



77093

Acrylic Diamond

*Polished
Brass Finish*



77289

Acrylic Diamond

Chrome Finish



77134

Acrylic Dolphin

*Polished
Brass Finish*



77010

Gold Tassel

*Polished
Brass Finish*



77011

White Tassel

*Polished
Brass Finish*



77127

Baseball

*Polished
Brass Finish*



77293

Baseball

Chrome Finish

All pull chains include a 12" beaded chain unless otherwise noted.


CARDER PRODUCT SOLD IN INNER PACK ONLY

www.westinghouselighting.com



77400 - 42" Polished Brass Finish
77401 - 42" White Finish
77402 - 42" Antique Brass Finish

77405 - 52" Polished Brass Finish
77406 - 52" White Finish
77407 - 52" Antique Brass Finish
Replacement Fan Blade Arms
5 Piece Set
Installation Hardware Included



FAN BLADE HOLE DIMENSIONS

Dimension	52" Parts	42" Parts
A	3 ¹⁵ / ₁₆ "	3 ¹ / ₂ "
B	2 ³ / ₄ "	2 ⁵ / ₈ "
C	2 ¹ / ₁₆ "	1 ¹ / ₂ "



77414 - 52" White
Outdoor ABS Fan Blades
5 Blade Set



77411 - 42" White/Bleached Oak
77416 - 52" White/Bleached Oak
Reversible MDF Fan Blades
5 Blade Set



77410 - 42" Oak/Walnut
77415 - 52" Oak/Walnut
Reversible MDF Fan Blades
5 Blade Set



77060 - Antique Brass Finish
77061 - Polished Brass Finish
77268 - White Finish
Canopy Kit
½" I.D. Ball Included
Can be mounted onto a cathedral ceiling having up to a 25° angle
100 lb. Load Rating



77079 - White Finish
77074 - Antique Brass Finish
77076 - Polished Brass Finish
Canopy Kit
¾" I.D. Ball Included
Can be mounted onto a cathedral ceiling having up to a 25° angle
100 lb. Load Rating



77105
All Purpose Electrostatic Duster
• Telescopic handle extends up to 72"
• Flexible head adjusts to any angle
• Perfect for cleaning fan blades, fixtures or any other hard-to-reach household items



7709908
Duster Display
Contains 12 Dusters
(Item# 77105)



77044 - Solid Brass
Six Beaded
Chain Connectors



77046 - White
Six Beaded
Chain Connectors



77045 - Chrome
Six Beaded
Chain Connectors



77066 - Antique Brass
Six Beaded
Chain Connectors




***16572 - Brass**
Beaded
Chain Connector

Beaded Chain with Connector

.011 Gauge 1/8" Diameter Ball 75 Balls per Foot

Item No.	Length	Finish
70168	5 Ft.	Brass
77012	1 Ft.	Solid Brass
77050	3 Ft.	Solid Brass
77043	12 Ft.	Solid Brass
77064	3 Ft.	Antique Brass
77109	12 Ft.	Antique Brass
77051	3 Ft.	White Plastic
77054	3 Ft.	Oil Rubbed Bronze
77049	3 Ft.	Stainless Steel
77238	3 Ft.	Brushed Nickel
77063	3 Ft.	Chrome
77107	12 Ft.	Chrome



70168



77012

77050

77043

77049

77238

77063

77107



77051



77054



77064

77109



***16576 - Brass Finish**
End Bell

For Beaded Chain
or Pull Cord



*** 22370**
77077
Porcelain
Fixture Socket

10" Wire Leads
Medium Base, 1/8-IP Hickey
18 Gauge, 105° Leads
660 Watts Max., 250 Volts
Height - 2"



Beaded Chain

.011 Gauge 1/8" Diameter Ball 75 Balls per Foot

Item No.	Length	Finish
* 16565	Sold by Foot or 250' Spool	Nickel
* 16564	Sold by Foot or 250' Spool	Brass



77047 - Polished Brass
77048 - Antique Brass
10 Piece Motor Screw Kit
For Mounting Fan Blade Arm
to Motor Housing



77040 - Polished Brass
77041 - Antique Brass
12 Fitter Screws
For Fan Lights



77015
Fan Blade
Balancing Kit

Includes:
2-5 Gram Self-Adhering Weights
• 1 Balancing Clip



77059
Canopy Bracket
Black Finish
For Use With 1/2" or
3/4" I.D. Down Rods
Mounting Hardware
Included



77058
For 1/2" I.D. Down Rods
77269
For 3/4" I.D. Down Rods
Black Canopy Ball
Mounting Hardware
Included



77016
20 - 1/2" Screws
Assorted for Fan Lights
and Fan Blades

Includes:
• 5 - 8-32 Antique Brass Knurled Head Screws
• 5 - 8-32 Polished Brass Knurled Head Screws
• 5 - 10-24 Antique Brass Knurled Head Screws
• 5 - 10-24 Polished Brass Knurled Head Screws

*Bulk Pack

CARDED PRODUCT SOLD IN INNER PACK ONLY

www.westinghouselighting.com



77022
Fan
Light Switch
*Chrome Pull Chain,
2 Wire, Single Pole Switch
2' Braided Cord
3A, 250 VAC
6A, 125 VAC*



77023
Fan
Light Switch
*Polished Brass Pull Chain,
2' Braided Cord
3A, 250 VAC
6A, 125 VAC*



77287
Fan
Light Switch
*Antique Brass Pull Chain,
2' Braided Cord
3A, 250 VAC
6A, 125 VAC*



77288 - Dual Capacitor,
3-Wire Unit
3-Speed Fan Switch
*With Antique Brass
Pull Chain, 2' Braided Cord
3A, 250 VAC
6A, 125 VAC*



77286 - Single Capacitor,
4-Wire Unit
3-Speed Fan Switch
*With Antique Brass
Pull Chain, 2' Braided Cord
3A, 250 VAC
6A, 125 VAC*



77075 - Triple Capacitor,
8-Wire Unit
3-Speed Fan Switch
*With Polished Brass
Pull Chain, 2' Braided Cord
3A, 250 VAC
6A, 125 VAC*



77021 - Single Capacitor,
4-Wire Unit
3-Speed Fan Switch
*With Polished Brass
Pull Chain, 2' Braided Cord
3A, 250 VAC
6A, 125 VAC*




77270
48" Down Rod Wire
Extension Kit
*4 Wires with
4 Connectors*



77285
3-Way Fan
Light Switch
3-Wire Unit
*With Antique Brass
Pull Chain, 2' Braided Cord
3A, 250 VAC
6A, 125 VAC*



77052 - 3-Wire Unit
3-Way Fan
Light Switch
*With Polished Brass
Pull Chain, 2' Braided Cord
3A, 250 VAC
6A, 125 VAC*



77091
Fan Capacitor
*3 MFD and 6.5 MFD
3-Wire 150V*



ACCESSORIES

for ceiling fans & light fixtures

From product enhancing ceiling medallions to secure support braces and boxes, Westinghouse offers a full line of decorative and functional accessories to complement and complete any ceiling fan and light fixture installation.



Recessed Light Converter

Transform existing recessed lighting into a pendant or other light fixture!





O1011

- Quick and easy home upgrade with no remodeling
- Unique patent pending design
- Adjust to any recessed can size between 4" - 6" diameter
- No visible screws or hardware
- Perfect for hanging a pendant or other lighting fixtures
- Decorative medallion can be painted to match any decor
- Works with existing recessed cans that use medium base lamps*
- 50 lb. maximum load rating



Note: Paintable decorative medallion and metal plate are optional when used on a 4" diameter recessed can.



* Converter works with existing recessed cans that use medium base PAR16, R16, A19, R20, PAR20, BR25, BR30, R30, PAR30, BR38, PAR38, BR40 or R40 lamps.

Easy-To-Install Elegance



CHOOSING A MEDALLION

Consider four factors when selecting the appropriate ceiling medallion.

FAN OR FIXTURE SIZE

- Medallions should be smaller or larger than the diameter of your ceiling fan or lighting fixture. They should not be the same size.

CEILING HEIGHT

- Higher ceilings can accommodate larger medallions.
- 28" or larger medallions complement a two-story foyer.

ROOM SIZE

- Large rooms accommodate large medallions.
- For a typical dining room with an 8' to 9' ceiling, an 18" to 26" diameter medallion works well.

MATERIAL

- Polyurethane medallions resemble traditional plaster medallions.
- Molded plastic medallions are lightweight and can be simply installed with adhesive.

PERSONALIZE YOUR DECORATIVE POLYURETHANE MEDALLION

- Lightweight polyurethane medallions can be installed finished or unfinished.
- Available in well-known architectural styles to complement molding or other architectural details.
- Installation hardware is included in all Westinghouse polyurethane ceiling medallions.
- For use with ceiling fans or lighting fixtures.
- Easily drilled or screwed.
- Will not warp, split or splinter.
- Easily caulked or spackled to hide installation hardware.



Polyurethane

Simply apply adhesive and screw or nail into any surface.



Polyurethane

Use unpainted or paint with any latex or oil based paint to create a look that matches any décor.

Polyurethane Medallions

Includes mounting hardware:

- 1 - 3" 1/8-IP nipple
- 2 - 2" 8-32 crossbar screws
- 3 - 1 1/2" - drywall screws



77754
White Finish
Cape May
Diameter: 28"
Center Opening: 4"



77750
White Finish
Bellezza
Diameter: 14"
Center Opening: 4"



77762
White Finish
Colonnade
Diameter: 12.38"
Center Opening: 4"



77757
White Finish
Sofia
Diameter: 21"
Center Opening: 4"



77756
White Finish
Francesca
Diameter: 18"
Center Opening: 4"



77752
White Finish
Soleil
Diameter: 20"
Center Opening: 4"



77764
Round Parisian Scroll
Antique Bronze Finish
Diameter: 16"
Center Opening: 4"

Molded Plastic

Adhesive or additional mounting hardware required.



77733
Round Beaded White Finish
 Diameter: 16"
 Center Opening: 4"



77732
Smooth White Finish
 Diameter: 16"
 Center Opening: 4"



77037
Smooth White Finish
 Diameter: 10"
 Center Opening: 4"




77027
Victorian White Finish
 Diameter: 10"
 Center Opening: 4"



77028
Victorian White Finish
 Diameter: 16"
 Center Opening: 4"



77035
Textured White Finish
 Diameter: 16"
 Center Opening: 4"



77034
Split Design White Finish
 Diameter: 16"
 Center Opening: 4"

Saf-T-Brace®

IDEAL FOR RETROFIT APPLICATION NO ATTIC ACCESS REQUIRED

- Fits 16" to 24" ceiling joists
- Patented design provides fast fingertip expansion and positive attachment to joists
- Fits all ceiling fans
- Position box anywhere along the brace
- For fixture support of 150 lbs. or less on 16" centers
- For fixture support of 50 lbs. or less on 24" centers
- Acceptable for fan support of 70 lbs. or less

Additional Security from Screw Connector

O1010

Saf-T-Brace®

Box Depth 1½"

Heavy Duty, 15.5 Cubic Inch Dual Mount Electrical Box*

6 Knockouts for Conduit or Romex

Individually Packaged, 24 Per Cut Case

Extra Strong Grip



Saf-T-Brace® Display (18"L x 6⅞"D x 8"H)
#O1010DISP

new!



For more display information, contact your Westinghouse Sales Representative.


**PATENTED
TECHNOLOGY**

US PATENT NO.
4,909,405
4,659,051
5,860,548
DES.306,254

UL
LISTED
85E6


Step 1

Easy installation from below ceiling through any 4" diameter hole.




Step 2

Install end "A" by turning unit clockwise and applying pressure toward the ceiling joist.




Step 3

Slide unit toward other joist and again apply clockwise pressure.



Step 4

Attach electrical box and install fan or lighting fixture per manufacturer's instructions.



*Dual Mount = Box is threaded for 8-32 (ideal for box covers and light weight fixtures) and 10-24 screws (ideal for heavier fixtures and fans). Meets or Exceeds UL Standards Regarding Exposed Threads Within Box. Meets or Exceeds NEC® Safety Codes.

Saf-T-Brace®

IDEAL FOR RETROFIT APPLICATION NO ATTIC ACCESS REQUIRED

- Fits 16" to 24" ceiling joists
- Patented design provides fast fingertip expansion and positive attachment to joists
- Fits all ceiling fans
- Position box anywhere along the brace
- For fixture support of 150 lbs. or less on 16" centers
- For fixture support of 50 lbs. or less on 24" centers
- Acceptable for fan support of 70 lbs. or less

**Teeth Twist and Lock into Joist
to Create More Secure Connection**

01100

Saf-T-Brace®


Box Depth 1½"

Heavy Duty, 15.5 Cubic Inch Dual Mount Electrical Box*

6 Knockouts for Conduit or Romex

Individually Packaged, 24 Per Cut Case

Strong Grip




Saf-T-Brace® Display (18"L x 6⅛"D x 8"H)
#01100DISP



new!


For more display information, contact your Westinghouse Sales Representative.

Includes Mounting Hardware & Instructions




Step 1

Easy installation from below ceiling through any 4" diameter hole.




Step 2

Rotate bar until teeth are fully embedded into joist.



Step 3

Attach electrical box and install fan or lighting fixture per manufacturer's instructions.



UL
LISTED
85E6

**PATENTED
TECHNOLOGY**

US PATENT NO.
5,720,461
5,860,548

*Dual Mount = Box is threaded for 8-32 (ideal for box covers and light weight fixtures) and 10-24 screws (ideal for heavier fixtures and fans). Meets or Exceeds UL Standards Regarding Exposed Threads Within Box. Meets or Exceeds NEC Safety Codes.

www.westinghouselighting.com

IDEAL FOR RETROFIT APPLICATION NO ATTIC ACCESS REQUIRED

- Fits 16" to 24" ceiling joists
- Patented design provides fast fingertip expansion and positive attachment to joists
- Fits all ceiling fans
- Position box anywhere along the brace
- For fixture support of 150 lbs. or less on 16" centers
- For fixture support of 50 lbs. or less on 24" centers
- Acceptable for fan support of 70 lbs. or less

Includes Larger Box for
Increased Wire Capacity

01400


Saf-T-Brace®

Box Depth 2½"

Heavy Duty, 21.5 Cubic Inch Dual Mount Electrical Box
6 Knockouts for Conduit or Romex
Individually Packaged, 12 Per Cut Case
Strong Grip*



Includes Mounting Hardware & Instructions




PATENTED
TECHNOLOGY

US PATENT NO.
5,720,461
5,860,548


Step 1

Easy installation from below ceiling through any 4" diameter hole.




Step 2

Rotate bar until teeth are fully embedded into joist.



Step 3

Attach electrical box and install fan or lighting fixture per manufacturer's instructions.



*Dual Mount = Box is threaded for 8-32 (ideal for box covers and light weight fixtures) and 10-24 screws (ideal for heavier fixtures and fans).
Meets or Exceeds UL Standards Regarding Exposed Threads Within Box. Meets or Exceeds NEC® Safety Codes.

Saf-T-Bar®

IDEAL FOR NEW CONSTRUCTION ATTIC ACCESS REQUIRED

- Fits 16" to 24" ceiling joists
- Can be used with engineered truss
- Fits all ceiling fans
- Easy 4-step installation
- Position box anywhere along the brace
- For fixture support of 150 lbs. or less on 16" centers
- For fixture support of 90 lbs. or less on 24" centers
- Acceptable for fan support of 70 lbs. or less

Can be used with Engineered Truss

01525 & 0152511

Saf-T-Bar®

Box Depth 1½"

Heavy Duty, 15.5 Cubic Inch Dual Mount* Electrical Box


6 Knockouts for Conduit or Romex

01525 Individually Packaged, 12 Per Cut Case

0152511 Bulk Packed, 12 Per Cut Case



Includes Mounting Hardware & Instructions



Saf-T-Bar® Display (18"L x 6 1/8"D x 8"H) #01525DISP



new!

For more display information, contact your Westinghouse Sales Representative.

Engineered Truss Application



PATENTED
TECHNOLOGY


US PATENT NO.
5,860,548

*Dual Mount = Box is threaded for 8-32 (ideal for box covers and light weight fixtures) and 10-24 screws (ideal for heavier fixtures and fans). Meets or Exceeds UL Standards Regarding Exposed Threads Within Box. Meets or Exceeds NEC Safety Codes.

Saf-T-Box®

HEAVY DUTY SUPPORT FOR NEW CONSTRUCTION OR FOR APPLICATIONS WHERE ATTIC IS ACCESSIBLE

- Includes mounting hardware and instructions
- For fixture support of 150 lbs. or less
- Acceptable for fan support of 70 lbs. or less



01020 & 0102011

Saf-T-Box®

*Fits All Ceiling Fans
3 Knockouts for Conduit or Romex
Box Depth 1½"*

Heavy Duty

*15.5 Cubic Inch Electrical Box
01020 Individually Packaged, 24 Per Cut Case
0102011 Bulk Packed, 48 Per Cut Case*

Saf-T-Box® Display (18"L x 6⅞"D x 8"H)
#01020DISP



new!

For more display information, contact your Westinghouse Sales Representative.

01050 & 0105011

Saf-T-Box®

**3 Knockouts for
Conduit or Romex**

*1 Romex Clamp
Box Depth 1½"
Heavy Duty, 15.5 Cubic Inch
Dual Mount* Electrical Box*



Saf-T-Box® Display (18"L x 6⅞"D x 8"H)
#01050DISP



new!

For more display information, contact your Westinghouse Sales Representative.



0105211

Saf-T-Box®

**6 Knockouts for
Conduit or Romex**

*1 Romex Connector
Box Depth 1½"
Heavy Duty, 15.5 Cubic Inch
Dual Mount* Electrical Box*



0104011

Saf-T-Box®

**3 Knockouts for Conduit or Romex
1 Romex Clamp**

Box Depth 2⅞"
*Heavy Duty, 21.5 Cubic Inch
Dual Mount* Electrical Box*



PATENTED
TECHNOLOGY

US PATENT NO.
5,860,548

Sidemount Plus Fan Box®

IDEAL FOR REMODEL APPLICATIONS

- Sidemount bracket is removable for easy replacement of existing nail-on boxes without attic access
- Fits all ceiling fans
- Includes mounting hardware and instructions
- For fixture support of 70 lbs. or less
- Acceptable for fan support of 70 lbs. or less

Sidemount Plus Fan Box® Display (18"L x 6 1/8"D x 8"H)
#01240DISP

new!

For more display information, contact your Westinghouse Sales Representative.

8-32 threads for cover plates and lightweight lighting fixtures

1 Romex clamp

Saf-T-Cap® to protect bolts and wires during painting and sheetrock installation



10-24 threads for ceiling fans and chandeliers

Mounting hardware

01240 & 0124011

Sidemount Plus Fan Box®

3 Knockouts for Conduit or Romex


Box Depth 2 1/2"

Heavy Duty, 21.5 Cubic Inch

Dual Mount* Electrical Box

01240 Individually Packaged, 4 Per Cut Case


0124011 Bulk Packed, 12 Per Cut Case



Easy to Install through 4" Hole in Sheetrock


Step 1

Mount bracket to joist through 4" hole in sheetrock.



Step 2

Pull wire into box and remount box to bracket.



01250 & 0125011

Sidemount Plus Fan Box®

3 Knockouts for Conduit or Romex

Box Depth 1 1/2"

Heavy Duty, 15.5 Cubic Inch

Dual Mount* Electrical Box

01250 Individually Packaged, 24 Per Cut Case

0125011 Bulk Packed, 24 Per Cut Case



PATENTED
TECHNOLOGY

US PATENT NO.
5,860,548

*Dual Mount = Box is threaded for 8-32 (ideal for box covers and light weight fixtures) and 10-24 screws (ideal for heavier fixtures and fans). Meets or Exceeds UL Standards Regarding Exposed Threads Within Box. Meets or Exceeds NEC Safety Codes.

www.westinghouselighting.com

IDEAL FOR NEW CONSTRUCTION OR REMODEL APPLICATIONS

- Fits all ceiling fans
- Includes mounting hardware and instructions
- For fixture support of 150 lbs. or less
- Acceptable for fan support of 70 lbs. or less

01030 & 0103011

Saf-T-Pan®


2 Knockouts for Conduit or Romex

Box Depth 5/8"

Heavy Duty, 8 Cubic Inch Dual Mount* Electrical Pan

01030 Individually Packaged, 24 Per Cut Case

0103011 Bulk Packed, 48 Per Cut Case



01036 & 0103611

Saf-T-Pan®

5 Knockouts for Conduit or Romex

Box Depth 1/2"

Heavy Duty, 6 Cubic Inch Dual Mount* Electrical Pan

01036 Individually Packaged, 12 Per Cut Case

0103611 Bulk Packed, 24 Per Cut Case

Saf-T-Pan® Display (18"L x 6 1/8"D x 8"H)
#01036DISP

new!



For more display information, contact your Westinghouse Sales Representative.

PATENTED
TECHNOLOGY

US PATENT NO.
5,860,548

UL
LISTED
85E6

*Dual Mount = Box is threaded for 8-32 (ideal for box covers and light weight fixtures) and 10-24 screws (ideal for heavier fixtures and fans). Meets or Exceeds UL Standards Regarding Exposed Threads Within Box. Meets or Exceeds NEC Safety Codes.

Fan Master Jr.[®] & Fan Master[®]

IDEAL FOR NEW CONSTRUCTION APPLICATIONS

- Fits all ceiling fans
- 2 knockouts for Conduit or Romex
- Two hour fire rating
- Includes mounting hardware and instructions
- For fixture support of 150 lbs. or less
- Acceptable for fan support of 70 lbs. or less



0252511
Fan Master Jr.[®]
 Height 4"
 Box Depth ½"
13.4 Cubic Inch Wiring Capacity
 0252511 Bulk Packed, 12 Per Cut Case



Get the Wiring Space You Need... Where You Need It!


Application Illustration for All Fan Master Products



(Shown with 0200011)
 Built-in tabs allow for easier hands free installation



0200011
Fan Master[®]
 Height 4 13/16"
 Box Depth 5/8"
16.5 Cubic Inch Wiring Capacity
 0200011 Bulk Packed, 24 Per Cut Case



PATENTED TECHNOLOGY

US PATENT NO. 5,762,223

*Dual Mount = Box is threaded for 8-32 (ideal for box covers and light weight fixtures) and 10-24 screws (ideal for heavier fixtures and fans). Meets or Exceeds UL Standards Regarding Exposed Threads Within Box. Meets or Exceeds NEC Safety Codes.

SAFELY INSTALLS FANS AND FIXTURES IN SUSPENDED CEILING APPLICATIONS

- Reduce ceiling vibration and provide safe secure installation
- Fits 2' x 2' and 2' x 4' ceiling tile gridwork
- Position box anywhere along the brace
- Fits all ceiling fans
- For fixture support of 50 lbs. or less
- Acceptable for fan support of 50 lbs. or less

All weight is carried by building structure, not by gridwork

Turnbuckle for easy height adjustment

8-32 threads for cover plates and lightweight lighting fixtures

10-24 threads for ceiling fans and chandeliers

01070

Saf-T-Grid®

Box Depth 1½"


Heavy Duty, 15.5 Cubic Inch

Dual Mount* Electrical Box

6 Knockouts for Conduit or Romex

Individually Packaged, 6 Per Cut Case

Includes Mounting Hardware & Instructions



PATENTED
TECHNOLOGY

US PATENT NO.
5,435,514
5,860,548

UL
LISTED
85E6

*Dual Mount = Box is threaded for 8-32 (ideal for box covers and light weight fixtures) and 10-24 screws (ideal for heavier fixtures and fans). Meets or Exceeds UL Standards Regarding Exposed Threads Within Box. Meets or Exceeds NEC Safety Codes.



GLASSWARE

assorted replacement glass & shades

Replacing broken glass, refreshing a luminaire or a ceiling fan is easy with our unique selection of glass. From classic glass diffusers to clip-on shades, we have something for everyone.



2¼" Fitter Glass

2¼" fitter glass is perfect for use with pendant, vanity fixtures and ceiling fans.

new!



*** 85651**
Imperial Jade
Neckless Shade
Fitter: 2.25"
Height: 5.88"
Diameter: 4.88"

new!



*** 85734**
Devonshire
Linen Shade
Fitter: 2.25"
Height: 6.25"
Diameter: 4.5"

new!



*** 85722**
White Opal
Fluted Shade
Fitter: 2.25"
Height: 5.5"
Diameter: 4.75"

new!



*** 85723**
Amber Drum
Neckless Shade
Fitter: 2.25"
Height: 5.9"
Diameter: 5.1"



*** 81412**
Lunar Weave Shade
Fitter: 2.25"
Height: 5.88"
Diameter: 5.38"

new!



*** 85703**
Honeycomb Shade
Fitter: 2.25"
Height: 5.88"
Diameter: 5.25"

new!



85702
Brushed Nickel Perforated
Metal Neckless Shade
Fitter: 2.25"
Height: 6.5"
Diameter: 4.88"

new!



*** 85730**
Neckless Fire Pit
Long Shade
Fitter: 2.25"
Height: 8.5"
Diameter: 4.5"

new!



*** 81631**
Caramel Swirl Long
Neckless Shade
Fitter: 2.25"
Height: 8.7"
Diameter: 4.6"

new!



*** 85724**
Lunar Weave
Long Shade
Fitter: 2.25"
Height: 7.75"
Diameter: 4.75"

2¼" Fitter Glass



* 81407
Garden Moss Shade
Fitter: 2.25"
Height: 5.25"
Diameter: 4.5"



* 81310
Giraffe Spot Shade
Fitter: 2.25"
Height: 5.38"
Diameter: 4.5"



* 81311
Fire Pit Shade
Fitter: 2.25"
Height: 5.38"
Diameter: 4.5"




* 81409
Charcoal Swirl Shade
Fitter: 2.25"
Height: 5.25"
Diameter: 4.85"



* 81400
Wildfire Cylinder Shade
Fitter: 2.25"
Height: 6.5"
Diameter: 4.75"



* 81414
Linen Globe
Fitter: 2.25"
Height: 4.88"
Diameter: 5.25"



* 81404
Marble Cylinder Shade
Fitter: 2.25"
Height: 6.5"
Diameter: 4.75"



* 85701
Ice Cylinder Shade
Fitter: 2.25"
Height: 6.5"
Diameter: 4.75"



* 85700
Amber Mist Cylinder Shade
Fitter: 2.25"
Height: 6.5"
Diameter: 4.75"

*Hand blown glass

2¼" Fitter Glass



* 81410
Chocolate Drizzle Shade
Fitter: 2.25"
Height: 6.38"
Diameter: 4.38"



* 81405
Van Gogh Shade
Fitter: 2.25"
Height: 6.25"
Diameter: 4.38"



* 81413
Chili Pepper Shade
Fitter: 2.25"
Height: 6.25"
Diameter: 4.38"



* 81315
Clear with Black Rope Shade
Fitter: 2.25"
Height: 5.75"
Diameter: 4.63"



* 81314
Clear with White Rope Shade
Fitter: 2.25"
Height: 5.75"
Diameter: 4.63"



* 81208
White Angled Design
Fitter: 2.25"
Height: 6.75"
Diameter: 3.75"



* 81275
Indigo Blue Angled Design
Fitter: 2.25"
Height: 6.75"
Diameter: 3.75"



* 81303
Amber and Brown Shade
Fitter: 2.25"
Height: 6.25"
Diameter: 4.5"



* 81427
Spice Swirl Shade
Fitter: 2.25"
Height: 5.75"
Diameter: 4.63"



* 81364
Temptress Red Shade
Fitter: 2.25"
Height: 5.25"
Diameter: 4"

2¼" Fitter Glass



81279
Milky Scavo Bell
 Fitter: 2.25"
 Height: 5.13"
 Diameter: 5.13"



81098
Milky Scavo Bell
 Fitter: 2.25"
 Height: 5.25"
 Diameter: 5.5"



81257
Sandy Fluted Bell
 Fitter: 2.25"
 Height: 4.75"
 Diameter: 5.5"



81119
Licorice Marbleized Bell
 Fitter: 2.25"
 Height: 4.25"
 Diameter: 4.75"



81167
Brown Swirl Bell
 Fitter: 2.25"
 Height: 5.13"
 Diameter: 5.88"



81272
Milky Scavo Bell
 Fitter: 2.25"
 Height: 4.75"
 Diameter: 5.38"



*** 81363**
Burnt Umber Swirl Bell
 Fitter: 2.25"
 Height: 4.81"
 Diameter: 5.38"



81265
Hand-Painted Leaf Design Bell
 Fitter: 2.25"
 Height: 4.75"
 Diameter: 5.38"



81121
Square Tiffany Shade
 Fitter: 2.25"
 Height: 5.13"
 Width: 4.75"



*** 81356**
Tortoise Bell
 Fitter: 2.25"
 Height: 5.25"
 Diameter: 4.75"

*Hand blown glass

2¼" Fitter Glass



*** 81353**
Clear and White Design Bell
 Fitter: 2.25"
 Height: 4.75"
 Diameter: 5"



81422
Brown Marbleized Bell
 Fitter: 2.25"
 Height: 4.75"
 Diameter: 5.38"



81391
Antique Smolder Bell
 Fitter: 2.25"
 Height: 4.75"
 Diameter: 5.25"



81333
Honey Swirl Scavo Shade
 Fitter: 2.25"
 Height: 4.38"
 Diameter: 6.88"



81355
Clear Prismatic Shade
 Fitter: 2.25"
 Height: 3.75"
 Diameter: 6.5"



81120
Cappuccino Swirl Shade
 Fitter: 2.25"
 Height: 4.25"
 Diameter: 6.88"



81365
Parchment Leaf Shade
 Fitter: 2.25"
 Height: 4.5"
 Diameter: 6"



81382
Linen Pendant Shade
 Fitter: 2.25"
 Height: 5"
 Diameter: 7.75"



81135
Amber Swirl Shade
 Fitter: 2.25"
 Height: 5"
 Diameter: 7.75"



*** 81375**
Tortoise Pendant Shade
 Fitter: 2.25"
 Height: 5"
 Diameter: 7.5"

2¼" Fitter Glass



81411
Satin Etched Tulip Shade
Fitter: 2.25"
Height: 5"
Diameter: 4.25"



81270
Frosted and Clear Cross Shade
Fitter: 2.25"
Height: 5.25"
Diameter: 5"



81099
Etched Clear Shell Bell
Fitter: 2.25"
Height: 5"
Diameter: 4.75"



81051
Frosted Etched Bell
Fitter: 2.25"
Height: 4.5"
Diameter: 4.75"



*** 81227**
White Opal Bell
Fitter: 2.25"
Height: 4.75"
Diameter: 5.12"



81097
Frosted Pleated Shade
Fitter: 2.25"
Height: 4.75"
Diameter: 4"



81253
Frosted Bell with Clear Square Design
Fitter: 2.25"
Height: 4.63"
Diameter: 5.38"



81072
Frosted and Clear Stripe Shade
Fitter: 2.25"
Height: 3.75"
Diameter: 4.63"



81277
Beveled Clear Glass Bell
Fitter: 2.25"
Height: 4.75"
Diameter: 4.75"



*** 81095**
Clear Seeded Bell
Fitter: 2.25"
Height: 5"
Diameter: 4.88"

***Hand blown glass**

2¼" Fitter Glass



81258
Clear Ribbed Bell
 Fitter: 2.25"
 Height: 4.5"
 Diameter: 4.75"



81066
Frosted Ribbed Bell
 Fitter: 2.25"
 Height: 4.5"
 Diameter: 4.75"



81479
**Crystal Clear
 Pleated Shade**
 Fitter: 2.25"
 Height: 5"
 Diameter: 4.25"



81094
**Frosted Pleated
 Shade**
 Fitter: 2.25"
 Height: 5"
 Diameter: 4.25"



81096
Frosted Pleated Bell
 Fitter: 2.25"
 Height: 5"
 Diameter: 4.25"



81242
Satin Crimp Shade
 Fitter: 2.25"
 Height: 4.13"
 Diameter: 5"



*** 81282**
**Frosted Etched Grape
 Design Crimp Shade**
 Fitter: 2.25"
 Height: 4.81"
 Diameter: 4.25"



*** 81082**
**Clear and Frosted with
 Gold Band Crimp Shade**
 Fitter: 2.25"
 Height: 5.12"
 Diameter: 5.75"


Glass Diffusers




81720
White Diffuser
Square: 12"
Depth: 1.5"



81800
**Clear Wheat Design
on White Ruffled
Edge Diffuser**
Square: 12"
Depth: 1.5"



81807
**Clear Floral Design
on White Diffuser**
Square: 12"
Depth: 1.5"



81810
**Clear Floral Design
on White Diffuser**
Square: 14"
Depth: 1.75"



81727
**Gloss White
Diffuser**
Diameter: 12"
Depth: 1.75"



81925
**White Smooth
Scavo Diffuser**
Diameter: 13"
Depth: 1.75"



81819
**Clear Dot Pattern
Diffuser**
Diameter: 13"
Depth: 1.25"



81805
**Clear Dot Pattern
Diffuser**
Diameter: 15"
Depth: 1.5"



81770
**Clear Wheat Design
on White Diffuser**
Diameter: 13"
Depth: 2.13"



81750
**Clear Wheat Design
on White Diffuser**
Diameter: 12"
Depth: 1.75"



81837
Frosted Diffuser
Diameter: 13"
Depth: 2.31"

Glass Diffusers



*** 81578**
Opal
Schoolhouse Shade
 Fitter: 4"
 Height: 6.25"
 Diameter: 7.25"



*** 81528**
Opal
Schoolhouse Shade
 Fitter: 4"
 Height: 7"
 Diameter: 8.5"



*** 81592**
White
Schoolhouse Shade
 Fitter: 3.25"
 Height: 4.94"
 Diameter: 5.75"

*** 85578**
6-Pack of 81578

*** 85528**
6-Pack of 81528



*** 81290**
Schoolhouse with Ridged
Design Shade
 Fitter: 4"
 Diameter: 8"



*** 81620**
Grape Satin
Mushroom Shade
 Fitter: 6"
 Height: 3.5"
 Diameter: 8"



*** 83757**
White Mushroom Shade
 Fitter: 8"
 Height: 4"
 Diameter: 9.5"



*** 81613**
White Mushroom Shade
 Fitter: 6"
 Height: 3.75"
 Diameter: 7.5"

*** 85757**
6-Pack of 83757

*** 85613**
6-Pack of 81613



81606
White and Clear
Drum Shade
 Fitter: 6"
 Height: 3.38"
 Diameter: 6.5"

85606
6-Pack of 81606



85608
White and Clear
Drum Shade
 Fitter: 8"
 Height: 4"
 Diameter: 8.75"
 Sold as 6-Pack Only



81609
White and Clear
Drum Shade
 Fitter: 10"
 Height: 4.25"
 Diameter: 11"

Chimneys



*** 81170**
Clear Flare Shade
 Fitter: 1.63"
 Height: 8"
 Diameter: 4.88"



*** 81162**
Clear Williamsburg Style Shade
 Fitter: 1.63"
 Height: 6.5"
 Diameter: 3.75"

*** 85162**
6-Pack of 81162



*** 81112**
Clear Stenciled Grape Design Shade
 Fitter: 1.63"
 Height: 6"
 Diameter: 3.75"



*** 81169**
Clear Flare Shade
 Fitter: 1.63"
 Height: 6.75"
 Diameter: 3.75"



*** 81160**
Clear Flare Shade
 Fitter: 1.63"
 Height: 6.5"
 Diameter: 3.63"



*** 83072**
Clear Glass Chimney
 Fitter: 2.63"
 Height: 10"
 Bulge: 3.63"
 Top Opening: 2"



*** 83073**
3/4 Frosted Glass Chimney
 Fitter: 2.63"
 Height: 10"
 Bulge: 3.63"
 Top Opening: 2"



*** 83062**
Clear Glass Chimney
 Fitter: 2.63"
 Height: 7.5"
 Bulge: 3.5"
 Top Opening: 1.63"



*** 83063**
3/4 Frosted Glass Chimney
 Fitter: 2.63"
 Height: 7.5"
 Bulge: 3.5"
 Top Opening: 1.63"

***Hand blown glass**

Chimneys



*** 83070**
Clear Glass Chimney
 Fitter: 2.63"
 Height: 8.5"
 Bulge: 3.63"
 Top Opening: 2"



*** 83071**
3/4 Frosted Glass Chimney
 Fitter: 2.63"
 Height: 8.5"
 Bulge: 3.63"
 Top Opening: 2"



*** 83100**
Clear Glass Chimney
 Fitter: 3"
 Height: 10"
 Bulge: 4"
 Top Opening: 2"



*** 83101**
3/4 Frosted Glass Chimney
 Fitter: 3"
 Height: 10"
 Bulge: 4"
 Top Opening: 2"



*** 83090**
Clear Glass Chimney
 Fitter: 3"
 Height: 8.5"
 Bulge: 4"
 Top Opening: 2"



*** 83091**
3/4 Frosted Glass Chimney
 Fitter: 3"
 Height: 8.5"
 Bulge: 4"
 Top Opening: 2"



*** 83102**
Clear Glass Chimney
 Fitter: 3"
 Height: 10"
 Bulge: 3.63"
 Top Opening: 2"



*** 83103**
3/4 Frosted Glass Chimney
 Fitter: 3"
 Height: 10"
 Bulge: 3.63"
 Top Opening: 2"



*** 83112**
Clear Glass Chimney
 Fitter: 3"
 Height: 11.75"
 Bulge: 3.63"
 Top Opening: 1.88"



*** 83131**
Clear Glass Chimney
 Fitter: 3"
 Height: 14"
 Bulge: 3.63"
 Top Opening: 2"

Glass Globes 3¼" & 4" Fitters

85612

Frosted and Clear Shade

Fitter: 3.25"

Height: 5"

Diameter: 6"

Sold as 6-Pack Only



81602

Clear Design Shade

Fitter: 3.25"

Height: 5.75"

Diameter: 5.5"



85602

6-Pack of 81602

*** 85705**

Smoke Lustre Globe

Fitter: 3.25"

Diameter: 6"

Sold as 6-Pack Only



81254

Clear Prismatic Globe

Fitter: 3.25"

Diameter: 6.38"



85254

6-Pack of 81254

81338

Clear Prismatic Globe

Fitter: 4"

Diameter: 8"



*** 81549**

Gloss Clear Globe

Fitter: 4"

Diameter: 7.5"



85338

6-Pack of 81338

*** 81558**

Gloss Smoke Globe

Fitter: 4"

Diameter: 7.5"



*** 81712**

Gloss Clear Lustre Globe

Fitter: 3.25"

Diameter: 6"



*** 85712**

4-Pack of 81712

**Hand blown glass*

Glass Globes 3¼" & 4" Fitters

* 81501
Opal Globe
Fitter: 3.25"
Diameter: 6"



* 81570
Gloss White Globe
Fitter: 3.25"
Diameter: 6"



* 85570
6-Pack of 81570

* 81504
Opal Globe
Fitter: 4"
Diameter: 8"



* 81571
Gloss White Globe
Fitter: 4"
Diameter: 8"



* 85571
6-Pack of 81571

* 81575
Frosted Victorian
Globe
Fitter: 4"
Diameter: 7.5"



* 81707
Victorian Globe
Fitter: 3.25"
Diameter: 6"



* 85707
6-Pack of 81707

* 81560
Clear Seeded
Globe
Fitter: 3.25"
Diameter: 6"



* 81574
Cloudy Frosted
Globe
Fitter: 3.25"
Diameter: 6"



Polycarbonate and Acrylic Shades

81918

**Drum Lens White
Acrylic Shade**

Notched Fitter: 9.88"

Height: 2.5"

Diameter: 11"



81883

**White Acrylic
Neckless Globe**

Diameter: 12"

Opening: 5.25"

81884

Diameter: 14"

Opening: 5.25"



81893

**White Polyethylene
Neckless Globe**

Diameter: 12"

Opening: 5.25"



81919

**Drum Lens White
Acrylic Shade**

Fitter: 12.63"

Height: 2.5"

Diameter: 13.75"



81450

**White Glass
Threaded Neck Globe**

Thread: 3.25"

Diameter: 6"



85450

6-Pack of 81450



81905

**White Polyethylene
Globe**

Fitter: 3"

Diameter: 6"

81900

**White Acrylic
Globe**

Fitter: 4"

Diameter: 8"

81869

**White Polycarbonate
Globe**

Fitter: 3.25"

Diameter: 6"

81890

Fitter: 4"

Diameter: 10"

81901

Fitter: 4"

Diameter: 10"

85869

6-Pack of 81869

81892

Fitter: 4"

Diameter: 12"

81902

Fitter: 4"

Diameter: 11"

81877

**White Polycarbonate
Threaded Neck Globe**

Thread: 3.25"

Diameter: 6"

85888

Fitter: 4"

Diameter: 8"

Sold as 6-Pack Only

81887

Thread: 3.25"

Diameter: 6"

Glass, Polycarbonate and Acrylic Shades



81876
Clear Tapered Polycarbonate Threaded Neck Shade
 Thread: 3.25"
 Height: 8.75"
 Diameter: 4"



81456
Vapor Proof Clear Optic Glass Threaded Neck Shade
 Thread: 3.25"
 Height: 6.75"
 Diameter: 3.5"



81448
Vapor Proof Clear Glass Threaded Neck Shade
 Thread: 3.25"
 Height: 6.75"
 Diameter: 3.5"



81452
Vapor Proof Clear Glass Threaded Neck Shade
 Thread: 3.25"
 Height: 6"
 Diameter: 3.5"



81451
White Glass Threaded Neck Shade
 Thread: 3.25"
 Height: 6.25"
 Diameter: 3.5"

85451
6-Pack of 81451



81920
Polycarbonate Threaded Neck Shade
 Thread: 3.25"
 Height: 5.5"
 Diameter: 3.63"



81457
White Tapered Polycarbonate Threaded Neck Shade
 Thread: 3.25"
 Height: 8.5"
 Diameter: 4"



81459
White Tapered Polycarbonate Threaded Neck Shade
 Thread: 3.25"
 Height: 6.25"
 Diameter: 4"

Assorted Glass Fitters And Channels



*** 81104**
Frosted Etched Shade
 Fitter: 1.63"
 Height: 5.25"
 Diameter: 4.5"



*** 81100**
Frosted Etched Shade
 Fitter: 1.63"
 Height: 5"
 Diameter: 4.25"



*** 81151**
Satin White Shade
 Fitter: 2"
 Height: 5"
 Diameter: 4.75"

*** 85100**
6-Pack of 81100

*** 85151**
6-Pack of 81151



81590
Satin Floral Etched Design Shade
 Fitter: 3.25"
 Height: 4.25"
 Diameter: 7"

81617
Clear Shade
 Fitter: 3.25"
 Height: 4.75"
 Diameter: 3.63"




85617
6-Pack of 81617



81604
White Grooves with Clear Bottom Shade
 Fitter: 3.25"
 Height: 4.5"
 Length: 5.75"

85604
6-Pack of 81604

*** 81230**
Green with White Interior Shade
 Height: 3.13"
 Width: 8.75"
 Depth: 5"
 1/2" holes on both sides



81760
White Channel
 Length: 24"
 Width: 3.75"
 Depth: 3"
 Hole Size: .38"
 2 Holes
 6 1/2" from ends
 11" between holes



81764
White Channel
 Length: 15"
 Width: 3.75"
 Depth: 3"
 Hole Size: .38"
 Centered Hole



81759
White Channel
 Length: 12"
 Width: 3.75"
 Depth: 3"
 Hole Size: .38"
 Centered Hole




81758
White Channel
 Length: 7.5"
 Width: 3.75"
 Depth: 3"
 Hole Size: .38"
 Hole 1.75" from end



*Hand blown glass

Clip-On Shades



No wiring.

No tools.

Simply clip onto an A shape bulb.



Create a Fixture Instantly!

*Clip-on shades are a quick and easy way
to change a light bulb into a fixture!
Instantly add a decorative touch!*



Porcelain lamp holder shown (Item #22745)
can be found on page 168. (Sold separately.)



81514

**Acrylic White Dome
Clip-On Shade with
Pull Chain Opening**

Height: 4.75"

Diameter: 7.75"



81499

**Polypropylene Satin Tulip
Clip-On Shade**

Height: 4.75"

Diameter: 8"



81493

**Acrylic Prismatic Dome
Clip-On Shade**

Height: 4.75"

Diameter: 8"




81494

**Acrylic White Dome
Clip-On Shade**

Height: 4.75"

Diameter: 7.75"

Glassware Glossary



FITTER (F)

Fitter size is the diameter of the glass where the glass attaches to the fixture or lamp.

HEIGHT (H)

Distance between the two farthest points opposite each other on the top and bottom of the glass that form a vertical line.

DIAMETER (D)

Distance between two opposite points at the widest part of the glass that form a horizontal line.

NECKLESS

A piece of glass without a neck.

CENTER HOLE

The opening on a neckless shade and measured like a fitter. If a piece of glass has a fitter and a center hole, the center hole is used for lock-up.

DEPTH

Distance from the center point inside the glass to the point directly opposite, this is measured without mounting.

BULGE

The diameter measured at the widest part of a chimney.

TOP OPENING

Distance between the two farthest points opposite each other on the top of a student shade. All top openings are wide enough and made to fit over the average chimney.

THREADED NECK

A fitter that attaches to the fixture or lamp by means of threads in the glass.

NOTCHED FITTER

Designed to lock tightly into specially designed holders with $\frac{1}{4}$ turn.

Plastic Material Guide

Feature Comparison Chart

Feature	Polyethylene	Acrylic	Polycarbonate
Heat Resistance	G	G	E
Quality of Seams	F	E	E
UV Resistance	F	E	F
Strength	G	G	E
Light Transmission	F	E	G
Wall Thickness Uniformity	G	G	E
Shatter Resistance	E	F	G
Surface Characteristics	G	E	G
Appearance vs. Time	G	E	G
Strength vs. Time	G	E	F
Overall Appearance	G	E	G

KEY:

E = Excellent

G = Good

F = Fair

Recommended Maximum Incandescent Wattage Ratings


Polyethylene		Acrylic		Polycarbonate	
Globe	Watts	Globe	Watts	Globe	Watts
6"	40	6"	60	6"	75
8"	75	8"	75	Cylinder	Watts
10"	100	10"	100	5½"	60
12"	150	12"	150	5¾"	60
14"	200	14"	150	6¼"	60
16"	200	16"	200	7¼"	60
18"	250	18"	200	8½"	60
—	—	Cylinder	Watts	8¾"	60
—	—	5"	60	—	—

This wattage guide is a general recommendation only. Actual wattage ratings are influenced by fixture type, bulb location and ambient temperature. The light source should be located at the center of each shade.

LIGHTING HARDWARE

bulk & packaged

For every repair need, Westinghouse has you covered. From sockets to switches, canopies to crossbars, we have those hard to find parts to make your life easier.



Hardware comes either in retail package or bulk pack. Bulk pack has been indicated throughout the section.

Glass Shade Holder Kits & Accessories

Glass Shade Holder Kits

3¼" Holder

Use (1) Medium Base Lamp, 60 Watt Maximum

Includes:

- 1 Crossbar
- 2 Mounting Screws
- 1 Green Grounding Screw
- 3 Knurled Fitter Screws
- 1 Fiberglass Insulator



70042
Shade Holder with Polarized
Convenience Outlet
Chrome Finish



70229 - Antique Brass Finish
70242 - Brass Finish
70244 - White Finish
Shade Holder with
On/Off Pull Chain Switch



70230 - Brass Finish
70236 - Antique Brass Finish
70240 - Chrome Finish
Shade Holder

70234
Twin Cluster
Ceiling Kit
Medium Base

Includes:

- 1 Canopy
- 1 Wired Socket
- 1 Crossbar
- 2 Mounting Screws
- 1 Lock-Up Cap
- 2 Rubber Washers
- Ideal for Glass Diffusers



*** 22745**
Porcelain Lamp Holder
Keyless
Medium Base
660 Watts Max., 250 Volts
8-32 Screws
Height - 1¾"



70241 - Chrome Finish
70231 - Brass Finish
70243 - Antique Brass Finish
70238 - White Finish
4" Holder
Use (1) Medium Base Lamp,
60 Watt Maximum

70414
Twin Cluster
Medium Base
24" Wire Leads
Tapped Both Ends
660 Watts Max.
250 Volts
⅝-IP Female Threads
Height - 3¼"



*** 22259**
Twin Cluster Socket
with Male Threads
on Each End
6" Wire Leads
18 Gauge, 105° Leads
660 Watts Max.
250 Volts
⅝-IP Nipple
Height - 4½"



*** 22256**
3 Light Cluster
with Male Threads
on Each End
6" Wire Leads
18 Gauge
105° Leads
660 Watts Max.
250 Volts
⅝-IP Nipple
Height - 4¾"



*Bulk Pack

CARDED PRODUCT SOLD IN INNER PACK ONLY

www.westinghouselighting.com

Sockets



***22207**
2-Piece Phenolic Shell
 On/Off
 Medium Base
 Nipple 1/8-IP
 250 Watts Max.
 250 Volts
 Height - 2 3/4"



***22205**
1-Piece Phenolic Shell
 Bottom Turn Knob Socket
 Medium Base
 Nipple 1/8-IP
 660 Watts Max.
 250 Volts
 Height - 3 1/4"



***22234**
High Heat Phenolic
On/Off
 Medium Base
 Keyless
 Bushing 1/8-IP with Set Screw
 660 Watts Max.
 250 Volts
 Height - 2 3/4"



***22237**
Push-Through Phenolic
 Medium Base
 1/8-IP Cap with Side Screw
 Aluminum Screw Shell
 600 Watts Max.
 250 Volts
 Height - 2 5/8"



70146
Vertical Phenolic
Snap-In Socket
 Fits into 3/8" x 1/4" Hole
 Medium Base
 660 Watts Max.
 250 Volts



70407
Keyless Phenolic
Socket
 1/8-IP Hickey
 Medium Base
 660 Watts Max.
 250 Volts



70430
Turn Knob
Phenolic Socket
 On/Off
 Threaded 1/8-IP
 Medium Base
 660 Watts Max.
 250 Volts



70433
Pull Chain
Phenolic Socket
 On/Off
 Tapped 1/8-IP
 Medium Base
 250 Watts Max.
 250 Volts



70145
Horizontal Phenolic
Snap-In Socket
 Fits into 7/8" x 1/4" Hole
 Medium Base
 660 Watts Max.
 250 Volts



***22501**
Push-Through
 Medium Base
 660 Watts Max.
 250 Volts
 Height - 1 1/16"



***22503**
Pull Chain
 On/Off
 Medium Base
 250 Watts Max.
 250 Volts
 Height - 1 3/4"



***22502 - On/Off**
***22504 - 3-Way**
***22505 - 2-Circuit**
Turn Knob
 Medium Base
 250 Watts Max.
 250 Volts
 Height - 1 1/16"


***Bulk Pack**
www.westinghouselighting.com

CARDED PRODUCT SOLD IN INNER PACK ONLY



*** 22381 - 3 Light
* 22382 - 4 Light
Black Harness Set**

Candelabra Base
Fits 3/4" Hole
Includes Lock Nuts
SPT-2, 18 Gauge,
105° Leads
75 Watts Max.
Per Socket
125 Volts
6 1/4" Between Sockets
12" on End Height - 1 1/4"



*** 22380
1 Light
Harness Set**

Candelabra Base
Fits 3/4" Hole
Includes Lock Nut
12" Wire Leads
SPT-2, 18 Gauge,
105° Leads
75 Watts Max., 125 Volts
Height - 1 1/4"



*** 22377 - 18" Leads
Candelabra Base**

1/8-IP Hickey
18 Gauge, 105° Leads
75 Watts Max., 125 Volts
Height - 1 1/4"



*** 22221
Pigtail Holder**

6" Wire Leads
Medium Base
14 Gauge 105° Leads
660 Watts Max., 250 Volts
Height - 1 1/2"



*** 22220
Pigtail**

24" Wire Leads
Candelabra Base
18-2, SPT-1
105° Leads
75 Watts Max.
125 Volts
Height - 1 1/8"



*** 22223
Snap-In Pigtail**

24" Wire Leads
Candelabra Base
Snaps Into
1" Diameter Hole
18-2, SPT-1, 105° Leads
75 Watts Max.
125 Volts
Height - 1 1/8"



*** 22215
Medium Base**

6" Wire Leads and
Straight Bracket
18 Gauge, 105° Leads
Bracket Extends 1 1/8"
Measured Center
to Center
660 Watts Max.
250 Volts
Height - 1 1/2"



*** 22203
Medium Base**

1/8-IP Hickey
660 Watts Max.
250 Volts
Height - 2"



*** 22200
Pin Type With Cap**

Candelabra Base
Use with SPT-1 Wire
75 Watts Max.
125 Volts
Height - 1 1/4"



*** 22213
Medium Base**

6" Wire Leads
Fits 1 1/4" Hole
18 Gauge, 105° Leads
660 Watts Max.
250 Volts
Height - 1 1/2"



*** 22214
Medium Base**

6" Wire Leads and
Ground Wire
Fits 3/8" x 1/4" Hole
18 Gauge, 105° Leads
660 Watts Max.
250 Volts
Height - 2"



*** 22217
Medium Base**

9" Wire Leads
Fits 3/8" x 1/4" Hole
18 Gauge, 105° Leads
660 Watts Max.
250 Volts
Height - 1 1/2"



*** 22216
Medium Base**

9" Wire Leads
1/8-IP Hickey
18 Gauge, 105° Leads
660 Watts Max.
250 Volts
Height - 1 1/8"



*** 22222
Pin-Type Socket**

Medium Base
Use with SPT-2 Wire
660 Watts Max.
250 Volts
with Hanger Bracket
Height - 2"

*Bulk Pack

CARDED PRODUCT SOLD IN INNER PACK ONLY

www.westinghouselighting.com

Sockets



70412 - 3-Way
70413 - On/Off
70421 - 2 Circuit
Turn-Knob Socket
 Brass Finish
 Medium Base
 Tapped 1/8-IP
 250 Watts Max., 250 Volts



70410 - Brass Finish
*** 22011 - Polished Brass**
*** 22013 - Brass Finish**
Push-Through Socket
with Set Screw
 On/Off
 Brass Finish
 Medium Base
 Tapped 1/8-IP
 660 Watts Max., 250 Volts




70411 - On/Off
 250 Watts Max., 250 Volts
70431 - 3-Way
 250 Watts Max., 250 Volts
Pull Chain Socket
 Brass Finish
 Medium Base
 Tapped 1/8-IP




70417
Quick-Snap Socket
 3-Way Turn Knob
 Brass Finish
 Medium Base
 Tapped 1/8-IP
 250 Watts Max., 250 Volts




*** 22001 - Brite Gilt**
*** 22003 - Brass Finish**
Keyless
 Medium Base
 Bushing 1/8-IP with Set Screw
 660 Watts Max., 250 Volts
 Height - 2"



*** 22031 - Polished Brass**
*** 22033 - Brass Finish**
Turn Knob
 Medium Base
 Bushing 1/8-IP with Set Screw
 Removable Knob
 250 Watts Max., 250 Volts
 Height - 2 1/2"



*** 22041 - Polished Brass**
3-Way Turn Knob
 Medium Base
 Bushing 1/8-IP with Set Screw
 Removable Knob
 250 Watts Max., 250 Volts
 Height - 2 1/2"



*** 22051 - Polished Brass**
2 Circuit Turn Knob
 Medium Base
 Bushing 1/8-IP with Set Screw
 Removable Knob
 250 Watts Max., 250 Volts
 Height - 2 1/2"



70161
Two Replacement Knobs
 Black Finish
 With 1/2" Extensions
 Tapped 3/16-F x 3/16-M



*** 22551**
Replacement
Paper Shell
 For Turn Knob or
 Pull Chain Sockets



*** 22517**
Brass Special Cap
 1/4-IP Thread with
 Set Screw



70160
Two Socket Keys
 Brass Finish
 With 1/2" Extensions
 Tapped 3/16-F x 3/16-M



*** 22135**
70405 (Carded 2-Pack)
2" Keyless Socket
 Medium Base
 1/8-IP Threaded Hickey
 660 Watts Max., 250 Volts



*** 22136**
3" Keyless Socket
 Medium Base
 1/8-IP Hickey
 660 Watts Max., 250 Volts
 Height - 3"



*** 22125**
Candelabra Base
 1/8-IP Hickey
 75 Watts Max., 125 Volts
 Height - 1 1/2"



*** 22126**
70403 (Carded 2-Pack)
2" Keyless Socket
 Candelabra Base
 1/8-IP Threaded Hickey
 75 Watts Max., 125 Volts



*** 22138**
70404 (Carded 2-Pack)
Adjustable Keyless Socket
 Medium Base
 1/8-IP Hickey
 660 Watts Max., 250 Volts
 Height Adjustable from 4" - 5 5/8"



*** 22127**
70402 (Carded 2-Pack)
Adjustable Keyless Socket
 Candelabra Base
 1/8-IP Threaded Hickey
 75 Watts Max., 125 Volts
 Height Adjustable from 3 1/4" - 4 3/4"

***Bulk Pack**

CARDED PRODUCT SOLD IN INNER PACK ONLY

www.westinghouselighting.com

Porcelain Fixture Sockets

70419

Porcelain Socket

Candelabra Base
10" Wire Leads
Height - 1 7/8"
Diameter - 1"
1/8-IP Hickey, 18 Gauge
105° Leads
75 Watts Max., 125 Volts



70409

Porcelain Keyless Socket

Medium Base
1/8-IP Threaded Cap
660 Watts Max.
250 Volts
Height - 2"



70408

Porcelain Keyless Socket Adapter Kit

1/8-IP Threaded Cap
660 Watts Max.
250 Volts



Includes:

- 1 Medium Base Socket
- 1 Screw Collar Loop
- 1 Fiber Washer
- 1 Locknut
- 1/8-IP x 1" Nipple
- 1/8-IP x 2" Nipple



*** 22370**

77077

70425

Porcelain Fixture Socket

Medium Base
10" Wire Leads
1/8-IP Hickey
18 Gauge, 105° Leads
660 Watts Max., 250 Volts
Height - 2"

*** 22212**

70424

Porcelain Snap-In Socket

Medium Base
Fits 1 1/2" Hole
6" Wire Leads
18 Gauge, 125° Leads
660 Watts Max., 250 Volts
Height - 1 3/4"



*** 22272**

70429

Porcelain Threaded Socket with Steel Shade Ring

Medium Base
Bushings 1/8-IP with Set Screw
660 Watts Max., 250 Volts
Height - 2 1/8"
Ring Size - 2 5/8"



*** 22371**

70426

Porcelain Fixture Socket

Medium Base
1/4-IP Hickey
660 Watts Max.
250 Volts
Height - 2"



70010

Porcelain Threaded Socket with Aluminum Shade Ring

Medium Base
660 Watts Max.
250 Volts
Height - 1 5/8"
Ring Height - 1/2"

***Bulk Pack**

www.westinghouselighting.com

CARDED PRODUCT SOLD IN INNER PACK ONLY



*** 22264**
Receptacle
 Candelabra Base
 75 Watts Max., 125 Volts
 Height - $\frac{7}{8}$ "



*** 22273**
One-Piece Receptacle
 Medium Base
 600 Watts Max., 250 Volts
 Height - $1\frac{1}{2}$ "
 180° C Maximum Temp.



*** 22150**
70364
Socket Extender
 Medium Base
 660 Watts Max., 250 Volts
 Extension - $1\frac{1}{4}$ "
 Overall Length - $2\frac{1}{4}$ "



*** 22218**
Keyless Socket
1 Screw Surface Mount
 Medium Base
 7" Wire Leads
 660 Watts Max., 250 Volts
 105° Leads
 Leads Height - $1\frac{5}{8}$ "



*** 22372**
Socket
 Medium Base
 9" Wire Leads
 Fits $\frac{3}{8}$ " x $\frac{1}{4}$ " Hole
 18 Gauge, 105° Leads
 660 Watts Max., 250 Volts
 Height - 2"



*** 22276**
Snap-In
Porcelain Socket
 660 Watts Max., 250 Volts
 Height - $1\frac{3}{4}$ "



*** 22281**
Mogul Base Socket
 3-Way
 Removable Knob
 Bushing $\frac{1}{4}$ -IP
 750 Watts Max., 250 Volts
 Height - $4\frac{1}{4}$ "



*** 22282**
Mogul Base Socket
 1500 Watts Max., 600 Volts
 Height - $2\frac{5}{8}$ "
 4KV Pulse Rating



*** 22266**
70423
Two-Piece
Sign Receptacle
 Medium Base
 660 Watts Max., 250 Volts
 Height - $1\frac{1}{2}$ "
 300° C Maximum Temp.

***Bulk Pack**

CARDED PRODUCT SOLD IN INNER PACK ONLY

www.westinghouselighting.com



*** 16074
70428**
Steel Shade Ring
For Medium Base Sockets
Ring Size - $2\frac{3}{8}$ "
Outside Diameter - $2\frac{1}{4}$ "
Inside Diameter - $1\frac{1}{2}$ "



70001
Two Aluminum Shade Rings
For Medium Base Sockets
Outside Diameter - 2"
Inside Diameter - $1\frac{1}{2}$ "



70435
Phenolic Shade Ring
For Medium Base Sockets
Outside Diameter - $2\frac{3}{16}$ "
Inside Diameter - $1\frac{5}{8}$ "



*** 22274**
Keyless Twin Socket
Medium Base
Bushing $\frac{1}{8}$ -IP
With Set Screw
660 Watts Max.
250 Volts
Height - $2\frac{1}{8}$ "




*** 22267**
Medium Base Socket
 $\frac{1}{8}$ -IP Hickey
660 Watts Max.
250 Volts
Height - 2"
1875 Pulse Rated



*** 22269**
Keyless Socket
Medium Base
Bushing $\frac{1}{8}$ -IP
With Set Screw
660 Watts Max.
250 Volts
Height - 2"



*** 22402**
Socket
Adapter Reducer
Reduces German or Italian Base to Candelabra Size
With Rubber Ring
75 Watts Max.
120 Volts



*** 22403**
Socket
Adapter Reducer
Reduces Intermediate Base to Candelabra Base
With Rubber Ring
75 Watts Max.
120 Volts



*** 22406**
Socket
Adapter Reducer
Reduces Mogul Base to Medium Base
660 Watts Max.
250 Volts



*** 22411**
70361
Socket
Adapter Enlarger
Enlarges Candelabra Base to Medium Base
75 Watts Max.
120 Volt



- * 22471**
Mini Bi-Pin Quartz MR16 Socket
 GX5.3 Base
 12" 18 Gauge Leads
 SF-1 200° C Leads
 100 Watts Max., 250 Volts
 Height - 1"



- * 22470 - GY6.35 Base**
*** 22472 - GX5.3 Base**
Mini Bi-Pin Quartz MR16 Socket
 12" 18 Gauge Leads
 SF-1 200° C Leads
 100 Watts Max., 250 Volts
 Height - 3/8"



- * 22481**
High Pressure Sodium Lamp Socket
 9" Wire Leads
 Medium Base
 SF-2/SEW-2 200° Leads
 4 K.V. Pulse Rated
 660 Watts Max., 600 Volts
 1/2" Bushing
 Height - 1 1/4"



- * 22480**
High Pressure Sodium Lamp Socket
 9" Wire Leads
 Medium Base
 SF-2/SEW-2 200° Leads
 4 K.V. Pulse Rated
 660 Watts Max., 600 Volts
 1/2" Screw-Down
 Height - 1 1/4"



- * 11110**
Quartz Lamp Holder
 5" Wire Leads
 SF-1 200° C 300V Leads
 For 4 5/8" Lamp
 500 Watts Max.
 250 Volts
 Fits R7S, 4 5/8" Lamp Bases
 Height - 1 3/8"



- * 11112**
HQI Lamp Holder
 15" SF-2 200° C Leads
 1000 Watt Max.
 250 Volts
 For R7S Lamp Bases
 Height - 1 5/8"



- * 11109**
Quartz Lamp Holder
 5" Wire Leads
 SF-1 200° C
 500 Watts Max.
 250 Volts
 300 Volts Leads
 Fits R7S, 3 1/8" Lamp Bases
 Height - 1 5/8"



- * 11100**
Double Contact Bayonet Socket
 11" Wire Leads
 Threaded 1/8-IP
 SF-1 200° C 300V Leads
 150 Watts Max.
 125 Volts
 Height - 1 1/4"



- * 11104**
Porcelain Halogen Socket
 5" Wire Leads
 SF-1 200° C 300V Leads
 100 Watts Max., 250 Volts
 Fits G4, GX5.3, GV5.3
 and G6.35 Lamp Bases
 Height - 3/8"



- * 11107**
MR16 Porcelain Socket
 5" Wire Leads
 SF-1 200° C Leads
 75 Watts Max., 125 Volts
 Fits G5.3, GU5.3
 and GX5.3 Lamp Bases



- * 11108**
MR16 Porcelain Socket
 5" Wire Leads
 SF-1 200° C Leads
 75 Watts Max., 300 Volts
 Fits G5.3, GU5.3
 and GZ5.3 Lamp Bases

***Bulk Pack**

CARDED PRODUCT SOLD IN INNER PACK ONLY

www.westinghouselighting.com



- * 22451**
Slimline Slide-On Lamp Holder
Plunger Pedestal-Type
Shallow End
For T8 Lamps
660 Watts Max., 1000 Volts



- * 22452**
Slimline Slide-On Lamp Holder
Fixed Pedestal-Type
Shallow End
For T8 Lamps
660 Watts Max., 1000 Volts



- * 22490**
Stationary End Lamp Holder
For HO, VHO, SHO Lamps
660 Watts Max., 1000 Volts



- * 22491**
Plunger End Lamp Holder
For HO, VHO, SHO Lamps
660 Watts Max., 1000 Volts



- * 22457**
Medium Bi-Pin Lamp Holder
Floating Action for U-Shape Lamps
Low Profile Size
20 Gauge
660 Watts Max., 600 Volts



- * 22458**
Medium Bi-Pin Lamp Holder
Floating Action for U-Shape Lamps
Low Profile Size
Disconnect Feature Guards Against Electric Shock
No. 18/20 Gauge
660 Watts Max., 600 Volts



- * 22453**
Medium Bi-Pin Lamp Holder
Low Profile Size
660 Watts Max., 600 Volts
T8/T12 Non Shunted



- * 22455**
Medium Bi-Pin Turn Type Lamp Holder
Standard Size
No. 20 Gauge
Panel Mount
660 Watts Max., 600 Volts



- * 22456**
Medium Bi-Pin Turn Type Lamp Holder
Standard Size
No. 18 Gauge
Panel Mount
660 Watts Max., 600 Volts



- * 22454**
Medium Bi-Pin Turn Type Lamp Holder
Low Profile Size
No. 18/20 Gauge
Panel Mount, Captive Mount and Screw
660 Watts Max., 600 Volts
Non Shunted



- Fluorescent Lamp Starters**
*** 22560 - FS-2 - RoHS Compliant**
14, 15 and 20 Watt Lamps
*** 22561 - FS-4**
30 and 40 Watt Lamps
*** 22562 - FS-5 - RoHS Compliant**
4, 6 and 8 Watt Lamps

Switches



*** 22324 - Nickel Finish
3-Way Canopy Switch With
4' White Braided Cord**

6" Wire Leads
18 Gauge, 105° Leads
Fits $\frac{3}{8}$ " Hole
1A, 125 VT
3A, 250 VAC
6A, 125 VL
6A, 125 VAC
Sequence of Operation:
Low / Medium / High / Off
Height - $1\frac{3}{16}$ "
250V Maximum



*** 22320 - Nickel Finish, 3' Cord
* 22321 - Brass Finish, 4' Cord
Pull Chain Canopy Switch
With White Braided Cord**

6" Wire Leads
18 Gauge, 105° Leads
Fits $\frac{3}{8}$ " Hole
3A, 250 VAC
6A, 125 VAC
6A, 125 VL
Height - $1\frac{1}{4}$ "



*** 22303 - Brass Knob
Single Pole
Rotary Switch
Removable Knob**

6" Wire Leads
18 Gauge, 105° Leads
 $\frac{7}{16}$ " Nipple
Fits $\frac{3}{8}$ " Hole
1A, 125 VAC-L
1A, 250 VAC
3A, 120 VAC
Height - $1\frac{1}{16}$ "



*** 22310
3-Way, 2 Circuit
Switch With
Removable
Brass Knob**

6" Wire Leads
18 Gauge, 105° Leads
 $\frac{3}{8}$ " Nipple
Fits $\frac{3}{8}$ " Hole
3A, 250 Volts
6A, 125 VT
Sequence of Operation:
1 On / 2 On / 1 & 2 On / Off
Height - $1\frac{1}{4}$ "



*** 22306
Push Canopy
Switch**

$4\frac{3}{4}$ " Wire Leads
18 Gauge, 105° Leads
Fits $\frac{3}{8}$ " Hole
3A, 250 VAC
6A, 125 VL
6A, 125 VAC
Height - $1\frac{1}{4}$ "

*Bulk Pack

CARDED PRODUCT SOLD IN INNER PACK ONLY

www.westinghouselighting.com



77022
Fan Light Switch
With Chrome Finish
Pull Chain, 2' Braided Cord
3A, 250 VAC
6A, 125 VAC



77023
Fan Light Switch
With Polished Brass
Pull Chain, 2' Braided Cord
3A, 250 VAC
6A, 125 VAC



77287
Fan Light Switch
With Antique Brass
Pull Chain, 2' Braided Cord
3A, 250 VAC
6A, 125 VAC




70290
Replacement Canopy Light Switch
With Brass Pull Chain
2' Braided Cord
6" Wire Leads
Height - 1 1/4"
Fits 3/8" Hole



77285 - 3-Wire Unit
3-Way Fan Light Switch
With Antique Brass
Pull Chain, 2' Braided Cord
3A, 250 VAC
6A, 125 VAC



77052 - 3-Wire Unit
3-Way Fan Light Switch
With Polished Brass
Pull Chain, 2' Braided Cord
3A, 250 VAC
6A, 125 VAC



77091
Fan Capacitor
3 MFD and 6.5 MFD
3-Wire 150V



77288 - Dual Capacitor, 3-Wire Unit
3-Speed Fan Switch
With Antique Brass
Pull Chain, 2' Braided Cord
3A, 250 VAC
6A, 125 VAC



77286 - Single Capacitor, 4-Wire Unit
3-Speed Fan Switch
With Antique Brass
Pull Chain, 2' Braided Cord
3A, 250 VAC
6A, 125 VAC



77075 - Triple Capacitor, 8-Wire Unit
3-Speed Fan Switch
With Polished Brass
Pull Chain, 2' Braided Cord
3A, 250 VAC
6A, 125 VAC




77021 - Single Capacitor, 4-Wire Unit
3-Speed Fan Switch
With Polished Brass
Pull Chain, 2' Braided Cord
3A, 250 VAC
6A, 125 VAC

Crossbars

All crossbars are made of steel.

Quick Assist Crossbar™ Patented Technology




- U-slot design allows for easy adjustments without rewiring.
- Pre-assemble fixture before installation.
- No threading required so wires never twist during assembly.



70115 - Slips $\frac{1}{8}$ -IP
70116 - Slips $\frac{1}{4}$ -IP
Quick Assist Crossbar™
 45 lb. Load Rating
 Patent # 6,824,298
 Patent # 6,824,298



70112
4" Offset Crossbar
 Two $\frac{1}{2}$ " Mounting Screws
 and Two Tapped $\frac{5}{32}$ " Holes
 Spaced $2\frac{3}{4}$ " Apart
 Slips $\frac{3}{8}$ -IP
 35 lb. Load Rating



*** 21032**
70111
Adjustable
All-Purpose Crossbar
 Slips $\frac{3}{8}$ -IP
 Holes Tapped 8-32
 Adjusts from $3\frac{7}{8}$ " to 5"
 for Slot Mounting on 3",
 $3\frac{1}{4}$ " or 4" Box
 Two $\frac{1}{2}$ " Head Screws Included
 Two $\frac{1}{4}$ " Head Screws Included
 35 lb. Load Rating



*** 21003**
70113
4" Long Crossbar
 Tapped $\frac{1}{8}$ -IP
 45 lb. Load Rating



70110
4" Crossbar Kit
 Tapped $\frac{1}{4}$ -IP
 35 lb. Load Rating
 Includes:
 • 1 Crossbar
 • 1 $\frac{3}{8}$ -IP x $\frac{1}{4}$ -IP Reducing Hickey
 • 1 $\frac{1}{4}$ -IP x $\frac{1}{8}$ -IP Reducing Bushing
 • 2 8-32 x $\frac{1}{2}$ " Mounting Screws



70350 - Brass Finish
70352 - Antique Brass Finish
Screw Collar Loop Kit
 Fits Canopies with a $1\frac{1}{16}$ " Center Hole
 Tapped $\frac{1}{4}$ -IP
 35 lb. Load Rating
 Includes:
 • 1 Crossbar
 • 1 Screw Collar Loop
 • 2 Locknuts
 • 1 Lock Washer
 • 1 $\frac{1}{4}$ -IP x $1\frac{1}{2}$ " Nipple
 • 1 $\frac{3}{8}$ -IP x $\frac{1}{4}$ -IP Reducing Hickey
 • 2 x $\frac{1}{2}$ " Mounting Screws

***Bulk Pack**

CARDED PRODUCT SOLD IN INNER PACK ONLY

www.westinghouselighting.com

All crossbars are made of steel.




*** 21038**
Circular Crossbar
4 Holes Tapped 8-32
2 $\frac{3}{4}$ " Center to Center
3 $\frac{1}{2}$ " Center to Center
45 lb. Load Rating



*** 21031**
Universal Crossbar
6 Holes Tapped 8-32
1 $\frac{1}{2}$ " Center Hole 3 $\frac{7}{8}$ "
2 $\frac{1}{8}$ " Center to Center
2 $\frac{3}{4}$ " Center to Center
3 $\frac{3}{8}$ " Center to Center
Green Ground Screw
35 lb. Load Rating



*** 21006**
70114
Offset Crossbar
4" Long
8-32 Tapped Holes
Green Ground Screw
35 lb. Load Rating



*** 21030**
Universal Crossbar
Slips $\frac{3}{8}$ -IP
Can Be Used for Porch Bracket,
Ceiling Fixture or Any Other Type of
Wall Mounted Lamp
Easily Adjustable for Slot Mounting
Two No. 10 Wood Screw Holes
Will Adjust on 3", 3 $\frac{1}{4}$ " or 4" Box
35 lb. Load Rating



*** 21008**
Crossbar
3 $\frac{7}{8}$ " Long
Ground Screw Inserted
Tapped $\frac{1}{4}$ -IP
45 lb. Load Rating



*** 21004**
Crossbar
4" Long
Tapped $\frac{1}{8}$ -IP
Green Ground Screw
45 lb. Load Rating



*** 21005**
Crossbar
4" Long
Tapped $\frac{1}{4}$ -IP
45 lb. Load Rating



*** 21036**
Crossbar Extension End
Tapped 8-32
Makes any crossbar adjustable.
The combined load rating is a maximum of 30 lbs.
when used in conjunction with another crossbar.

Nipples & All Thread

THREAD SIZES

Thread sizes come in several different types:

- 1/4-27 is 1/4" in diameter and fits harps and most finials
- 1/8-IP is 3/8" in diameter and fits ordinary lamp sockets
- 1/4-IP is 1/2" in diameter and is used in floor lamps



70151 Six Assorted Nipples

Zinc-Plated

Includes:

- 2 1/4-IP x 3/4"
- 2 1/4-IP x 1 1/2"
- 2 1/4-IP x 2"



70150 Eight Assorted Nipples

Zinc-Plated

Includes:

- 2 1/8-IP x 1/2"
- 2 1/8-IP x 1"
- 2 1/8-IP x 1 1/2"
- 2 1/8-IP x 2"

1/4-27



1/4"

1/8-IP



3/8"

1/4-IP



1/2"

3/8-IP



5/8"



* 13352 Brass Hex Head Nipple

Threaded 1/8-IP
Thread 3/16" Long



Steel Nipples Zinc-Plated

- * 13204 - 1/2" Long
- * 13206 - 3/4" Long
- 70176 - 1" Long (Carded 4-Pack)
- * 13212 - 1 1/2" Long
- 70601 - 1 1/2" Long (Carded 4-Pack)
- * 13216 - 2" Long
- 70602 - 2" Long (Carded 2-Pack)
- * 13224 - 3" Long
- 70603 - 3" Long (Carded 2-Pack)
- * 13228 - 3 1/2" Long
- * 13232 - 4" Long
- 70604 - 4" Long (Carded 2-Pack)
- * 13248 - 6" Long
- 70606 - 6" Long (Carded 2-Pack)

Threaded 1/8-IP

Steel Nipples Zinc-Plated

- * 13416 - 2" Long
- * 13418 - 3" Long
- * 13420 - 4" Long
- * 13424 - 6" Long
- 70613 - 6" Long (Carded 2-Pack)

Threaded 1/4-IP



* 13312 - 1 1/2" Long Brass Running Thread Nipples

Threaded 1/8-IP



* 13650 70270 30" Steel Brass-Plated All-Thread Pipe

Threaded 1/8-IP




* 13648 Steel All-Thread Pipe

1/8-IP x 36"

70272 12" All-Thread Lamp Pipe Kit

Zinc-Plated Steel

- Includes:
- 2 1/8-IP x 12" Threaded Pipe
 - 2 1/8-IP Couplings
 - 2 1/8-IP Locknuts
 - 2 1/8-IP Knurled Locknuts
 - 2 Washers



*Bulk Pack

CARDED PRODUCT SOLD IN INNER PACK ONLY

www.westinghouselighting.com

Assorted Hardware




*** 12060 - Steel Hexagon**
Tapped $\frac{1}{4}$ -IP
Diameter - $\frac{1}{16}$ "



*** 12055 - Steel Hexagon**
Tapped $\frac{1}{8}$ -IP
Diameter - $\frac{5}{16}$ "



*** 11744 Hexagon**
Brass
Tapped $\frac{1}{8}$ -IP
Diameter - $\frac{1}{2}$ "




70620 Four Knurled Locknuts
Solid Brass
Tapped $\frac{1}{8}$ -IP




70155 Twelve Assorted Washers
Brass-Plated Steel
For $\frac{1}{8}$ -IP Nipples
Includes:
• 4 Lock Washers
• 4 Flat Washers
• 4 Rubber Washers




70628 Six Assorted Nuts and Washers
Brass-Plated Steel
For $\frac{1}{8}$ -IP Nipples
Includes:
• 2 Lock Washers
• 2 Flat Washers
• 2 Hex Nuts



70621 - Solid Brass
70622 - Steel
Six Hex Nuts
Tapped $\frac{1}{8}$ -IP



70172 Twelve Hex Nuts
Solid Brass
Tapped $\frac{1}{8}$ -IP



70152 Sixteen Assorted Hex Nuts
Steel
Includes:
• 4 8-32 Hex Nuts
• 2 $\frac{1}{4}$ -27 Hex Nuts
• 6 $\frac{1}{8}$ -IP Hex Nuts
• 2 $\frac{1}{4}$ -IP Hex Nuts
• 2 $\frac{3}{8}$ -IP Hex Nuts



70153 Twelve Assorted Locknuts
Solid Brass
Includes:
• 2 8-32 Battery Nuts
• 2 $\frac{1}{4}$ -27 Threaded Knurled Locknuts
• 2 $\frac{1}{8}$ -IP Knurled Locknuts
• 4 $\frac{1}{8}$ -IP Hex Nuts
• 2 $\frac{1}{4}$ -IP Knurled Locknuts



*** 10512 Plain Coupling**
Brass
Tapped $\frac{1}{8}$ -IP
 $\frac{5}{16}$ " Long



*** 10509 - Brass**
70162 - Polished Brass (Carded 2 Pack)
Coupling
Tapped $\frac{1}{8}$ -IP



*** 12224 Washer**
Brass-Plated
Slips $\frac{1}{8}$ -IP
Diameter - 1"



77016

20 - 1/2" Screws

Assorted for Fan Lights and Fan Blades

Includes:

- 5 - 8-32 Antique Brass Knurled Head Screws
- 5 - 8-32 Polished Brass Knurled Head Screws
- 5 - 10-24 Antique Brass Knurled Head Screws
- 5 - 10-24 Polished Brass Knurled Head Screws



70156

Thirteen Assorted Screws

Includes:

- 3 8-32 x 1/2" Brass-Plated
- 3 8-32 x 1/2" Nickel-Plated
- 3 8-32 x 3/4" Brass-Plated
- 2 8-32 x 1" Brass-Plated
- 2 8-32 x 2" Brass-Plated



70635

Fourteen Piece Metric Lighting Fixture Repair Kit

Includes:

- 2 - M4 x 10mm Philips Head Screws
- 2 - M4 x 12mm Knurled Head Screws
- 2 - M4 x 15mm Philips Head Screws
- 2 - M4 x 15mm Knurled Head Screws
- 2 - M4 x 25mm Cross Bar Screws
- 4 - M4 Knurled Knobs



70636

Five Round Head Screws

*Brass-Plated Steel
8-32 Thread x 2" Long*



77047 - Polished Brass Finish

77048 - Antique Brass Finish

10 Piece Motor Screw Kit

For Mounting Fan Blade Arms to Motor Housing



77040 - Polished Brass Finish

77041 - Antique Brass Finish

12 Fitter Screws

For Fan Lights



70660

Four Cap Nuts

*Solid Brass
Diameter - 3/8"
Tapped 8-32*



70632 - Brass-Plated Steel - 1/2" Long

70633 - Nickel-Plated Steel - 1/2" Long

70634 - Brass-Plated Steel - 3/4" Long

Three Knurled Head Screws

8-32 Thread



70254

1 3/8" Diameter Female Loop

*Antique Brass Finish
Tapped 1/8-IP
40 lb. Load Rating*



70258

Two 1" Diameter Female Loops

*Brushed Nickel Finish
Tapped 1/8-IP
45 lb. Load Rating*



70255

Two 1" Diameter Female Loops

*Brass Finish
Tapped 1/8-IP
45 lb. Load Rating*



70256

Two 1" Diameter Female Loops

*Antique Brass Finish
Tapped 1/8-IP
45 lb. Load Rating*



70250

Two 1" Diameter Female and Male Loops

*Brass Finish
1/8-IP Thread
45 lb. Load Rating*



*** 21530**

Female Loop

*Brass-Plated and Lacquered
Tapped 1/8-IP
45 lb. Load Rating
Hole for Wiring
Diameter - 1 5/16" Height - 1 1/4"*



70169 - Brass Finish

70640 - Nickel Finish

Two Lock-Up Caps

*Diameter - 9/16"
Tapped 1/8-IP*



70158 - White Finish

Two Lock-Up Caps

*Diameter - 1 1/16"
Tapped 1/8-IP*



70159 - Brass Finish

Two Lock-Up Caps

*Diameter - 1"
Tapped 1/8-IP*



70638 - Brass Finish

70639 - Nickel Finish

Lock-Up Kits

*For Ceiling Glass
Tapped 1/8-IP*

***Bulk Pack**

CARDED PRODUCT SOLD IN INNER PACK ONLY

www.westinghouselighting.com

Assorted Hardware



77046 - White
Six Beaded Chain
Connectors



77045 - Chrome
Six Beaded Chain
Connectors



*** 16572 - Brass**
Six Beaded Chain
Connector



77044 - Solid Brass
Six Beaded
Chain Connectors



77066 - Antique Brass
Six Beaded
Chain Connectors



*** 16576**
Brass Finish End Bell
For Beaded Chain
or Pull Cord



70661
Walnut Wooden
Ball Pull Chain
36" Polished Brass
Beaded Chain



Beaded Chain


.011 Gauge 1/8" Diameter Ball 75 Balls per Foot

Item No.	Length	Finish
* 16565	Sold by Foot or 250' Spool	Nickel
* 16564	Sold by Foot or 250' Spool	Brass

Beaded Chain with Connector

.011 Gauge 1/8" Diameter Ball 75 Balls per Foot


Item No.	Length	Finish
70168	5 Ft.	Brass
77012	1 Ft.	Solid Brass
77050	3 Ft.	Solid Brass
77043	12 Ft.	Solid Brass
77064	3 Ft.	Antique Brass
77109	12 Ft.	Antique Brass
77051	3 Ft.	White Plastic
77054	3 Ft.	Oil Rubbed Bronze
77049	3 Ft.	Stainless Steel
77238	3 Ft.	Brushed Nickel
77063	3 Ft.	Chrome
77107	12 Ft.	Chrome




70168



77012
77050
77043



77049
77238
77063
77107



77051



77054



77064
77109



70662
*** 16584**
3' White
Braided Cord
Nickel Finish
Connector and
End Bell Attached

Canopies

*** 61272**

Traditional Canopy Kit

Antique Brass Finish

7/16" Center Hole

50 lb. Load Rating

2 Holes Spaced 2 3/4" Apart

Includes:

- 1 Canopy
- 1 Crossbar
- 1 Lock Washer
- 1 Locknut
- 4 Mounting Screws
- 1 Screw Collar Loop
- 2 Cap Nuts
- Polybagged



*** 18134**

Canopy Extension Collar

White Finish

Gives Canopy 1 1/2"

Additional Depth

Depth - 1 1/2"

Diameter - 5 3/4"



Traditional Canopy Kits with Center Hole

5" Diameter

7/16" Center Hole

50 lb. Load Rating

Includes:

- 1 Canopy
- 1 Crossbar
- 4 Mounting Screws
- 1 Lock Washer
- 1 Locknut
- 1 Screw Collar Loop
- 2 Cap Nuts



70050

Oil Rubbed Bronze Finish



70048

Brushed Nickel Finish



70052

Brass Finish



70053

Antique Brass Finish



70054

Brushed Pewter Finish



70055

Black Finish



70056

White Finish

70045

Ceiling Blank-Up Kit

White Finish

Diameter - 5"

7/16" Center Hole

Includes:

- 1 Canopy
- 1 1/8"-IP x 2 1/2" Nipple
- 1 3/8"-IP x 1/8"-IP Reducing Bushing
- 1 Cap Nut



70049

Canopy

Antique Brass Finish

Diameter - 5"

1 1/8" Center Hole

(Use with Screw Collar Loop Kit, Item# 70352 on page 180)

***Bulk Pack**

CARDED PRODUCT SOLD IN INNER PACK ONLY

www.westinghouselighting.com

Modern Canopy Kits with Center Hole

5" Diameter

7/16" Center Hole

40 lb. Load Rating

Includes:

- 1 Canopy
- 1 Screw Collar Loop
- 2 Mounting Screws
- 1 Lock Washer
- 1 Locknut



70035

Modern Canopy Kit

Antique Brass Finish



70037

Modern Canopy Kit

White Finish



70033

Modern Canopy Kit

Brushed Nickel Finish



70059

Modern Canopy Kit

Brushed Pewter Finish



70036

Modern Canopy Kit

Black Finish



70038

Modern Canopy Kit

Oil Rubbed Bronze Finish



* 29453 - Holes Spaced 2 3/4" Apart

* 70064 - Holes Spaced 2 3/4" Apart

* 29452 - Holes Spaced 3 1/2" Apart

* 70065 - Holes Spaced 3 1/2" Apart

White Outlet Concealer

Diameter - 4 3/4"

Mounts on 4" Outlet Box

Includes:

- 2 8-32 x 3/4" White Head Screws

**Bulk items are Polybagged*



70058

Blank-Up Kit

White Finish

Diameter - 5"

Holes Spaced

2 3/4" Apart

Includes:

- 1 Canopy
- 1 Crossbar
- 2 Mounting Screws
- 2 Cap Nuts

***Bulk Pack**

www.westinghouselighting.com

CARDED PRODUCT SOLD IN INNER PACK ONLY

Swag Light Kits

Swag Kits Include:

- 11 Gauge Chain
- SPT-1 Cord Set
- Cord Switch
- 2 Swag Hooks
- Mounting Hardware
- 35 lb. Load Rating

Complete installation instructions included.



**70483 - 12 Ft. Chain,
15 Ft. Cord**

Brushed Steel Finish

*Clear Cord with White Switch
See Contents Listed on the left*



**70470 - 15 Ft. Chain,
20 Ft. Cord**

**70480 - 12 Ft. Chain,
15 Ft. Cord**

Polished Brass Finish

*Gold Cord with
White Switch*



**70471 - 15 Ft. Chain,
20 Ft. Cord**

**70481 - 12 Ft. Chain,
15 Ft. Cord**

Antique Brass Finish

*Opaque Gold Cord with
Brown Switch*



**70530 - 15 Ft. Chain,
20 Ft. Cord**

**70531 - 12 Ft. Chain,
15 Ft. Cord**

White Finish

*White Cord with
White Switch*



**70486 - 12 Ft. Chain,
15 Ft. Cord**

Excavated Bronze Finish

Brown Cord with Brown Switch

Swag Kit Contents Listed Above



Swag Kits Include:

- 11 Gauge Chain
- SPT-2 Cord Set
- White Cord Switch
- 2 Swag Hooks
- Mounting Hardware
- 35 lb. Load Rating

Complete installation instructions included.



**70126 - 18 Ft. Chain,
20 Ft. Cord**

Brushed Nickel Finish

See Contents Listed on the left



**77002 - 18 Ft. Chain,
20 Ft. Cord**

Antique Brass Finish



**70125 - 18 Ft. Chain,
20 Ft. Cord**

Oil Rubbed Bronze Finish



**77003 - 18 Ft. Chain,
20 Ft. Cord**

White Finish

Swag Kit Contents Listed Above

CARDED PRODUCT SOLD IN INNER PACK ONLY

www.westinghouselighting.com

Swag Hooks & Chain



70446




70440



70441



70442



70443

Large 2 1/2" Swag Hook Kits

- 70440 - Polished Brass Finish
- 70441 - Antique Brass Finish
- 70442 - Black Finish
- 70443 - White Finish
- 70446 - Brushed Pewter Finish

Hook Kits include:

- 1 Spring Toggle Wing
- 1 Running Thread Stud: 1/4-20 x 2 7/8"
- 1 Wood Screw: #14 x 1 1/8"
- 45 lb. Load Rating



70444



70450

70451
*21241

70452



70453



70457

70770
*21249

70454

1 1/2" Swag Hook Kits

- 70444 - Brushed Pewter Finish
- 70450 - Polished Brass Finish
- 70451 - Antique Brass Finish
- 70452 - Black Finish
- 70453 - Antique Copper Finish
- 70454 - Oil Rubbed Bronze Finish
- 70457 - Rust Finish
- 70770 - White Finish

- 21241 - Antique Brass Finish
- 21249 - White Finish

Hook Kits include:

- 2 Hooks
- 2 Spring Toggle Wings
- 2 Running Thread Studs: #10-24 x 2 7/8"
- 2 Wood Screws: #10 x 1 1/4"
- 30 lb. Load Rating



70322



70062



70070



70071



70072



70074



70075



70079



70670

3 Ft. 11 Gauge Fixture Chains, 35 lb. Load Rating

- 70062 - Brushed Pewter Finish
- 70070 - Polished Brass Finish
- 70071 - Antique Brass Finish
- 70072 - Flat Black Finish
- 70074 - Oil Rubbed Bronze Finish
- 70075 - Brushed Nickel Finish
- 70079 - Rust Finish
- 70322 - Tiffany Antique Finish
- 70670 - White Finish

8 Gauge Fixture Chains, 50 lb. Load Rating, Sold by the Yard

- * 21461 - Chrome Finish
- * 21464 - Antique Brass Finish
- * 21457 - Flat Black Finish

*Bulk Pack

www.westinghouselighting.com

CARDED PRODUCT SOLD IN INNER PACK ONLY

Make-A-Lamp Kits

70025

Electrified Candlestick and Bottle Adapter

Includes:

- 8' 18 Gauge Cord Set
- Push-Through Medium Base Socket
- 150 Watts Max. Rating
- 3 Rubber Bottle Adapters
- Hardware



*** 69559**

70099


Fixture Chain Pliers

7" Long

Used for Easy Opening

and Closing of Chain Links

Works with up to 3 Gauge Chain




70268

3-Way Socket Kit

Includes:

- 10" Brass-Plated Detachable Harp
- 8' 18 Gauge Cord Set
- 3-Way Medium Base Socket
- 150 Watts Max. Rating
- Finial
- Hardware



70269

Push-Through Socket Kit

Includes:

- 10" Brass-Plated Detachable Harp
- 8' 18 Gauge Cord Set
- Push-Through Medium Base Socket
- 150 Watts Max. Rating
- Finial
- Hardware



70266

Electric Bottle Adapter Kit

Includes:

- 10" Brass-Plated Detachable Harp
- 8' 18 Gauge Cord Set
- Push-Through Medium Base Socket
- 150 Watts Max. Rating
- Decorative Finial
- 3 Rubber Bottle Adapters
- Hardware

***Bulk Pack**

CARDED PRODUCT SOLD IN INNER PACK ONLY

www.westinghouselighting.com

Harps



70551

Two Compact Fluorescent Lamp Harp Expanders

For use with Compact Fluorescent Lamps with Larger Ballasts

Brass Finish

Height - 7/8"

Width - 1 15/16"

Depth - 3/8"

* 19104 - 8"

* 19106 - 9"

* 19108 - 10"

Two-Piece Brass-Plated Heavy-Duty Detachable Harp



70218 - 6 1/2"

70220 - 8"

70221 - 9"

70222 - 10"

70224 - 12"

Two-Piece Polished Brass Finish Detachable Harp



70226 - 8"

70227 - 10"

70228 - 12"

Two-Piece Brushed Pewter Finish Detachable Harp



70689 - 8"

70690 - 10"

Two-Piece Rustic Bronze Finish Detachable Harp



* 19066 - 7"

* 19067 - 7 1/2"

* 19068 - 8"

* 19070 - 9"

* 19071 - 9 1/2"

* 19072 - 10"

* 19074 - 11"

Two-Piece Brass-Plated Detachable Harp



* 28151

70219

Clip-On Lamp Adapter

Clips Onto Medium Base

A-Shape Lamps

Brass Finish

Threaded 1/4-27

Height - 3 1/16"

Width - 2 1/8"

Depth - 1/2"

Overall Height - 4"



70216

Clip-On Lamp Adapter

Clips onto Candelabra

Base Lamps

Brass Finish

Threaded 1/4-27

Height - 2 1/2"

Width - 1"

Depth - 7/8"

Overall Height - 3 1/8"

*Bulk Pack

www.westinghouselighting.com

CARDED PRODUCT SOLD IN INNER PACK ONLY

Finials, Knobs and Risers

70681

**Ornate Lantern
Lamp Finial**

Aged Iron Finish
Height - 2 $\frac{7}{8}$ "
Tapped $\frac{1}{4}$ -27



70320

**Victorian
Lamp Finial**

Tiffany Antique
Brass Finish
Height - 3 $\frac{1}{2}$ "
Tapped $\frac{1}{4}$ -27



70699

**Baroque Scroll
Lamp Finial**

Black Iron Finish
Height - 2 $\frac{3}{4}$ "
Tapped $\frac{1}{4}$ -27



70133

**Acorn Knob
Lamp Finial**

Brass Finish
Height - 1 $\frac{1}{2}$ "
Tapped $\frac{1}{4}$ -27
Finial Thread Reducer
Tapped $\frac{1}{8}$ -M to $\frac{1}{4}$ -27-F



70141

**Acorn Knob
Lamp Finial**

Nickel Finish
Height - 1 $\frac{1}{2}$ "
Tapped $\frac{1}{4}$ -27
Finial Thread Reducer
Tapped $\frac{1}{8}$ -M to $\frac{1}{4}$ -27-F



70321

**Victorian
Lamp Finial**

Tiffany Antique
Brass Finish
Height - 1 $\frac{3}{8}$ "
Tapped $\frac{1}{4}$ -27



70004

**Semi Ornate Floral
Lamp Finial**

Oil Rubbed
Bronze Finish
Height - 1 $\frac{1}{2}$ "
Tapped $\frac{1}{4}$ -27



70686

**Clear Glass Ball
Lamp Finial**

Brass Finish
Height - 1 $\frac{7}{8}$ "
Tapped $\frac{1}{4}$ -27



70005

**Classic Ball
Lamp Finial**

Oil Rubbed
Bronze Finish
Height - 1 $\frac{1}{2}$ "
Tapped $\frac{1}{4}$ -27



70006

**Classic Ball
Lamp Finial**

Brushed Nickel
Finish
Height - 1 $\frac{1}{2}$ "
Tapped $\frac{1}{4}$ -27



*** 10706**
70140 (Carded 2-Pack)
Shade Riser
 Solid Brass
 Height - 1"
 1/4-27 Thread
 Male and Female Threads



*** 10708**
Riser
 Solid Brass
 Height - 1 7/8"
 1/4-27 Thread



*** 10710**
Riser
 Solid Brass
 Height - 2"
 1/4-27 Thread



70130 (Carded 2-Pack)
Two Lamp Finials
 Solid Brass
 Height - 2"
 Tapped 1/4-27



70144 (Carded 2-Pack)
Two Lamp Finials
 Nickel Finish
 Height - 1"
 Tapped 1/4-27



70131 (Carded 2-Pack)
Two Lamp Knobs
 Brass Finish
 Height - 1 1/4"
 Tapped 1/4-27



70138 (Carded 2-Pack)
Two Lamp Knobs
 Nickel Finish
 Height - 1 1/4"
 Tapped 1/4-27



70135
Lamp Finial
 Solid Brass
 Height - 2"
 Tapped 1/4-27



70143
Lamp Finial
 Nickel Finish
 Height - 2"
 Tapped 1/4-27



*** 10649**
70676
Lamp Finial
 Aged Iron Finish
 Height - 2"
 Tapped 1/4-27



*** 16355 - Height - 1/2"**
*** 16356 - Height - 1"**
70136 - Height - 1"
(Carded 2-Pack)
Lamp Finial
 Brass Finish
 Tapped 1/4-27



*** 10605**
Finial
 Burnished and
 Lacquered
 Height - 1"
 Tapped 1/4-27



*** 11700**
Small Knurled
Battery Nut
 Brass
 Tapped 3/32



*** 10600**
Solid Brass Knob
 Polished Brass
 Tapped 1/4-27



* 22367 - White
 * 22366 - Brown
Heavy-Duty On/Off Switch
 For Use with No. 18,
 SPT-2 Wire Only
 T-Rated
 3A, 125 Volts
 3A, 250 Volts
 6A, 125 Volts



* 22352
Cord Switch
 Black
 For Use with SPT-1 Wire
 T-Rated
 3A, 125 Volts
 3A, 250 Volts
 6A, 125 Volts



* 22357 - White
 * 22359 - Brown
On/Off Switch
 For Use with No. 18,
 SPT-1 Wire
 T-Rated
 3A, 125 Volts
 3A, 250 Volts
 6A, 125 Volts



* 22354
Feed-Through Cord Switch
 Brown
 Use with SPT-1 or
 SPT-2 Wire
 3A, 125 VAC
 1/2 HP, 125 VAC



70506 - Brown Finish
 70500 - White Finish
Feed-Through On/Off Switch
 For Use with No. 18,
 SPT-1 Wire Only
 3A



77270
48" Down Rod Wire Extension Kit
 4 Wires with
 4 Connectors



* 21494
Slips 8/32 Thread
 Bare Copper Ground
 Wire With Lug
 9" Lead



70641
10' Copper Ground Wire
 18 Gauge



Cord Sets
 18/2 SPT-1, 105° Wire
Transparent Silver

- * 23055 - 15 Foot **Opaque Gold**
- * 23034 - 8 Foot **Transparent Gold**
- * 23033 - 8 Foot
- * 23053 - 15 Foot



Cord Sets
 18/2 SPT-1, 105° Wire
Black

- * 23032 - 8 Foot
- * 23052 - 15 Foot **White**
- * 23020 - 6 Foot
- * 23030 - 8 Foot
- * 23050 - 15 Foot **Brown**
- * 23031 - 8 Foot
- * 23051 - 15 Foot



70103
15' Gold Cord Set
 Polarized Plug
 18-2 SPT-1, 105° Wire



70098
8' Silver Cord Set
 Polarized Plug
 18-2 SPT-2, 105° Wire



70101 - SPT-1
 70107 - SPT-2
8' Brown Cord Set
 Polarized Plug
 18-2, 105° Wire



70100 - SPT-1
8' White Cord Set
 Polarized Plug
 18-2, 105° Wire



70105 - SPT-1
 70102 - SPT-2
8' Gold Cord Set
 Polarized Plug
 18-2, 105° Wire

On All Cord Sets Free Ends are Split, Stripped and Tipped

*Bulk Pack

CARDED PRODUCT SOLD IN INNER PACK ONLY

www.westinghouselighting.com

Parts and Accessories




Great for Seasonal
Ceramics and Crafts

- * 23305 - 6 Foot White
 - 70108 - 6 Foot White
 - * 23306 - 6 Foot Brown
 - 70003 - 6 Foot Brown
- Cord Set with Snap-In Pigtail
Candelabra Base Socket and
Cord Switch**
No. 18-2, SPT-1, 105° Wire
75 Watts, 125 Volts
Snap-In Spring Fits 1" Hole
Switch is 12" from Socket



- * 23300 - 6 Foot White
 - * 23302 - 8 Foot White
 - * 23303 - 8 Foot Brown
- Cord Set With Switches
Cat Tipped**

No. 18-2, SPT-1, 105°
Wire Switch is 12" from End



- * 23311 - 6 Foot White
- Cord Set With Snap-In Pigtail
Candelabra Base Socket**


No. 18-2, SPT-1, 105° Wire
75 Watts
125 Volts
Fits 1" Hole
Snap-In Spring Fits 1" Hole



70801

Halogen Dimmer For Torchiere Lamps

Includes Knob
500 Watt Maximum, 120 VAC



*Bulk Pack

www.westinghouselighting.com

CARDED PRODUCT SOLD IN INNER PACK ONLY


Plugs




- * 22600 - Brown
- * 22601 - Ivory
- Easy Connect Plug**
- Polarized*
- SPT-1 Wire, Side Entry*



- * 22631 - Brown
- * 22632 - White
- Polarized Automatic Plug**
- SPT-1 Wire, Top Entry*




- * 22634
- 3-Prong Plug**
- Steel Cord Clamp*
- 7/16" Hole*
- 15A, 125 Volts*




- * 22633
- Heavy Duty Outdoor 3-Prong Plug**
- Plastic Cord Clamp*
- 7/16" Hole*
- 15A, 125 Volts*
- Cord Grip Range 245-700"*
- 12 thm, 18 AWG*




- * 22635
- Heavy Duty Outdoor Female Connector**
- Plastic Cord Clamp*
- 3/8" Hole*
- 15A, 125 Volts*



- 74321 - Clear
- Eight Safety Caps**
- Covers Outlets*



- * 22532
- Snap-In Outlet with Ground Wire**
- Black*
- 6" Wire Leads*
- 14 Gauge*
- 15A, 125 Volts*
- Fits 1" Square Opening*
- with Green Ground Wire*
- Height - 7/8"*



- * 22738
- Vinyl Parallel Ground Adapter**
- Polarized*
- 15A, 125 Volts*

*Bulk Pack

CARDED PRODUCT SOLD IN INNER PACK ONLY

www.westinghouselighting.com

Accessories



- * 24105 - 3" Long
- * 24109 - 4" Long
- 70370 - 4" Long (Carded 2-Pack)
- * 24115 - 6" Long

**White Plastic
Candle Socket Cover**

Candelabra Base

I.D. - 3/4"

O.D. - 7/8"



- * 24140 - 4" Long White
- 70371 - 4" Long White (Carded 2-Pack)
- 70374 - 4" Long Ivory (Carded 2-Pack)
- * 24147 - 6" Long White

**White Plastic
Candle Socket Cover**

Medium Base

I.D. - 1 3/16"

O.D. - 1 1/4"



- * 24059
- 70373 - (Carded 2-Pack)
- Ivory Plastic
Candle Socket Cover**

4" Long

Candelabra Base

I.D. - 3/4"

O.D. - 7/8"



**70368
Two 4" Plastic
Candle Socket Covers**

Tan Drip

Candelabra Base

I.D. - 3/4"

O.D. - 7/8"



**70300
Five 1 1/2"
Crystal Prisms**
Clear




**70312
Five 3"
Crystal Prisms**
Clear



**74998 - Single Gang
74999 - Double Gang
Plastic Wall Shield**



*** 12082 - White**
3" x 4" x 4"
Pleated Shades
Clips on to
Torpedo Bulbs



*** 28212**
6" Diameter
Green Felt Pad
Adhesive Backing

70900 - White Finish
40" Wire Cover
Can be painted or stained
Use latex stain only



*** 41298 - 16 oz.**
*** 41299 - 32 oz.**
Extend-A-Finish
Crystal and Fixture
Cleaner
Features:

- Will Not Streak or Spot
- Drip Dry
- No Ammonia
- Will Not Harm Metal Framework or Finish



70298
Extend-A-Finish
Crystal and Fixture
Cleaner
Convenient 6-pack bin
box of 41298



7709908
Duster Display
Contains 12 Dusters
(Item# 77105)



77105
All Purpose
Electrostatic Duster

- Telescopic handle extends up to 72"
- Flexible head adjusts to any angle
- Perfect for cleaning fan blades, fixtures or any other hard-to-reach household items



Can Adjust to Any Angle

***Bulk Pack**

CARDED PRODUCT SOLD IN INNER PACK ONLY

www.westinghouselighting.com

Item#	Page#	Item#	Page#	Item#	Page#	Item#	Page#
01010	139	13216	182	22041	171	22381	170
• 01010DISP	139	13224	182	22051	171	22382	170
• 01011	7, 43, 135	13228	182	22125	172	22402	175
01020	143	13232	182	22126	172	22403	175
• 01020DISP	143	13248	182	22127	172	22406	175
0102011	143	13312	182	22135	172	22411	175
01030	145	13352	182	22136	172	22451	177
0103011	145	13416	182	22138	172	22452	177
01036	145	13418	182	22150	174	22453	177
• 01036DISP	145	13420	182	22200	170	22454	177
0103611	145	13424	182	22203	170	22455	177
0104011	143	13648	182	22205	169	22456	177
01050	143	13650	182	22207	169	22457	177
• 01050DISP	143	16074	175	22212	173	22458	177
0105011	143	16355	193	22213	170	22470	176
0105211	143	16356	193	22214	170	22471	176
01070	147	16564	132, 185	22215	170	22472	176
01100	140	16565	132, 185	22216	170	22480	176
• 01100DISP	140	16572	132, 185	22217	170	22481	176
01240	144	16576	132, 185	22218	174	22490	177
• 01240DISP	144	16584	185	22220	170	22491	177
0124011	144	18134	186	22221	170	22501	169
01250	144	19066	191	22222	170	22502	169
0125011	144	19067	191	22223	170	22503	169
01400	141	19068	191	22234	169	22504	169
01525	142	19070	191	22237	169	22505	169
• 01525DISP	142	19071	191	22256	168	22517	171
0152511	142	19072	191	22259	168	22532	196
0200011	146	19074	191	22264	174	22551	171
0252511	146	19104	191	22266	174	22560	177
• 02525DISP	146	19106	191	22267	175	22561	177
10509	183	19108	191	22269	175	22562	177
10512	183	21003	180	22272	173	22600	196
10600	193	21004	181	22273	174	22601	196
10605	193	21005	181	22274	175	22631	196
10649	193	21006	181	22276	174	22632	196
10706	193	21008	181	22281	174	22633	196
10708	193	21030	181	22282	174	22634	196
10710	193	21031	181	22303	178	22635	196
11100	176	21032	180	22306	178	22738	196
11104	176	21036	181	22310	178	22745	168
11107	176	21038	181	22320	178	23020	194
11108	176	21241	189	22321	178	23030	194
11109	176	21249	189	22324	178	23031	194
11110	176	21457	189	22352	194	23032	194
11112	176	21461	189	22354	194	23033	194
11700	193	21464	189	22357	194	23034	194
11744	183	21494	194	22359	194	23050	194
12055	183	21530	184	22366	194	23051	194
12060	183	22001	171	22367	194	23052	194
12082	198	22003	171	22370	132, 173	23053	194
12224	183	22011	171	22371	173	23055	194
13204	182	22013	171	22372	174	23300	195
13206	182	22031	171	22377	170	23302	195
13212	182	22033	171	22380	170	23303	195

• *New Item*

Item#	Page#
23305	195
23306	195
23311	195
24059	197
24105	197
24109	197
24115	197
24140	197
24147	197
28151	191
28212	198
29452	187
29453	187
41298	198
41299	198
61272	186
62201	20, 44
62203	20, 49
62204	20, 63
62205	20, 63
62206	33, 37
62207	33, 37
62208	33, 43
62209	33, 44
62210	33, 50
62211	33, 50
62212	33, 63
62213	33, 63
62214	25, 36
62215	25, 36
62217	25, 44
62219	25, 49
62220	25, 65
62221	25, 65
62222	25, 65
62223	21, 37
62224	21, 37
62225	21, 48
62227	21, 64
62229	24, 37
62230	24, 37
62231	24, 48
62233	24, 64
62234	24, 64
62235	34, 41
62236	34, 48
62237	34, 48
62238	34, 64
62239	34, 64
62240	27, 36
62244	27, 49
62245	27, 63
62247	27, 63
62252	26, 39
62254	29, 39

Item#	Page#
62255	29, 39
62256	29, 45
62257	28, 47
62258	28, 47
62259	28, 47
62260	28, 65
62262	28, 65
62264	30, 38
62266	30, 43
62267	30, 67
62268	23, 38
62269	23, 38
62270	23, 47
62271	23, 47
62272	23, 67
62273	23, 67
62274	19, 39
62275	19, 39
62278	19, 66
62279	19, 66
62280	22, 38
62281	22, 38
62282	22, 47
62284	22, 67
62285	22, 67
62286	30, 41
62287	30, 47
62288	30, 67
62301	75
62302	76
62303	76
62306	78
62307	76
• 62308	76
• 62309	76
63000	9
63002	9
63003	9
63005	9
63006	8
63008	8
63009	9
63011	9
63012	7
63013	7
• 63018	8
• 64000	74
• 64001	74
• 64002	74
• 64003	74
• 64004	74
64290	49
64291	49
64292	49
64300	53

Item#	Page#
64301	53
64302	53
64303	53
64304	52
64305	52
64306	52
64308	48
64309	51
64311	50
64316	51
64323	54
64340	55
64360	55
64361	54
64363	52
64516	82
64532	45
64615	34, 41
64617	70
64681	81
64683	77
64684	81
64686	83
64687	83
64688	82
64689	82
64829	80
64830	80
64841	75
64864	75
64865	75
64866	75
64883	81
65302	60
65659	124
65661	124
65682	124
66008	34, 41
66028	21, 48
66031	21, 64
66054	40
66088	42
66098	42
66161	53
66162	53
66176	53
66177	50
66198	42
66200	60
66201	60
66203	59
66204	59
66205	60
66206	60
66214	59

Item#	Page#
66220	20, 63
66223	20, 49
66238	59
66239	59
66240	59
66241	59
66242	60
66244	42
66253	48
66254	50
66263	60
66282	54
66295	36
66297	60
66323	54
66326	61
66327	53
66329	56
66339	55
66378	53
66401	71
66402	71
66403	71
66405	71
66406	72
66410	71
66411	72
66414	72
66424	71
66442	72
66443	72
66448	72
66449	72
66450	72
66464	54
66465	54
66468	55
66490	69
66491	69
66492	69
66495	69
66496	70
66497	70
66499	69
66521	68
66522	68
66523	68
66584	32, 40
66587	32, 40
66590	32, 44
66592	32, 65
66593	32, 65
66594	72
66595	72
66596	32, 63

• New Item

Item#	Page#	Item#	Page#	Item#	Page#	Item#	Page#
66599	32, 48	66938	81	67605	54	70038	187
66600	58	66945	85	67831	79	70042	168
66601	71	66946	87	67834	79	70045	186
66603	58	66949	86	67835	84	70048	186
66604	57	66955	84	67836	84	70049	186
66607	58	66961	82	67843	79	70050	186
66609	56	66962	82	67846	79	70052	186
66610	56	66963	83	67847	79	70053	186
66611	57	66964	83	67850	79	70054	186
66624	61	66970	77	67851	79	70055	186
66640	31, 41	66971	81	67863	77	70056	186
66645	31, 52	66972	81	67864	77	70058	187
66646	31, 52	66975	87	67873	77	70059	187
66647	31, 67	66976	87	67887	83	70062	189
66649	31, 67	66983	83	67899	66	70064	187
66654	71	66984	83	67901	84	70065	187
66658	58	66991	84	67904	78	70070	189
66662	70	67015	65	67905	78	70071	189
66677	58	67017	45	67930	80	70072	189
66680	58	67141	40	67963	82	70074	189
66681	57	67142	51	67973	84	70075	189
66686	61	67143	42	67975	84	70079	189
66689	56	67202	56	67978	85	70098	194
66692	58	67208	58	67980	85	70099	190
66698	56	67209	56	69000	26, 40	70100	194
66699	57	67210	56	69001	26, 40	70101	194
66741	76	67212	56	69006	26, 44	70102	194
66742	76	67215	57	69009	26, 64	70103	194
66746	76	67225	51	69192	50	70105	194
66748	80	67226	70	69193	50	70107	194
66800	86	67241	50	69231	45	70108	195
66803	85	67314	55	69246	51	70110	180
66808	84	67322	61	69395	78	70111	180
66818	86	67325	61	69407	76	70112	180
66822	87	67328	80	69449	51	70113	180
66823	87	67331	66	69450	51	70114	181
66826	79	67345	59	69559	190	70115	180
66828	79	67384	45	69610	81	70116	180
66839	86	67477	68	69823	77	70125	188
66840	85	• 67480	8	69919	80	70126	188
66853	77	• 67481	8	70001	175	70130	193
66859	87	• 67482	8	70003	195	70131	193
66861	85	• 67485	8	70004	192	70133	192
66875	87	67492	78	70005	192	70135	193
66878	86	67509	78	70006	192	70136	193
66879	84	67512	68	70010	173	70138	193
66881	84	67513	68	70025	190	70140	193
66884	86	67514	68	70029	126	70141	192
66885	86	67515	68	70030	126	70143	193
66898	80	67518	80	70031	126	70144	193
66919	86	67519	78	70032	126	70145	169
66924	77	67533	69	70033	187	70146	169
66935	81	67545	75	70035	187	70150	182
66936	81	67572	52	70036	187	70151	182
66937	81	67573	52	70037	187	70152	183

• *New Item*

Item#	Page#
70153	183
70155	183
70156	184
70158	184
70159	184
70160	171
70161	171
70162	183
70168	132, 185
70169	184
70172	183
70176	182
70216	191
70218	191
70219	191
70220	191
70221	191
70222	191
70224	191
70226	191
70227	191
70228	191
70229	168
70230	168
70231	168
70234	168
70236	168
70238	168
70240	168
70241	168
70242	168
70243	168
70244	168
70250	184
70254	184
70255	184
70256	184
70258	184
70266	190
70268	190
70269	190
70270	182
70272	182
70284	7
70285	7
70286	7
70287	7
70290	179
70298	198
70300	197
70312	197
70320	192
70321	192
70322	189
70350	180

Item#	Page#
70352	180
70361	175
70364	174
70368	197
70370	197
70371	197
70373	197
70374	197
70402	172
70403	172
70404	172
70405	172
70407	169
70408	173
70409	173
70410	171
70411	171
70412	171
70413	171
70414	168
70417	171
70419	173
70421	171
70423	174
70424	173
70425	173
70426	173
70428	175
70429	173
70430	169
70431	171
70433	169
70435	175
70440	189
70441	189
70442	189
70443	189
70444	189
70446	189
70450	189
70451	189
70452	189
70453	189
70454	189
70457	189
70470	188
70471	188
70480	188
70481	188
70483	188
70486	188
70500	194
70506	194
70530	188
70531	188

Item#	Page#
70551	191
70601	182
70602	182
70603	182
70604	182
70606	182
70613	182
70620	183
70621	183
70622	183
70628	183
70632	184
70633	184
70634	184
70635	184
70636	184
70638	184
70639	184
70640	184
70641	194
70660	184
70661	128, 185
70662	185
70670	189
70676	193
70681	192
70686	192
70689	191
70690	191
70699	192
70770	189
70801	195
70900	198
72141	99
72161	99
• 72229	94
72243	94
72245	95
72261	96
7226565	102
72280	116
7234265	102
72345	116
72470	105
72471	94
72472	95
72473	97
72474	98
72475	95
72476	105
72477	101
72478	116
72557	93
72559	102
72598	97

Item#	Page#
74321	196
74998	197
74999	197
75050	89
75051	89
75052	89
75053	89
77002	188
77003	188
77004	129
77005	129
77006	130
77007	128
77008	128
77009	128
77010	130
77011	130
77012	132, 185
77013	128
77014	128
77015	132
77016	132, 184
77019	128
77021	133, 179
77022	133, 179
77023	133, 179
77027	138
77028	138
77029	128
77030	128
77034	138
77035	138
77036	128
77037	138
77040	132, 184
77041	132, 184
77043	132, 185
77044	132, 185
77045	132, 185
77046	132, 185
77047	132, 184
77048	132, 184
77049	132, 185
77050	132, 185
77051	132, 185
77052	133, 179
77054	132, 185
77058	132
77059	132
77060	131
77061	131
77063	132, 185
77064	132, 185
77066	132, 185
77069	128

• New Item

Item#	Page#	Item#	Page#	Item#	Page#	Item#	Page#
77072	128	77286	133, 179	77872	125	78716	110
77074	131	77287	133, 179	77873	125	78763	95
77075	133, 179	77288	133, 179	77874	125	78764	97
77076	131	77289	130	77875	125	• 7877365	108
77077	132, 173	77290	128	77934	124	78775	98
77079	131	77291	128	77935	124	7877865	115
77083	128	77292	128	• 78000	114	7877965	115
77084	130	77293	130	• 78001	93	7879965	105
77087	128	77294	127	• 78002	93	81051	15, 154
77088	130	77400	131	• 78003	119	81066	155
77091	133, 179	77401	131	• 78004	111	81072	15, 154
77093	130	77402	131	• 78005	112	81082	155
77095	129	77405	131	7801665	100	81094	155
77096	129	77406	131	7801765	100	81095	15, 154
77097	129	77407	131	78024	119	81096	155
7709908	131, 198	77410	131	7804365	107	81097	15, 154
77103	129	77411	131	78053	112	81098	13, 152
77104	129	77414	131	7807765	106	81099	15, 154
77105	131, 198	77415	131	78108	112	81100	164
77107	132, 185	77416	131	78123	113	81104	164
77108	129	77491	124	78125	113	81112	158
77109	132, 185	77492	124	78126	113	81119	13, 152
77118	127	77526	124	78127	118	81120	14, 153
77121	129	77527	124	7813365	113	81121	13, 152
77122	127	77528	124	7813665	100	81135	14, 153
77123	127	77620	127	7814465	96	81151	164
77125	127	77621	127	7814565	96	81160	158
77127	130	77626	130	7824865	96	81162	158
77134	130	77628	127	78377	109	81167	13, 152
77214	129	77630	127	7839165	107	81169	158
77215	129	77638	130	78399	104	81170	158
77217	129	77640	127	78400	104	81208	151
77218	129	77642	127	78409	118	81227	15, 154
77220	128	77644	130	7843565	108	81230	164
77224	128	77645	130	78505	101	81242	155
77225	128	77732	138	78507	101	81253	15, 154
77238	132, 185	77733	138	78508	109	81254	160
77240	124	77750	137	78509	109	81257	13, 152
77241	124	77752	137	78510	109	81258	155
77242	124	77754	137	7852165	106	81265	13, 152
77243	124	77756	137	78524	99	81270	15, 154
77244	124	77757	137	7856865	106	81272	13, 152
77245	124	77762	137	78603	112	81275	151
77246	124	77764	137	78614	118	81277	15, 154
77249	124	77811	123	78615	109	81279	13, 152
77251	124	77812	123	78616	111	81282	155
77252	124	77813	123	7861965	115	81290	157
77254	124	77814	123	7862765	107	81303	12, 151
77255	124	77815	123	78631	94	81310	11, 150
77257	124	77823	123	• 78644	94	81311	11, 150
77265	124	77826	123	78660	110	81314	12, 151
77268	131	77832	123	7867865	107	81315	12, 151
77269	132	77838	123	78691	98	81333	14, 153
77270	133, 194	77840	125	78714	110	81338	160
77285	133, 179	77870	125	78715	111	81353	14, 153

• *New Item*

Item#	Page#
81355	153
81356	13, 152
81363	13, 152
81364	12, 151
81365	14, 153
81375	14, 153
81382	14, 153
81391	14, 153
81400	11, 150
81404	11, 150
81405	12, 151
81407	11, 150
81409	11, 150
81410	12, 151
81411	15, 154
81412	10, 149
81413	12, 151
81414	12, 150
81422	14, 153
81427	12, 151
81448	163
81450	162
81451	163
81452	163
81456	163
81457	163
81459	163
81479	155
81493	165
81494	165
81499	165
81501	161
81504	161
81514	165
81528	157
81549	160
81558	160
81560	161
81570	161
81571	161
81574	161
81575	161
81578	157
81590	164
81592	157
81602	160
81604	164
81606	157
81609	157
81613	157
81617	164
81620	157
• 81631	10, 149
81707	161
81712	160

• *New Item*

Item#	Page#
81720	156
81727	156
81750	156
81758	164
81759	164
81760	164
81764	164
81770	156
81800	156
81805	156
81807	156
81810	156
81819	156
81837	156
81869	162
81876	163
81877	162
81883	162
81884	162
81887	162
81890	162
81892	162
81893	162
81900	162
81901	162
81902	162
81905	162
81918	162
81919	162
81920	163
81925	156
83062	158
83063	158
83070	159
83071	159
83072	158
83073	158
83090	159
83091	159
83100	159
83101	159
83102	159
83103	159
83112	159
83131	159
83757	157
85100	164
85151	164
85162	158
85254	160
85338	160
85450	162
85451	163
85528	157
85570	161

Item#	Page#
85571	161
85578	157
85602	160
85604	164
85606	157
85608	157
85612	160
85613	157
85617	164
• 85651	10, 149
85700	11, 150
85701	11, 150
• 85702	10, 149
• 85703	10, 149
85705	160
85707	161
85712	160
• 85718	7
• 85722	11, 149
• 85723	11, 149
• 85724	10, 149
• 85730	10, 149
• 85734	10, 149
85757	157
85869	162
85888	162

Item#	Page#
-------	-------



Call 1-800-999-2226 or visit www.westinghouselighting.com.

®
®, WESTINGHOUSE, and INNOVATION YOU CAN BE SURE OF are trademarks of Westinghouse Electric Corporation.
Used under license by Westinghouse Lighting. All Rights Reserved.