

Item Number 5149000

9PL/H/LED/DIM/G24Q/40 Direct Install

Specifications

- Energy Used (Watts): 9
- Incandescent Equivalent Wattage: 26
- Volts: 120
- Brightness (Lumens): 1000
- Average Rated Hours: 50000
- Color Temperature (Kelvin): 4000
- Beam Spread: 120°
- CRI: 82
- Efficacy (LPW): 111.11
- Estimated Yearly Energy Cost**: \$1.08
- Package Type: Black and White Box
- Approved for use in enclosed fixtures

Physical Characteristics

- Color Designation: Cool White
- Finish: White
- Housing Material: Aluminum & Plastic
- Base: G24Q GX24Q
- MOL: 5.20"
- MOD: 1.61"



Limited Warranty

5 Year

For full warranty information, please follow this link:

www.westinghouselighting.com/pdfs/warranty-cards/ES-WH-006.pdf

Warning

- Turn power off before inspection, installation, or removal.
- Risk of electric shock - Do not use where exposed to water or weather.
- Suitable for Damp Locations - The lamp is suitable for use in wet locations when used in an outdoor rated fixture.
- Do not open - no user serviceable parts inside.
- This device is not intended for use with emergency exit luminaires or emergency exit lights.
- This device complies with Part 15 of the FCC rules and has been tested and found to comply with the limits for a Class B digital device. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to the radio communication. Any changes or modifications not expressly approved by the manufacturer could avoid the user's authority to operate the equipment.
- This lamp may not be compatible with all dimmers.

Specifications are subject to change without notice, please visit www.westinghouselighting.com for latest information.

 and Westinghouse are trademarks of Westinghouse Electric Corporation. Used under license by Westinghouse Lighting. All Rights Reserved.

** Based on 3hrs./day 11¢/kWh - Cost depends on rates and use.

Item Number 5149000
Ballast Compatibility
 Compatible
 NOT Compatible

Ballast Brand	Ballast Model #	# of Lamps Installed	Voltage	Dimming	Status
ADVANCE	ICF-2S13-HI-LD	1	120/277		Compatible
ADVANCE	ICF-2S13-HI-LD	2	120/277		Compatible
ADVANCE	ICF-2S13-M1-BS	1	120		Compatible
ADVANCE	ICF-2S13-M1-BS	1	277		NOT Compatible
ADVANCE	ICF-2S13-M1-BS	2	120/277		Compatible
ADVANCE	ICF-2S18-HI-LD	1	120		Compatible
ADVANCE	ICF-2S18-HI-LD	1	277		NOT Compatible
ADVANCE	ICF-2S18-HI-LD	2	120/277		Compatible
ADVANCE	IICF-2S18-M1-BS	1	120		Compatible
ADVANCE	ICF-2S18-M1-BS	1	277		NOT Compatible
ADVANCE	ICF-2S18-M1-BS	2	120/277		Compatible
ADVANCE	ICF-2S26-HI-LD	1	120/277		Compatible
ADVANCE	ICF-2S26-HI-LD	2	120/277		Compatible
ADVANCE	ICF-2S42-M2-LD	2	120		Compatible
ADVANCE	ICF-2S42-M2-LD	2	277		NOT Compatible
ADVANCE	I2T-2T42-M5-LD	2	120/277	YES	Compatible
ADVANCE	REZ-2Q26-M2-BS	2	120	YES	Compatible
ADVANCE	REZ-2Q26-M2-LD	2	120	YES	Compatible
ADVANCE	REZ-2T42-M3-BS	1	120	YES	Compatible
ADVANCE	REZ-2T42-M3-BS	2	120	YES	Compatible
ADVANCE	RMB-1P13-S1	1	120		Compatible
ADVANCE	VEZ-1T42-M2-LD	1	277	YES	Compatible
ADVANCE	VEZ-2Q26-M2-LD	2	277	YES	Compatible
ANTRON	CSD-UV18PS	1	120/277		Compatible
ANTRON	CSD-UV18PS	2	120/277		Compatible
DAMAR	2009ID	1	120/277		Compatible
DAMAR	2009ID	2	120/277		Compatible
DELTEK	80204 DBC242MVRSN	1	120/277		Compatible
DELTEK	80204 DBC242MVRSN	2	120/277		Compatible
DELTEK	80208 DBC226MVRSN	1	120/277		Compatible
DELTEK	80208 DBC226MVRSN	2	120/277		Compatible
EASEIC	FL 2x18/100-277V TCD PRO	2	120/277		Compatible
FULHAM	NPY-120-226-CFL	2	120		NOT Compatible
FULHAM	RHA-UNV-226-C	1	120/277		Compatible
FULHAM	RHA-UNV-226-C	2	120/277		Compatible
FULHAM	RHA-UNV-242-C	1	120/277		Compatible
FULHAM	RHA-UNV-242-C	2	120/277		Compatible
FULHAM	WH2-120-C	1	120		Compatible
FULHAM	WH2-120-C	2	120		Compatible
FULHAM	WH33-120-C	1	120		NOT Compatible
FULHAM	WH33-120-C	2	120		Compatible
FUSION	FB218CFLMV	1	120/277		Compatible
FUSION	FB218CFLMV	2	120/277		Compatible
FUSION	FB226CFLMV	1	120/277		Compatible
FUSION	FB226CFLMV	2	120/277		Compatible
FUSION	FB242CFLMV	1	120/277		Compatible
FUSION	FB242CFLMV	2	120/277		Compatible
GENERAL ELECTRIC	GEC218-MVPS-3W	1	120/277		Compatible
GENERAL ELECTRIC	GEC218-MVPS-3W	2	120		NOT Compatible

Ballast Compatibility



Ballast Brand	Ballast Model #	# of Lamps Installed	Voltage	Dimming	Status
GENERAL ELECTRIC	GEC218-MVPS-3W	2	277		Compatible
GENERAL ELECTRIC	GEC226-MVPS-3W	1	120/277		Compatible
GENERAL ELECTRIC	GEC226-MVPS-3W	2	120/277		Compatible
GENERAL ELECTRIC	GEC242-MVPS-3W	1	120/277		Compatible
GENERAL ELECTRIC	GEC242-MVPS-3W	2	120/277		Compatible
HALCO	EP2CF18PS/MV/DC/K	1	120/277		Compatible
HALCO	EP2CF18PS/MV/DC/K	2	120/277		Compatible
HALCO	EP2CF26PS/MV/DC/K	1	120/277		Compatible
HALCO	EP2CF26PS/MV/DC/K	2	120/277		Compatible
HALCO	EP2CF42PS/MV/DC/K	1	120/277		Compatible
HALCO	EP2CF42PS/MV/DC/K	2	120/277		Compatible
HOWARD	EP2/13CF/MV/K2	1	120/277		Compatible
HOWARD	EP2/13CF/MV/K2	2	120/277		Compatible
HOWARD	EP2/18CF/MV/K2	1	120/277		Compatible
HOWARD	EP2/18CF/MV/K2	2	120/277		Compatible
HOWARD	EP2/26CF/MV/K2	1	120/277		Compatible
HOWARD	EP2/26CF/MV/K2	2	120/277		Compatible
KEYSTONE	KTEB-126-1-TP	1	120		Compatible
KEYSTONE	KTEB-126-1-TP-SC/HB	1	120		Compatible
KEYSTONE	KTEB-218-UV-PS-DW	1	120/277		Compatible
KEYSTONE	KTEB-218-UV-PS-DW	2	120/277		Compatible
KEYSTONE	KTEB-218-UV-RS-DW	1	120/277		Compatible
KEYSTONE	KTEB-218-UV-RS-DW	2	120/277		Compatible
KEYSTONE	KTEB-226-UV-PS-DW	1	120/277		NOT Compatible
KEYSTONE	KTEB-226-UV-PS-DW	2	120/277		Compatible
KEYSTONE	KTEB-226-UV-RS-DW	1	120/277		Compatible
KEYSTONE	KTEB-226-UV-RS-DW	2	120/277		Compatible
KEYSTONE	KTEB-242-UV-PS-DW	1	120/277		Compatible
KEYSTONE	KTEB-242-UV-PS-DW	2	120/277		Compatible
KEYSTONE	KTEB-242-UV-RS-DW	1	120/277		NOT Compatible
KEYSTONE	KTEB-242-UV-RS-DW	2	120/277		Compatible
LUMAPRO	16X954 CSD-UV18PBX	1	120/277		Compatible
LUMAPRO	16X954 CSD-UV18PBX	2	120/277		NOT Compatible
LUMAPRO	16x959 CSD-UV18P/BMKIT	1	120/277		Compatible
LUMAPRO	16x959 CSD-UV18P/BMKIT	2	120/277		Compatible
LUMAPRO	4KGJ7 EB-213PRS-U	1	120/277		Compatible
LUMAPRO	4KGJ7 EB-213PRS-U	2	120/277		Compatible
LUMAPRO	4KGJ8 EB-218PRS-U	1	120		Compatible
LUMAPRO	4KGJ8 EB-218PRS-U	1	277		NOT Compatible
LUMAPRO	4KGJ8 EB-218PRS-U	2	120/277		Compatible
OSRAM	QTP 1/2x13CF/UNV DM	1	120/277		Compatible
OSRAM	QTP 1/2x13CF/UNV DM	2	120/277		Compatible
OSRAM	QTP 1/2x18CF/UNV DM	1	120/277		Compatible
OSRAM	QTP 1/2x18CF/UNV DM	2	120/277		Compatible
OSRAM	QTP 2x26/32/42CF/UNV DM	2	120/277		NOT Compatible
OSRAM	QTP 2x26/32/42CF/UNV DM PEM	2	120/277		NOT Compatible
OSRAM	QTP 2x26CF/UNV DM	1	120/277		Compatible
OSRAM	QTP 2x26CF/UNV DM	2	120/277		Compatible
OSRAM	QTP 2x26CF/UNV DM PEM	1	120/277		Compatible

Ballast Compatibility



Ballast Brand	Ballast Model #	# of Lamps Installed	Voltage	Dimming	Status
OSRAM	QTP 2x26CF/UNV DM PEM	2	120/277		Compatible
OSRAM	QTP 2x26CF/UNV QS	1	120		NOT Compatible
OSRAM	QTP 2x26CF/UNV QS	1	277		Compatible
OSRAM	QTP 2x26CF/UNV QS	2	120		NOT Compatible
OSRAM	QTP 2x26CF/UNV QS	2	277		Compatible
ROBERTSON	RED1L10-120	1	120		Compatible
ROBERTSON	RSO126CQ120	1	120		Compatible
STANDARD	E1321-UV-S	1	120/277		NOT Compatible
STANDARD	E1321-UV-S	2	120/277		NOT Compatible
STANDARD	E21338-UV-TDE FLX	1	120/277		Compatible
STANDARD	E21338-UV-TDE FLX	2	120/277		Compatible
STANDARD	E2150-UV-S	1	120/277		Compatible
STANDARD	E2150-UV-S	2	120/277		Compatible
STANDARD	E22142-UV-TDE FLX	1	120/277		Compatible
STANDARD	E22142-UV-TDE FLX	2	120/277		Compatible
STANDARD	E22642-UV-A-TDE FLX	1	120/277		Compatible
STANDARD	E22642-UV-A-TDE FLX	2	120/277		Compatible
STANDARD	ED2150-UV-BS	1	120/277		NOT Compatible
STANDARD	ED2150-UV-BS	2	120/277		Compatible
STANDARD	ED22150-120-277-SL GLB	1	120/277		Compatible
STANDARD	ED22150-120-277-SL GLB	2	120/277		Compatible
TOPAZ	B2642UNV/ME-TPZ	2	120/277		Compatible
TOSPO	TP 2/26 PS UV	1	120/277		Compatible
TOSPO	TP 2/26 PS UV	2	120/277		Compatible
UNIVERSAL	C213UNVME	1	120/277		Compatible
UNIVERSAL	C213UNVME	2	120/277		Compatible
UNIVERSAL	C218UNVME	1	120/277		Compatible
UNIVERSAL	C218UNVME	2	120/277		Compatible
UNIVERSAL	C2642UNVME	1	120/277		Compatible
UNIVERSAL	C2642UNVME	2	120/277		Compatible



Ballast Compatibility



Ballast Brand	Ballast Model #	# of Lamps Installed	Voltage	Dimming	Status
FUSION	FB218347CFLE	1	347		Compatible
FUSION	FB218347CFLE	2	347		Compatible
FUSION	FB226347CFLE	1	277/347		Compatible
FUSION	FB226347CFLE	2	277/347		Compatible
FUSION	FB242347CFLE	1	277/347		Compatible
FUSION	FB242347CFLE	2	277/347		Compatible
STANDARD	E2150-347S	1	277/347		Compatible
STANDARD	E2150-347S	2	277/347		Compatible
STANDARD	E22142-347-TDE-FLX	1	347		Compatible
STANDARD	E22142-347-TDE-FLX	2	347		Compatible
STANDARD	E22642-347-A-TDE-FLX	1	347		Compatible
STANDARD	E22642-347-A-TDE-FLX	2	347		Compatible
STANDARD	E2642-347-A-TDE-FLX	1	347		Compatible
STANDARD	E2642-347-A-TDE-FLX	2	347		Compatible
STANDARD	ED2150-347S	1	277/347		NOT Compatible
STANDARD	ED2150-347S	2	277/347		Compatible
STANDARD	ED22150-347-BLS GLB	1	347		NOT Compatible
STANDARD	ED22150-347-BLS GLB	2	347		Compatible
UNIVERSAL	C213/347ME	1	347		Compatible
UNIVERSAL	C213/347ME	2	347		Compatible
UNIVERSAL	C218/347ME	1	347		Compatible
UNIVERSAL	C218/347ME	2	347		Compatible
UNIVERSAL	C242/347ME	1	347		NOT Compatible
UNIVERSAL	C242/347ME	2	347		NOT Compatible
UNIVERSAL	C2642/347ME	1	347		Compatible
UNIVERSAL	C2642/347ME	2	347		Compatible

Specifications are subject to change without notice, please visit www.westinghouselighting.com for latest information.

